



Test Report

No.: T52310351010TY

Date: JAN 02, 2024

Page 1 of 40

Tiny Love Test Report

Applicant:	TINY LOVE LTD
Address:	KORENDIJK 5, NL-5704 RD, HELMOND
Contact Person:	SMADAR CAHLON, YARDEN LABEL, SARIT FRUCHTNIS

Sample Description:	TINY ROCKERS DOUBLE SIDED FIRST BOOK		
Style/Item No.:	160190E001	PO No.:	/
Country of Destination:	/	Country of Origin:	CHINA
Vendor:	FOOK YING		
Manufacturer:	/		
Date Code:	/		
Client Reference Information:	/		
Intended Age Grade on Label:	0M+		

Age Group Applied in Testing:	ALL AGES		
Date In:	DEC 19, 2023		
Date Out:	JAN 02, 2024		
Working Days:	7+		
Further Information Date:	/	Sample Resubmission Date:	/



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Selected test(s) as requested by the client, please refer to test result page(s) for details:

Test Requested		Conclusion
1.	For compliance with the European standard on Safety of toys: - EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties EN 71-2: 2020 – Safety of toys – Part 2: Flammability Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 + A1:2021 – Migration of certain elements	-- PASS PASS SEE RESULT PASS
2.	Client’s requirement - Colour Fastness to Rubbing (EN ISO 105-X12:2016)	PASS
3.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments – Cadmium content	PASS
4.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendment (EU) 2018/2005 – Phthalates content	PASS
5.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments including (EU) 2020/2096 – AZO Colourants	PASS
6.	European commission directive (EU) 2019/1929 – Formaldehyde	PASS
	Client’s Requirement – Formaldehyde	PASS
7.	European Directive (EU) 2021/903 amending appendix C to Annex II of Directive 2009/48/EC – Aniline Content	PASS
8.	Client’s Requirement – Extractable Heavy Metal	PASS
9.	Client’s Requirement – Polycyclic Aromatic Hydrocarbons (PAHs) Content	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Requested		Conclusion
10.	Client's Requirement – Lead Content	PASS
11.	Client's Requirement – Cadmium Content	PASS
12.	Phthalates Content	SEE RESULT
13.	Client's Requirement – Alkylphenol Ethoxylates (APEOs) – Nonylphenol Ethoxylates (NPEOs) and Octylphenol Ethoxylates (OPEOs) content	PASS
14.	Client's Requirement – Alkylphenol (AP)– Nonylphenol (NP) and Octylphenol (OP) content	PASS
15.	Client's Requirement – O-phenylphenol (OPP) content	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com


Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Picture Page


Pic.1




Pic.2



Pic.3



Pic.4




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Pic.5



Pic.6




Pic.7




Pic.8



Pic.9



Pic.10



Signed for and on behalf of
 SGS-CSTC Standards Technical
 Services Co., Ltd. Shenzhen Branch Testing Center

Smy

Star

Kally



Sun Yaqing, Sunny
 Supervisor

Sun Enxu, Aaron
 Dept. Manager

Deng Qing, Kally
 Senior Engineer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Results:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	General Requirements	
4.1	Materials cleanliness	PASS
4.7	Edges	PASS
4.8	Points and Metallic Wires	PASS
4.20	Acoustics	PASS (See Table)

Table :

Max Result	Limit
L _{pA} : 57.6 dB	90 dB
L _{pCpeak} : 88.2 dB	110 dB

5	Toys intended for Children under 36 months	
5.1	General Requirements	
5.1a	Small part requirement on toys & removable Components (Test method 8.2)	PASS
5.1b	Torque test (Test method 8.3)	PASS
5.1b	Tension test (Test method 8.4)	PASS
5.1b	Drop test (Test method 8.5)	PASS
5.1b	Impact test (Test method 8.7)	PASS
5.1b	Compression test (Test method 8.8)	PASS
5.1b	Sharp edge (Test method 8.11)	PASS
5.1b	Sharp point (Test method 8.12)	PASS
5.2	Soft-filled toys and soft-filled parts of a toy	PASS
5.4	Cords, chains and electrical cables in toys	PASS
5.8	Shape and Size of certain Toys	PASS



<u>Clause</u>	<u>Description</u>	<u>Result</u>
7	Warnings, markings and instructions for use Only English warnings were checked for the clause 7.	
7.1	General Note: Please note that for assessing the visibility and legibility of warnings, CEN has introduced good practice in the informative Annex A.33 by addressing the following aspects: a) Emphasising the warning b) Contrast, background and colours c) Reflecting surfaces and obscuring material d) Font type e) Font size f) Logical direction of text For more details, see EN 71-1. According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.	PASS

EN 71-2: 2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2: 2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Type of gas: Butane gas used in the test burner

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4.1	General requirements	PASS
4.5	Soft-filled toys	PASS (See Result Page)

Result Page:

Soft-filled Toys (Clause 4.5)

<u>Sample</u>	<u>Burning Rate (mm/sec)</u>
TINY ROCKERS DOUBLE SIDED FIRST BOOK	DNI

(Requirement: The rate of spread of flame on the surface of toy shall be not greater than 30 mm/sec or shall self-extinguish)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

LABELING REQUIREMENT (WASHING/CLEANING LABEL, CE MARK, IMPORTER / MANUFACTURER MARK (NAME, ADDRESS), PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC-SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Present	Toy & Packaging
CE mark	Present	Toy & Packaging
Importer's Name & Address	Present	Toy & Packaging
Manufacturer's Name & Address	Present	Toy & Packaging
Product ID	Present	Toy & Packaging

Note:

1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soaked. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



SGS-CSTC (China) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019+A1:2021 – Migration of certain elements

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019+A1:2021. Analysis of general elements was performed by ICP-OES / Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis or LC-ICP-MS / organic tin was analyzed by GC-MS.

Test Item(s)	Result(s)			MDL	Permissible Limit
	1	2	3		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	12	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
Specimen No.	4	5	6	--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
Specimen No.	7	8	9	--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	10	11	12		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	98	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000

Specimen Description:

1. Red colored series fabric (Body) (A)
2. Black colored series fabric (Body) (B)
3. Brown colored series fabric (Body) (C)
4. Dark red fabric w/ red fabric thread (Binding) (D)
5. Black fabric w/ black fabric thread (Mirror) (E)
6. Black tricot (F)
7. Black satin ribbon (G)
8. Brown-red satin ribbon (H)
9. Dark red terry (I)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

- 10. White satinet w/ blue, red, black printing (Sewn-in label) (J)
- 11. Black flannel w/ black embroidery (K)
- 12. Transparent plastic sheet w/ silvery printing (Mirror) (L)

- Note:
- mg/kg = milligram per kilogram
 - mg = milligram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm
 - + Soluble Chromium is not restricted by EN 71-3:2019+A1:2021, results shown only for reference

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- * = Exceeds Permissible Limit

Colour Fastness to Rubbing

I .(EN ISO 105-X12:2016; Size of rubbing finger: 16mm diameter)

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>Client's Requirement</u>
Dry staining	4-5	4-5	4-5	4-5	Min.4
Wet staining	4-5	4-5	4-5	4-5	Min.3-4
	<u>5</u>	<u>6</u>	<u>7</u>		<u>Client's Requirement</u>
Dry staining	4	4-5	4-5		Min.4
Wet staining	4	4-5	4-5		Min.3-4

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Specimen Description:

- 1. White fabric with black printing (Body)
- 2. White fabric with black and grey printing (Body)
- 3. White fabric with multi-color printing (Body)
- 4. Dark red fabric w/ red fabric thread (Binding)
- 5. Black fabric w/ black fabric thread (Mirror)
- 6. Brown-red satin ribbon
- 7. Black satin ribbon



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号 101、3号 301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

II. (EN ISO 105-X12:2016; Size of rubbing finger: 19x25.4mm)

	<u>1</u>	<u>2</u>	<u>3</u>	<u>Client's Requirement</u>
Dry staining	4-5	4	4	Min.4
Wet staining	4	3-4	4	Min.3-4

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Specimen Description:

1. Black tricot
2. Dark red terry
3. Black flannel w/ black embroidery

European Regulation (EC) No. 1907/2006 (REACH), Annex XVII and its Amendments – Cadmium Content

Method: With reference to CPSC-CH-E1003-09.1 / CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3
 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Atomic Absorption Spectrometer (AAS)

For Plastic

Test Item(s)	Cadmium (Cd)		
Permissible Limit (mg/kg)	100		
Specimen Description	Alias No.	Tracing No.	Result(s) (mg/kg)
1. Transparent plastic sheet w/ silvery printing (Mirror) (L)	3	1	ND
2. White plastic (Inner) (M) + White plastic label (Backing of mirror) (N) + Transparent plastic sheet (Inner) (O)	3	2	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No.: T52310351010TY

Date: JAN 02, 2024

Page 16 of 40

- Note:
- Permissible and Reference Limit specified by Commission Regulation (EU) No 494/2011 & Commission Regulation (EU) No 2016/217 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under entry 23 of Regulation (EC) No 552/2009 and directive 91/338/EC).
 - mg/kg = milligram per kilogram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 5 mg/kg
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Permissible or Reference Limit



SGS CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendment (EU) 2018/2005 – Phthalate content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Materials can be placed in the mouth for toys & childcare articles

Test Item(s)	CAS No.	Result (s) (%)	MDL (%)	Permissible Limit (%)
Alias No.	--	4		
Tracing No.	--	1		
Specimen No.	--	1		
Dibutyl Phthalate (DBP)	84-74-2	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	0.010	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	0.003	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	0.010	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	--	0.1

Specimen Description:

1. Transparent plastic sheet w/ silvery printing (Mirror) (L)



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-801, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Materials can not be placed in the mouth for toys & childcare articles or plasticized material in the other article.

Test Item(s)	CAS No.	Result (s) (%)	MDL (%)	Permissible Limit (%)
Alias No.	--	4		
Tracing No.	--	2		
Specimen No.	--	1		
Dibutyl Phthalate (DBP)	84-74-2	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	--	0.1

Specimen Description:

- White plastic (Inner) (M) + White plastic label (Backing of mirror) (N) + Transparent plastic sheet (Inner) (O)

- Note:
- ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - % = percentage by weight

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Permissible Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendment including (EU) 2020/2096 – AZO Colourants

Method: With reference to EN ISO 14362-1:2017 / EN ISO 14362-3:2017 / § 64 LFGB, BVL B 82.02-2:2013 / § 64 LFGB, BVL B 82.02-15:2013

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Diode Array Detector (HPLC-DAD)

No.	Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
			1			
			Direct reduction	Colorant extraction		
1.	4-Aminodiphenyl	92-67-1	ND	ND	5	30
2.	Benzidine	92-87-5	ND	ND	5	30
3.	4-Chloro- <i>o</i> -toluidine	95-69-2	ND	ND	5	30
4.	2-Naphthylamine	91-59-8	ND	ND	5	30
5.	<i>o</i> -Aminoazotoluene	97-56-3	ND	ND	5	30
6.	5-nitro- <i>o</i> -toluidine	99-55-8	ND	ND	5	30
7.	4-Chloroaniline	106-47-8	ND	ND	5	30
8.	2,4-Diaminoanisole	615-05-4	ND	ND	5	30
9.	4,4'-Diaminodiphenylmethane, MDA	101-77-9	ND	ND	5	30
10.	3,3'-Dichlorobenzidine	91-94-1	ND	ND	5	30
11.	3,3'-Dimethoxybenzidine	119-90-4	ND	ND	5	30
12.	3,3'-Dimethylbenzidine	119-93-7	ND	ND	5	30
13.	4,4'-methylenedi- <i>o</i> -toluidine	838-88-0	ND	ND	5	30
14.	<i>p</i> -Cresidine	120-71-8	ND	ND	5	30
15.	4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	ND	ND	5	30
16.	4,4'-Oxydianiline	101-80-4	ND	ND	5	30
17.	4,4'-Thiodianiline	139-65-1	ND	ND	5	30
18.	<i>o</i> -Toluidine	95-53-4	ND	ND	5	30
19.	2,4-Diaminotoluene, TDA	95-80-7	ND	ND	5	30
20.	2,4,5-Trimethylaniline	137-17-7	ND	ND	5	30
21.	4-Aminoazobenzene	60-09-3	ND	ND	5	30
22.	2-methoxyaniline	90-04-0	ND	ND	5	30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.	Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
			2			
			Direct reduction	Colorant extraction		
1.	4-Aminodiphenyl	92-67-1	ND	ND	5	30
2.	Benzidine	92-87-5	ND	ND	5	30
3.	4-Chloro- <i>o</i> -toluidine	95-69-2	ND	ND	5	30
4.	2-Naphthylamine	91-59-8	ND	ND	5	30
5.	<i>o</i> -Aminoazotoluene	97-56-3	ND	ND	5	30
6.	5-nitro- <i>o</i> -toluidine	99-55-8	ND	ND	5	30
7.	4-Chloroaniline	106-47-8	ND	ND	5	30
8.	2,4-Diaminoanisole	615-05-4	ND	ND	5	30
9.	4,4'-Diaminodiphenylmethane, MDA	101-77-9	ND	ND	5	30
10.	3,3'-Dichlorobenzidine	91-94-1	ND	ND	5	30
11.	3,3'-Dimethoxybenzidine	119-90-4	ND	ND	5	30
12.	3,3'-Dimethylbenzidine	119-93-7	ND	ND	5	30
13.	4,4'-methylenedi- <i>o</i> -toluidine	838-88-0	ND	ND	5	30
14.	<i>p</i> -Cresidine	120-71-8	ND	ND	5	30
15.	4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	ND	ND	5	30
16.	4,4'-Oxydianiline	101-80-4	ND	ND	5	30
17.	4,4'-Thiodianiline	139-65-1	ND	ND	5	30
18.	<i>o</i> -Toluidine	95-53-4	ND	ND	5	30
19.	2,4-Diaminotoluene, TDA	95-80-7	ND	ND	5	30
20.	2,4,5-Trimethylaniline	137-17-7	ND	ND	5	30
21.	4-Aminoazobenzene	60-09-3	ND	ND	5	30
22.	2-methoxyaniline	90-04-0	ND	ND	5	30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
 中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

No. Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)	
		3				
		Direct reduction	Colorant extraction			
1.	4-Aminodiphenyl	92-67-1	ND	ND	5	30
2.	Benzidine	92-87-5	ND	ND	5	30
3.	4-Chloro- <i>o</i> -toluidine	95-69-2	ND	ND	5	30
4.	2-Naphthylamine	91-59-8	ND	ND	5	30
5.	<i>o</i> -Aminoazotoluene	97-56-3	ND	ND	5	30
6.	5-nitro- <i>o</i> -toluidine	99-55-8	ND	ND	5	30
7.	4-Chloroaniline	106-47-8	ND	ND	5	30
8.	2,4-Diaminoanisole	615-05-4	ND	ND	5	30
9.	4,4'-Diaminodiphenylmethane, MDA	101-77-9	ND	ND	5	30
10.	3,3'-Dichlorobenzidine	91-94-1	ND	ND	5	30
11.	3,3'-Dimethoxybenzidine	119-90-4	ND	ND	5	30
12.	3,3'-Dimethylbenzidine	119-93-7	ND	ND	5	30
13.	4,4'-methylenedi- <i>o</i> -toluidine	838-88-0	ND	ND	5	30
14.	<i>p</i> -Cresidine	120-71-8	ND	ND	5	30
15.	4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	ND	ND	5	30
16.	4,4'-Oxydianiline	101-80-4	ND	ND	5	30
17.	4,4'-Thiodianiline	139-65-1	ND	ND	5	30
18.	<i>o</i> -Toluidine	95-53-4	ND	ND	5	30
19.	2,4-Diaminotoluene, TDA	95-80-7	ND	ND	5	30
20.	2,4,5-Trimethylaniline	137-17-7	ND	ND	5	30
21.	4-Aminoazobenzene	60-09-3	ND	ND	5	30
22.	2-methoxyaniline	90-04-0	ND	ND	5	30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
 中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

No.	Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
			4			
			Direct reduction	Colorant extraction		
1.	4-Aminodiphenyl	92-67-1	ND	ND	5	30
2.	Benzidine	92-87-5	ND	ND	5	30
3.	4-Chloro- <i>o</i> -toluidine	95-69-2	ND	ND	5	30
4.	2-Naphthylamine	91-59-8	ND	ND	5	30
5.	<i>o</i> -Aminoazotoluene	97-56-3	ND	ND	5	30
6.	5-nitro- <i>o</i> -toluidine	99-55-8	ND	ND	5	30
7.	4-Chloroaniline	106-47-8	ND	ND	5	30
8.	2,4-Diaminoanisole	615-05-4	ND	ND	5	30
9.	4,4'-Diaminodiphenylmethane, MDA	101-77-9	ND	ND	5	30
10.	3,3'-Dichlorobenzidine	91-94-1	ND	ND	5	30
11.	3,3'-Dimethoxybenzidine	119-90-4	ND	ND	5	30
12.	3,3'-Dimethylbenzidine	119-93-7	ND	ND	5	30
13.	4,4'-methylenedi- <i>o</i> -toluidine	838-88-0	ND	ND	5	30
14.	<i>p</i> -Cresidine	120-71-8	ND	ND	5	30
15.	4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	ND	ND	5	30
16.	4,4'-Oxydianiline	101-80-4	ND	ND	5	30
17.	4,4'-Thiodianiline	139-65-1	ND	ND	5	30
18.	<i>o</i> -Toluidine	95-53-4	ND	ND	5	30
19.	2,4-Diaminotoluene, TDA	95-80-7	ND	ND	5	30
20.	2,4,5-Trimethylaniline	137-17-7	ND	ND	5	30
21.	4-Aminoazobenzene	60-09-3	ND	ND	5	30
22.	2-methoxyaniline	90-04-0	ND	ND	5	30

Specimen Description:

1. Red colored series fabric (Body) (A) w/ Brown colored series fabric (Body) (C)
2. Black colored series fabric (Body) (B) w/ White satinet w/ blue, red, black printing (Sewn-in label) (J) + Black flannel w/ black embroidery (K)
3. Dark red fabric w/ red fabric thread (Binding) (D) + Black fabric w/ black fabric thread (Mirror) (E) + Black tricot (F)
4. Dark red terry (I) + Black satin ribbon (G) + Brown-red satin ribbon (H)



SGS-CSTC Shenzhen Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - Direct reduction refers to the extraction and reduction according to EN ISO 14362-1:2017 clause 10.2 and relevant clauses.

Colorant extraction refers to the colourant extraction and subsequent reduction according to EN ISO 14362-1:2017 clause 10.1 and relevant clauses.

- EN ISO 14362-1:2017 will enable further cleavage of 4-AAB (CAS No. 60-09-3) to non-forbidden amines: aniline and p-phenylenediamine. If aniline and/or p-phenylenediamine is not found, 4-AAB is considered as "ND" (i.e. <5.0 mg/kg). Otherwise, EN ISO 14362-3:2017 will be employed to verify the presence of 4-AAB.
- 4-Aminodiphenyl (CAS No. 92-67-1), 2-Naphthylamine (CAS No. 91-59-8) and 2,4-Diaminoanisole (CAS No. 615-05-4) can be indirectly generated from some colorants which do not contain these amines azo bound. The use of banned azo colorants cannot be reliably ascertained without additional information.
- In case PU is used, e.g. PU Foams or coatings, it cannot be ruled out that MDA (CAS No. 101-77-9) and TDA (CAS No. 95-80-7) can be released from PU material, not from banned azo colorant. Similarly, for pigment prints, MDA will be released from a chemical fixing agent.

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- -- = Test method is not applicable due to identified specimen nature with respect to method(s).
- @ = The amine was detected according to EN ISO 14362-1:2017 with the reducing agent. A similar result was obtained from the procedure carried out without the reducing agent. According to EN ISO 14362-1:2017 Annex C.2.1.2.2, the amine originated from a source other than azo colorants.
- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^ = The amine was detected according to EN ISO 14362-1:2017 with the reducing agent. Confirmation procedure was carried out without reducing agent, according to EN ISO 14362-1:2017 Annex C.2.1.2.2, the amine originated from azo colorants.
- Δ = Pass/Fail cannot be given due to the presence of substance(s) is between 5–30mg/kg. Detected substance(s) may come from one or more component(s) in composite testing. Individual testing of mixed components is highly recommended.
- * Exceeds Permissible Limit



European commission directive (EU) 2019/1929 – Formaldehyde

For Polymeric

Method: With reference to EN71-10: 2005 and EN71-11: 2005
 Analysis was performed by Ultraviolet Visible Spectrometer (UV-Vis)

Specimen Description	Alias No.	Tracing No.	MDL (mg/L)	Result(s) (mg/L)	Limit (mg/L)
1. Transparent plastic sheet w/ silvery printing (Mirror) (L)	10	1	0.8	ND	1.5
2. White plastic (Inner) (M) + White plastic label (Backing of mirror) (N) + Transparent plastic sheet (Inner) (O)	10	2	0.8	ND	1.5

- Note:
- mg/L = milligram per liter
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client’s request and the results are calculated using the minimum specimen surface area
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

For Textiles

Method: With reference to ISO 14184-1: 2011, Textiles- Determination of formaldehyde - Part 1: Free and Hydrolized formaldehyde (water extraction method)
 Analysis was performed by Ultraviolet Visible Spectrometer (UV-Vis)

Specimen Description	Alias No.	Tracing No.	MDL (mg/kg)	Result(s) (mg/kg)	Limit (mg/kg)	Client's Limit (mg/kg)
1. Dark red fabric w/ red fabric thread (Binding) (D)	9	1	10	ND	30	16
2. Black fabric w/ black fabric thread (Mirror) (E)	9	2	10	ND	30	16
3. Black tricot (F)	9	3	10	ND	30	16
4. Black satin ribbon (G)	9	4	10	ND	30	16
5. Brown-red satin ribbon (H)	9	5	10	ND	30	16
6. Dark red terry (I) w/ White satinet w/ blue, red, black printing (Sewn-in label) (J)	9	6	10	ND	30	16
7. White fabric w/ multi-color printing (Body) (R)	9	7	10	ND	30	16
8. Black flannel w/ black embroidery (K)	9	8	10	ND	30	16
9. White polyfiber (Inner) (P) w/ White non-woven (Inner) (Q)	9	9	10	ND	30	16

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

European Directive (EU) 2021/903 amending appendix C to Annex II of Directive 2009/48/EC – Aniline Content

Method: With reference to EN ISO 14362-1:2017 / EN ISO 14362-3:2017

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Diode Array Detector (HPLC-DAD)

Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
		1			
		Direct reduction	Colorant extraction		
Aniline	62-53-3	ND	ND	5	30

Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
		2			
		Direct reduction	Colorant extraction		
Aniline	62-53-3	ND	ND	5	30

Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
		3			
		Direct reduction	Colorant extraction		
Aniline	62-53-3	ND	ND	5	30

Forbidden Amines Substances	CAS-No.	Result (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
		4			
		Direct reduction	Colorant extraction		
Aniline	62-53-3	ND	ND	5	30

Specimen Description:

1. Red colored series fabric (Body) (A) w/ Brown colored series fabric (Body) (C)
2. Black colored series fabric (Body) (B) w/ White satinet w/ blue, red, black printing (Sewn-in label) (J) + Black flannel w/ black embroidery (K)
3. Dark red fabric w/ red fabric thread (Binding) (D) + Black fabric w/ black fabric thread (Mirror) (E) + Black tricot (F)
4. Dark red terry (I) + Black satin ribbon (G) + Brown-red satin ribbon (H)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Shenzhen Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Report

No.: T52310351010TY

Date: JAN 02, 2024

Page 27 of 40

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - Direct reduction refers to the extraction and reduction according to EN ISO 14362-1:2017 clause 10.2 and relevant clauses.

Colorant extraction refers to the colourant extraction and subsequent reduction according to EN ISO 14362-1:2017 clause 10.1 and relevant clauses.

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- -- = Test method is not applicable due to identified specimen nature with respect to method(s).
- Δ = Pass/Fail cannot be given due to the presence of substance(s) is between 5–30mg/kg. Detected substance(s) may come from one or more component(s) in composite testing. Individual testing of mixed components is highly recommended.
- * Exceeds Permissible Limit
- + Composite test has been performed as per client’s request and the results are calculated using the total specimen weight

Extractable Heavy Metal

Method: With reference to EN 16711-2:2015

Analysis was performed by Inductively Coupled Plasma – Mass Spectrometry (ICP-MS) and Ultraviolet Visible Spectrometer (UV-Vis).

Test Item(s)	Result(s) (mg/kg)			MDL (mg/kg)	Client's Limit (mg/kg)
	1	2	3		
Specimen No.	16	16	16		
Alias No.	1	2	3		
Tracing No.	1	2	3		
Cadmium (Cd)	ND	ND	ND	0.1	1
Lead (Pb)	ND	ND	ND	0.2	1
Chromium VI (CrVI)	ND	ND	ND	0.3	3

Test Item(s)	Result(s) (mg/kg)		MDL (mg/kg)	Client's Limit (mg/kg)
	4	5		
Specimen No.	16	16		
Alias No.	4	5		
Tracing No.	1	2		
Cadmium (Cd)	ND	ND	0.1	1
Lead (Pb)	ND	ND	0.2	1
Chromium VI (CrVI)	ND	ND	0.3	3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Specimen Description:

1. Dark red terry (I) + Brown-red satin ribbon (H)
2. Black colored series fabric (Body) (B) w/ Red colored series fabric (Body) (A) w/ Brown colored series fabric (Body) (C)
3. Black flannel w/ black embroidery (K) w/ White satinet w/ blue, red, black printing (Sewn-in label) (J)
4. Dark red fabric w/ red fabric thread (Binding) (D) w/ Black fabric w/ black fabric thread (Mirror) (E)
5. Black tricot (F) + Black satin ribbon (G)

- Note
- mg/kg = milligram per kilogram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- * Exceeds Client's Limit



Polycyclic Aromatic Hydrocarbon (PAHs) Content

Method: With reference to AfPS GS 2019:01 PAK method.
 Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Category 1: Materials intended to be placed in the mouth or materials coming into long-term contact with skin (More than 30s) during the intended use – In toys according to Directive 2019/48/EC or for the use by children up to 3 years of age

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Client's Limit (mg/kg)
		1	2	3		
Specimen No.	--	1	2	3		
Alias No.	--	12	12	12		
Tracing No.	--	1	2	3		
1. Naphthalene	91-20-3	ND	ND	ND	0.1	1
2. Acenaphthylene	208-96-8	ND	ND	ND	0.1	--
3. Acenaphthene	83-32-9	ND	ND	ND	0.1	--
4. Fluorene	86-73-7	ND	ND	ND	0.1	--
5. Phenanthrene	85-01-8	ND	ND	ND	0.1	--
6. Anthracene	120-12-7	ND	ND	ND	0.1	--
7. Fluoranthene	206-44-0	ND	ND	ND	0.1	--
8. Pyrene	129-00-0	ND	ND	ND	0.1	--
9. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.2
10. Chrysene	218-01-9	ND	ND	ND	0.1	0.2
11. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.2
12. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.2
13. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.2
14. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.2
15. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.2
16. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	ND	0.1	0.2
17. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.2
18. Benzo[g,h,i]perylene	191-24-2	ND	ND	ND	0.1	0.2
Sum of 7 PAHs^	--	ND	ND	ND	--	1
Sum of 18 PAHs	--	ND	ND	ND	--	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Client's Limit (mg/kg)
		4	5	6		
Specimen No.	--	4	5	6		
Alias No.	--	12	12	12		
Tracing No.	--	4	5	6		
1. Naphthalene	91-20-3	ND	0.2	0.2	0.1	1
2. Acenaphthylene	208-96-8	ND	ND	ND	0.1	--
3. Acenaphthene	83-32-9	ND	ND	ND	0.1	--
4. Fluorene	86-73-7	ND	ND	0.2	0.1	--
5. Phenanthrene	85-01-8	ND	ND	ND	0.1	--
6. Anthracene	120-12-7	ND	ND	ND	0.1	--
7. Fluoranthene	206-44-0	ND	ND	ND	0.1	--
8. Pyrene	129-00-0	ND	ND	ND	0.1	--
9. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.2
10. Chrysene	218-01-9	ND	ND	ND	0.1	0.2
11. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.2
12. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.2
13. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.2
14. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.2
15. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.2
16. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	ND	0.1	0.2
17. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.2
18. Benzo[g,h,i]perylene	191-24-2	ND	ND	ND	0.1	0.2
Sum of 7 PAHs [^]	--	ND	ND	0.2	--	1
Sum of 18 PAHs	--	ND	0.2	0.4	--	1



SGS-CSTC 检验检测有限公司
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)		MDL (mg/kg)	Client's Limit (mg/kg)
Specimen No.	--	7	8		
Alias No.	--	12	12		
Tracing No.	--	7	8		
1. Naphthalene	91-20-3	ND	ND	0.1	1
2. Acenaphthylene	208-96-8	ND	ND	0.1	--
3. Acenaphthene	83-32-9	ND	ND	0.1	--
4. Fluorene	86-73-7	ND	ND	0.1	--
5. Phenanthrene	85-01-8	ND	ND	0.1	--
6. Anthracene	120-12-7	ND	ND	0.1	--
7. Fluoranthene	206-44-0	ND	ND	0.1	--
8. Pyrene	129-00-0	ND	ND	0.1	--
9. Benzo[a]anthracene	56-55-3	ND	ND	0.1	0.2
10. Chrysene	218-01-9	ND	ND	0.1	0.2
11. Benzo[b]fluoranthene	205-99-2	ND	ND	0.1	0.2
12. Benzo[k]fluoranthene	207-08-9	ND	ND	0.1	0.2
13. Benzo[j]fluoranthene	205-82-3	ND	ND	0.1	0.2
14. Benzo[a]pyrene	50-32-8	ND	ND	0.1	0.2
15. Benzo[e]pyrene	192-97-2	ND	ND	0.1	0.2
16. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	0.1	0.2
17. Dibenzo[a,h]anthracene	53-70-3	ND	ND	0.1	0.2
18. Benzo[g,h,i]perylene	191-24-2	ND	ND	0.1	0.2
Sum of 7 PAHs [^]	--	ND	ND	--	1
Sum of 18 PAHs	--	ND	ND	--	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)		MDL (mg/kg)	Client's Limit (mg/kg)
Specimen No.	--	9	10		
Alias No.	--	12	12		
Tracing No.	--	9	10		
1. Naphthalene	91-20-3	ND	ND	0.1	1
2. Acenaphthylene	208-96-8	ND	ND	0.1	--
3. Acenaphthene	83-32-9	ND	ND	0.1	--
4. Fluorene	86-73-7	ND	ND	0.1	--
5. Phenanthrene	85-01-8	ND	ND	0.1	--
6. Anthracene	120-12-7	ND	ND	0.1	--
7. Fluoranthene	206-44-0	ND	ND	0.1	--
8. Pyrene	129-00-0	ND	ND	0.1	--
9. Benzo[a]anthracene	56-55-3	ND	ND	0.1	0.2
10. Chrysene	218-01-9	ND	ND	0.1	0.2
11. Benzo[b]fluoranthene	205-99-2	ND	ND	0.1	0.2
12. Benzo[k]fluoranthene	207-08-9	ND	ND	0.1	0.2
13. Benzo[j]fluoranthene	205-82-3	ND	ND	0.1	0.2
14. Benzo[a]pyrene	50-32-8	ND	ND	0.1	0.2
15. Benzo[e]pyrene	192-97-2	ND	ND	0.1	0.2
16. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	0.1	0.2
17. Dibenzo[a,h]anthracene	53-70-3	ND	ND	0.1	0.2
18. Benzo[g,h,i]perylene	191-24-2	ND	ND	0.1	0.2
Sum of 7 PAHs [^]	--	ND	ND	--	1
Sum of 18 PAHs	--	ND	ND	--	1

Specimen Description:

1. Dark red fabric w/ red fabric thread (Binding) (D)
2. Black fabric w/ black fabric thread (Mirror) (E)
3. Black tricot (F)
4. Black satin ribbon (G)
5. Brown-red satin ribbon (H)
6. Dark red terry (I)
7. White satinet w/ blue, red, black printing (Sewn-in label) (J)
8. Black flannel w/ black embroidery (K)
9. Transparent plastic sheet w/ silvery printing (Mirror) (L)
10. White fabric w/ multi-color printing (Body) (R)



Test Report

No.: T52310351010TY

Date: JAN 02, 2024

Page 33 of 40

- Note:
- ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - mg/kg = milligram per kilogram
 - ^ 7 PAHs including Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, Anthracene, Fluoranthene & Pyrene

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Client's limit

Lead Content

Method: With reference to CPSC-CH-E1003-09.1 / CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3

Test Item(s)	Unit	1	MDL	Client's Limit
Alias No.	--	6	--	--
Tracing No.	--	1	--	--
Lead (Pb)	mg/kg	ND	10	40

Specimen Description:

1. Transparent plastic sheet w/ silvery printing (Mirror) (L)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceeds Client's Limit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Cadmium Content

Method: With reference to CPSC-CH-E1003-09.1 / CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3

Test Item(s)	Unit	1	MDL	Client's Limit
Alias No.	--	7	--	--
Tracing No.	--	1	--	--
Cadmium (Cd)	mg/kg	ND	5	40

Specimen Description:

1. Transparent plastic sheet w/ silvery printing (Mirror) (L)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceeds Client's Limit



SGS CSTC (China) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)
Specimen No.	--	1	2	
Alias No.	--	8	8	
Tracing No.	--	1	2	
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.003
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.003
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.003
N-pentyl-isopentylphthalate (nPiPP)	776297-69-9	ND	ND	0.003
Diisopentyl phthalate (DiPP)	605-50-5	ND	ND	0.003
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	ND	ND	0.003
Di-n-pentyl phthalate(DPP/DPEP/DPENP)	131-18-0	ND	ND	0.003
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003
1,2-Benzenedicarboxylic acid, bis(2-propylheptyl) ester (DPHP)	53306-54-0	ND	ND	0.010
1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	ND	ND	0.010
Benzenedicarboxylic acid, di-(C7-11)-branched and linear alkyl esters (DHNUP)	68515-42-4	ND	ND	0.010
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear ^	84777-06-0	ND	ND	0.003
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	ND	ND	0.003
1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate	68515-51-5 68648-93-1	ND	ND	0.025



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

1. Transparent plastic sheet w/ silvery printing (Mirror) (L)
2. White plastic (Inner) (M) + White plastic label (Backing of mirror) (N) + Transparent plastic sheet (Inner) (O)

- Note:
- MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - % = percentage by weight

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- [^] = a mixture of i) Di-n-pentyl phthalate (DPP); ii) N-pentyl-isopentylphthalate (nPiPP) and iii) Diisopentyl phthalate (DiPP)
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- * Exceeds Client's Limit

Alkylphenol Ethoxylates (APEOs) – Nonylphenol Ethoxylates (NPEOs) and Octylphenol Ethoxylates (OPEOs) content

Method: Solvent extraction

Analysis was performed by High Performance Liquid Chromatography with Diode Array Detector & Mass Spectrometer (HPLC-DAD-MS) / Triple Quadrupole Liquid Chromatograph Mass Spectrometer (LC-MS/MS)

Test Item(s)	Result(s) (mg/kg)		MDL (mg/kg)	Client's Limit (mg/kg)
Specimen No.	1	2		
Alias No.	13	13		
Tracing No.	1	2		
Nonylphenol Ethoxylates (NPEOs)	ND	ND	30	100
Octylphenol Ethoxylates (OPEOs)	ND	ND	30	100

Test Item(s)	Result(s) (mg/kg)		MDL (mg/kg)	Client's Limit (mg/kg)
Specimen No.	3	4		
Alias No.	13	13		
Tracing No.	3	4		
Nonylphenol Ethoxylates (NPEOs)	ND	ND	30	100
Octylphenol Ethoxylates (OPEOs)	ND	ND	30	100



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
 中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Specimen Description:

1. White fabric w/ multi-color printing (Body) (R) + Dark red fabric w/ red fabric thread (Binding) (D) + Black fabric w/ black fabric thread (Mirror) (E)
2. Black tricot (F) + Black satin ribbon (G) + Brown-red satin ribbon (H)
3. Dark red terry (I) w/ White satinet w/ blue, red, black printing (Sewn-in label) (J) + Black flannel w/ black embroidery (K)
4. White polyfiber (Inner) (P) w/ White non-woven (Inner) (Q)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Client's Limit

Alkylphenol (AP) – Nonylphenol (NP) and Octylphenol (OP) content

Method: Solvent extraction

Analysis was performed by High Performance Liquid Chromatography with Diode Array Detector & Mass Spectrometer (HPLC-DAD-MS) / Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s)	Result(s) (mg/kg)		MDL (mg/kg)	Client's Limit (mg/kg)
	1	2		
Specimen No.	14	14		
Alias No.	1	2		
Tracing No.	ND	ND	5	100
Nonylphenol (NP)	ND	ND	5	100
Octylphenol (OP)	ND	ND	5	100



Test Item(s)	Result(s) (mg/kg)		MDL (mg/kg)	Client's Limit (mg/kg)
Specimen No.	3	4		
Alias No.	14	14		
Tracing No.	3	4		
Nonylphenol (NP)	ND	ND	5	100
Octylphenol (OP)	ND	ND	5	100

Specimen Description:

1. White fabric w/ multi-color printing (Body) (R) + Dark red fabric w/ red fabric thread (Binding) (D) + Black fabric w/ black fabric thread (Mirror) (E)
2. Black tricot (F) + Black satin ribbon (G) + Brown-red satin ribbon (H)
3. Dark red terry (I) w/ White satinet w/ blue, red, black printing (Sewn-in label) (J) + Black flannel w/ black embroidery (K)
4. White polyfiber (Inner) (P) w/ White non-woven (Inner) (Q)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- * Exceeds Client's Limit

O-phenylphenol (OPP) content

Method: With reference to ISO 17070/ §64 LFGB, BVL, B 82.02.8-2001 KOH method

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / Gas Chromatography Electron Capture Detector (GC-ECD)

Test Item(s)	Result(s) (mg/kg)		MDL (mg/kg)	Client's Limit (mg/kg)
Specimen No.	1	2		
O-phenylphenol (OPP)	ND	ND	0.5	100

Test Item(s)	Result(s) (mg/kg)		MDL (mg/kg)	Client's Limit (mg/kg)
Specimen No.	3	4		
O-phenylphenol (OPP)	ND	ND	0.5	100



SGS-CSTC Shenzhen Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com
Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Specimen Description:

1. White fabric w/ multi-color printing (Body) (R) + Dark red fabric w/ red fabric thread (Binding) (D) + Black fabric w/ black fabric thread (Mirror) (E)
2. Black tricot (F) + Black satin ribbon (G) + Brown-red satin ribbon (H)
3. Dark red terry (I) w/ White satinet w/ blue, red, black printing (Sewn-in label) (J) + Black flannel w/ black embroidery (K)
4. White polyfiber (Inner) (P) w/ White non-woven (Inner) (Q)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- * Exceeds Client's Limit

N.B. : - Only applicable clauses were shown.

Note:

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A = Not Applicable

** = Visual Examination

DNI = Did Not Ignite

SE = Self-Extinguishing

IBE = Ignite But Self-Extinguished

SE within 50mm = Self-extinguished within 50 mm of flame application



Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability($k=2$), $w = U_{95}$. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (T_U):

Pass - when the measurement result is below $T_U - U_{95}$

Fail - when the measurement result is above $T_U + U_{95}$

Inconclusive - when the measurement result is falling in guard band [$T_U - U_{95}$, $T_U + U_{95}$]

For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above $T_L + U_{95}$

Fail - when the measurement result is below $T_L - U_{95}$

Inconclusive - when the measurement result is falling in guard band [$T_L - U_{95}$, $T_L + U_{95}$]

*** End of Report ***

