





Report No. A221046640210101

Company Name MIEH INC shown on Report

Address 1725 MCGOVERN AVENUE, SUITE 200, HIGHLAND PARK, IL USA 60035, USA

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client

Sample Name	Celestial Bubdy - Astro Buddy
Item No.	A2386XX
Exported to	Europe, UK
SKU#	CB018
Client Specified Age Grading	3+
Labeled Age Grading	3+
Age Group Applied in Testing	Over 3 years
Sample Received Date	Nov. 9, 2021
Sample Resubmitted Date	Nov. 17, 2021/Nov.25,2021
Testing Period	Nov. 9, 2021 to Nov. 26, 2021

Test Conducted:

As requested by the applicant. For details refer to next page(s)

oved by Date Centre Testing International Group Co., Ltd. Construction of the second sec

Victor warey flill They

Victor Wang

Lab Manager

Nov. 30, 2021

- Jeff Chen

Jeff Chen Lab Authorized Signatory No. T559361737

Hill Zheng **Technical Manager**

Page 1 of 16



Report No. A221046640210101

Page 2 of 16

Executive Summary:

TES	ST REQUEST	CONCLUSION
1)	EN 71-1:2014+A1:2018 European Standard on Safety of Toys	
-	Mechanical and Physical Properties	PASS
2)	EN 71-2:2020 European Standard on Safety of Toys	
-	Flammability	PASS
3)	EN 71-3:2019+A1:2021 European Standard on Safety of Toys	
-	Migration of certain elements	PASS
4)	Toy Safety Directive 2009/48/EC with amendment(s)	
-	Bisphenol A	N/A
5)	Annex XVII of European regulation (EC) No. 1907/2006 (REACH) with Amendment(s)	
-	Cadmium and its compounds	PASS
-	Azo colourants	PASS
-	Phthalates in plasticized materials	PASS
-	Lead and its compounds	N/A
6)	Color Fastness to Rubbing	See page14

N/A = Not Applicable



Report No. A221046640210101

1) EN 71-1:2014+A1:2018 European Standard on Safety of Toys

▼ Mechanical and Physical Properties

As specified in European Standard on Safety of Toys EN 71 part 1:2014+A1:2018.

<u>Clause</u>	Description	Assessment
4	General requirements	
4.1	Material cleanliness	Pass
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
6	Packaging	Pass
7	Warnings, markings and instructions for use	
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass
	(Remark : Small part(s) was(were) found after abuse test. It is acceptable	
	because appropriate age warning was found on the packaging.)	

Annex

A.33 Warnings, markings and instructions for use

Chaster agents	Location where the information is			
<u>Check points</u>	<u>On toy</u>	On packaging		
CE Mark	\checkmark	×		
Product ID	\checkmark	\checkmark		
Manufacturer's Name & Address	\checkmark	\checkmark		
Importer's Name & Address	\checkmark	×		

Remark:

- ①: Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principle set out in Article 30 of Regulation (EC) No 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging.
- ②: The manufacturer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.
- ③: The manufacturer must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

Note:

- Only applicable clause(s) was/ were shown.
- Result(s) shown of tested clause(s) (7.1,7.2) and Annex A.33 is/are based on resubmitted sample(s)/part material(s).

Page 3 of 16



Report No.	A221046640210101	Page 4 of 16
2) <u>EN 71-</u>	2:2020 European Standard on Safety of Toys	
▼ <u>Flamm</u>	ability	
As speci	fied in European Standard on Safety of Toys EN 71-2:2020.	
<u>Clause</u>	Description	Assessment
4	Requirements	
4.1	General requirements	Pass
	(The following materials shall not be used in the manufacture of toys except as	
	provided in EN 71-2:2020:	
	Celluloid, highly flammable solids, materials with a piled surface which produce	
	surface flash, flammable gases, extremely flammable liquids, highly flammable	
	liquids, flammable liquids and flammable gels.)	
4.5	Soft-filled toys	Pass
		(See Note 1)

Note 1:

Soft-filled toys (Clause 4.5)

Sample	Burning rate (mm/sec)
Astronaut	3.4

(The rate of spread of flame on the surface of toy shall not be greater than 30 mm/sec)

Note:

- Only applicable clause(s) was/ were shown.



Report No. A221046640210101

Page 5 of 16

3) EN 71-3:2019+A1:2021 European Standard on Safety of Toys

▼ <u>Migration of certain elements</u>

Method(s) EN 71-3:2019+A1:2021 was/were used, and the item(s) was/were analyzed by ICP-OES, ICP-MS, IC-UV and/or GC-MS.

Tested Item(s)	Result (mg/kg)					MDL	Limit
<u>rested item(s)</u>	001	002	003	004	005	(mg/kg)	(mg/kg)
Aluminium (Al)	N/A	N/A	N.D.	N.D.	N.D.	50	28130
Antimony (Sb)	N/A	N/A	N.D.	7	N.D.	5	560
Arsenic (As)	N/A	N/A	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N/A	N/A	N.D.	N.D.	N.D.	50	18750
Boron (B)	N/A	N/A	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N/A	N/A	N.D.	N.D.	N.D.	1	17
Chromium (III) #1	N/A	N/A	N.D.	N.D.	N.D.	0.2	460
Chromium (VI)	N/A	N/A	N.D.	N.D.	N.D.	0.002	0.053
Cobalt (Co)	N/A	N/A	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N/A	N/A	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N/A	N/A	N.D.	N.D.	N.D.	1	23
Manganese (Mn)	N/A	N/A	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N/A	N/A	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N/A	N/A	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N/A	N/A	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N/A	N/A	N.D.	N.D.	N.D.	50	56000
Tin (Sn) #2	N/A	N/A	N.D.	N.D.	N.D.	2	180000
Organic tin (TBT) #3	N/A	N/A	N.D.	N.D.	N.D.	0.05	12
Zinc (Zn)	N/A	N/A	N.D.	N.D.	N.D.	50	46000

Test Report

Report No. A221046640210101

Tastad Itam(s)	<u>Result</u> (mg/kg)					MDL	<u>Limit</u>
<u>rested itelii(s)</u>	006	007	008	009	010	(mg/kg)	(mg/kg)
Aluminium (Al)	116	N.D.	N.D.	N.D.	N.D.	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	1	17
Chromium (III) #1	0.9	N.D.	N.D.	N.D.	N.D.	0.2	460
Chromium (VI)	N.D.	N.D.	N.D.	N.D.	N.D.	0.002	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	1	23
Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	59	N.D.	N.D.	N.D.	N.D.	50	56000
Tin (Sn) #2	N.D.	N.D.	N.D.	N.D.	N.D.	2	180000
Organic tin (TBT) #3	N.D.	N.D.	N.D.	N.D.	N.D.	0.05	12
Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	46000

Page 6 of 16

Test Report

Report No. A221046640210101

Tested Item(s)	Result (mg/kg)					MDL	<u>Limit</u>
<u>rested item(s)</u>	011	012	013	014	015	(mg/kg)	(mg/kg)
Aluminium (Al)	135	126	N.D.	N.D.	N.D.	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	1	17
Chromium (III) #1	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	460
Chromium (VI)	N.D.	N.D.	N.D.	N.D.	N.D.	0.002	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	1	23
Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	N.D.	50	56000
Tin (Sn) #2	N.D.	N.D.	N.D.	N.D.	N.D.	2	180000
Organic tin (TBT) #3	N.D.	N.D.	N.D.	N.D.	N.D.	0.05	12
Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	46000

Page 7 of 16

Test Report

Report No. A221046640210101

Tostad Itam(s)]	Result (mg/kg))	MDL	<u>Limit</u>
<u>rested hem(s)</u>	016	017	022	(mg/kg)	(mg/kg)
Aluminium (Al)	N.D.	N.D.	N.D.	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	1	17
Chromium (III) #1	N.D.	N.D.	N.D.	0.2	460
Chromium (VI)	N.D.	N.D.	N.D.	0.002	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	1	23
Manganese (Mn)	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N.D.	N.D.	N.D.	50	56000
Tin (Sn) #2	N.D.	N.D.	N.D.	2	180000
Organic tin (TBT) #3	N.D.	N.D.	N.D.	0.05	12
Zinc (Zn)	N.D.	N.D.	N.D.	50	46000

Remark:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = ppm = parts per million
- N/A = Not Applicable
- ^{#1} Trivalent chromium (Cr (III)) = Chromium (Cr) Hexavalent chromium (Cr (VI)).
- ^{#2} Tin (Sn) content can be used for screen test for organic tins analysis to show compliance with the requirement of EN 71-3:2019+A1:2021.

Page 8 of 16



Report No. A221046640210101

- ^{#3} The migration of organic tin is expressed as tributyltin (TBT). Where the tin content exceeded the limit of organic tin, eleven organic tins listed in the table were determined by GC-MS and the client should note there are other organic tins that may be present in toy materials.

Organic tins tested under EN 71-3:2019+A1:2021
Methyl tin (MeT)
Butyl tin (BuT)
Dibutyl tin (DBT)
Tributyl tin (TBT)
Tetrabutyl tin (TeBT)
n-Octyl tin (MOT)
Di-n-octyl tin (DOT)
Di-n-propyl tin (DProT)
Diphenyl tin (DPhT)
Triphenyl tin (TPhT)
Dimethyl tin (DMT)

4) <u>Toy Safety Directive 2009/48/EC with amendment(s)</u>

As specified in Toy Safety Directive 2009/48/EC with amendment 2017/898/EU, Bisphenol A was determined with reference to EN 71-10:2005 -Sample preparation and extraction and EN 71-11:2005-Methods of analysis.

. N/A = Not Applicable

Remark:

- "%" indicates the item(s)/method(s) is (are) not in UKAS accreditation scope.

Page 9 of 16



Report No. A221046640210101

Page 10 of 16

5) <u>Annex XVII of European regulation (EC) No. 1907/2006 (REACH) with Amendment(s)</u>

▼ <u>Cadmium and its compounds</u>

As specified in entry 23, annex XVII of European regulation (EC) No. 1907/2006 (REACH) with amendments No.552/2009 & No.494/2011 & No.835/2012 & No. 2016/217, method(s) EN 1122:2001(E) Method B was/were used, and the item(s) was/were analyzed by ICP-OES.

Tested Item(s)	<u>Result</u> (mg/kg)	MDL	<u>Limit</u>
<u>rested ttem(s)</u>	001+002	(mg/kg)	(mg/kg)
Cadmium (Cd)	N.D.	2	1000

Tested Item(s)		Result (mg/kg)	MDL	<u>Limit</u>	
	011+012	013+014+015	016+017	(mg/kg)	(mg/kg)
Cadmium (Cd)	N.D.	N.D.	N.D.	2	100

Tested Item(s)	Result	(mg/kg)	MDL	<u>Limit</u>
	018+019	020+023	(mg/kg)	(mg/kg)
Cadmium (Cd)	N.D.	N.D.	2	100

Remark:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = ppm = parts per million
- The limit for composite test should be divided by the mixed number.



Report No. A221046640210101

Page 11 of 16

▼<u>Azo colourants</u>

As specified in entry 43, annex XVII of European regulation (EC) No. 1907/2006 (REACH) with amendment No.552/2009, method(s) ISO 14362-1:2017 was/were used, and the item(s) was/were analyzed by GC-MS and/or HPLC.

			MDI			
Tested Item(s)	CAS No.	004	007+009	010	011+012	<u>MDL</u> (mg/kg)
			+021			(ing/kg)
4-Aminodiphenyl	92-67-1	N.D.	N.D.	N.D.	N.D.	5
Benzidine	92-87-5	N.D.	N.D.	N.D.	N.D.	5
4-Chloro-O-Toluidine	95-69-2	N.D.	N.D.	N.D.	N.D.	5
2-Naphthylamine	91-59-8	N.D.	N.D.	N.D.	N.D.	5
O-Aminoazotoluene	97-56-3	N.D.	N.D.	N.D.	N.D.	5
2-Amino-4-Nitrotoluene	99-55-8	N.D.	N.D.	N.D.	N.D.	5
P-Chloroaniline	106-47-8	N.D.	N.D.	N.D.	N.D.	5
2,4-Diaminoanisole	615-05-4	N.D.	N.D.	N.D.	N.D.	5
4,4'-Diaminodiphenylmethane	101-77-9	N.D.	N.D.	N.D.	N.D.	5
3,3'-Dichlorobenzidine	91-94-1	N.D.	N.D.	N.D.	N.D.	5
3,3'-Dimethoxybenzidine	119-90-4	N.D.	N.D.	N.D.	N.D.	5
3,3'-Dimethylbenzidine	119-93-7	N.D.	N.D.	N.D.	N.D.	5
3,3'-Dimethyl-	020.00.0	ND	ND	ND	ND	-
4,4'Diaminodiphenylmethane	838-88-0	N.D.	N.D.	N.D.	N.D.	5
P-Cresidine	120-71-8	N.D.	N.D.	N.D.	N.D.	5
4,4'-Methylene-	101 14 4	ND	ND	ND	ND	F
Bis(2-Chloroaniline)	101-14-4	N.D.	N.D.	N.D.	N.D.	5
4,4'-Oxydianiline	101-80-4	N.D.	N.D.	N.D.	N.D.	5
4,4'-Thiodianiline	139-65-1	N.D.	N.D.	N.D.	N.D.	5
O-Toluidine	95-53-4	N.D.	N.D.	N.D.	N.D.	5
2,4-Toluylenediamine	95-80-7	N.D.	N.D.	N.D.	N.D.	5
2,4,5-Trimethylaniline	137-17-7	N.D.	N.D.	N.D.	N.D.	5
O-Anisidine	90-04-0	N.D.	N.D.	N.D.	N.D.	5
P-Aminoazobenzene	60-09-3	N.D.	N.D.	N.D.	N.D.	5
2,4-Xylidine※	95-68-1	N.D.	N.D.	N.D.	N.D.	5
2,6-Xylidine※	87-62-7	N.D.	N.D.	N.D.	N.D.	5

Test Report

Report No. A221046640210101

Tested Item(s)	CAS No.	<u>Result</u> (mg/kg)	<u>MDL</u>	
		022	(mg/kg)	
4-Aminodiphenyl	92-67-1	N.D.	5	
Benzidine	92-87-5	N.D.	5	
4-Chloro-O-Toluidine	95-69-2 N.D.		5	
2-Naphthylamine	91-59-8	N.D.	5	
O-Aminoazotoluene	97-56-3	N.D.	5	
2-Amino-4-Nitrotoluene	99-55-8	N.D.	5	
P-Chloroaniline	106-47-8	N.D.	5	
2,4-Diaminoanisole	615-05-4	N.D.	5	
4,4'-Diaminodiphenylmethane	101-77-9	N.D.	5	
3,3'-Dichlorobenzidine	91-94-1	N.D.	5	
3,3'-Dimethoxybenzidine	119-90-4	N.D.	5	
3,3'-Dimethylbenzidine	119-93-7	N.D.	5	
3,3'-Dimethyl-	828 88 0 ND		5	
4,4'Diaminodiphenylmethane	838-88-0	N.D.	5	
P-Cresidine	120-71-8	N.D.	5	
4,4'-Methylene- Bis(2-Chloroaniline)	101-14-4	N.D.	5	
4,4'-Oxydianiline	101-80-4	N.D.	5	
4,4'-Thiodianiline	139-65-1	N.D.	5	
O-Toluidine	95-53-4	N.D.	5	
2,4-Toluylenediamine	95-80-7	N.D.	5	
2,4,5-Trimethylaniline	137-17-7	N.D.	5	
O-Anisidine	90-04-0	N.D.	5	

Page 12 of 16

5

5

5

Remark:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = ppm = parts per million
- Requirement: \leq 30mg/kg

P-Aminoazobenzene

2,4-Xylidine X

2,6-Xylidine 💥

- Results shown of additional Amines 2,4-Xylidine and 2,6-Xylidine are reported for reference only.

60-09-3

95-68-1

87-62-7

N.D.

N.D.

N.D.

- The limit for composite test should be divided by the mixed number.
- "X" indicates the item(s)/method(s) is (are) not in UKAS accreditation scope.



Report No. A221046640210101

Page 13 of 16

▼ Phthalates in plasticized materials

As specified in entry 51 & entry 52, annex XVII of European regulation (EC) No. 1907/2006 (REACH) with amendment No.552/2009 & No. 2015/326 & (EU) 2018/2005, method(s) EN 14372:2004 was/were used, and the item(s) was/were analyzed by GC-MS.

		Result (mg/kg)	MDI	Limit (mg/kg)	
Tested Item(s)	001+002 011+012		013+014+01 5		<u>MDL</u> (mg/kg)
Di-2-ethylhexyl Phthalate (DEHP)	N.D.	N.D.	N.D.	30	1000
Dibutyl Phthalate (DBP)	N.D.	N.D.	N.D.	30	1000
Benzylbutyl Phthalate (BBP)	N.D.	N.D.	N.D.	30	1000
Di-isobutyl Phthalate (DIBP)	N.D.	N.D.	N.D.	30	1000
SUM(DEHP+DBP+BBP+ DIBP)	N.D.	N.D.	N.D.		1000
Diisononyl Phthalate (DINP)	N.D.	N.D.	N.D.	50	
Di-n-octyl Phthalate (DNOP)	N.D.	N.D.	N.D.	30	
Diisodecyl Phthalate (DIDP)	N.D.	N.D.	N.D.	50	
SUM(DINP+DNOP+DIDP)	N.D.	N.D.	N.D.		1000

	<u>Result</u> (mg/kg)	MDL	Limit
lested Item(s)	016+017	(mg/kg)	(mg/kg)
Di-2-ethylhexyl Phthalate (DEHP)	N.D.	30	1000
Dibutyl Phthalate (DBP)	N.D.	30	1000
Benzylbutyl Phthalate (BBP)	N.D.	30	1000
Di-isobutyl Phthalate (DIBP)	N.D.	30	1000
SUM(DEHP+DBP+BBP+ DIBP)	N.D.		1000
Diisononyl Phthalate (DINP)	N.D.	50	
Di-n-octyl Phthalate (DNOP)	N.D.	30	
Diisodecyl Phthalate (DIDP)	N.D.	50	
SUM(DINP+DNOP+DIDP)	N.D.		1000

Remark:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = ppm = parts per million
- 1000 mg/kg = 0.1%
- The limit for composite test should be divided by the mixed number.
- The test result(s) is(are) presented in reference to the result(s) that reported in A2210466402102.
- Method EN 14372:2004 was accredited by UKAS on six phthalates (DEHP, DBP, BBP, DINP, DIDP, DNOP) test in this report.

ALL AND



. N/A = Not Applicable

Remark:

- "X" indicates the item(s)/method(s) is (are) not in UKAS accreditation scope.

6) Color Fastness to Rubbing

As specified in European Standard on Safety of EN ISO 105-X12-2016.

Testad Itam(a)	Т	est Result(grade	Amplicant's Dequirement(and a)	
rested hem(s)	003	009	011	Applicant's Kequitemeni(grade)
Dry	4-5	4-5	4-5	
Wet	4-5	4	4-5	



Report No. A221046640210101

Tested Sample/Part Description

- 001 Dark purple coating(zipper slider)
- 002 White coating with black coating(label)
- 003 White plush(main/bag)
- 004 Bright white fabric with multi-color printing(pattern of body/bag)
- 005 White embroidery
- 006 White fabric(label)
- 007 Purple fabric(zipper tape)
- 008 White fabric(lining of bag)
- 009 Grey corduroy(hand&feet)
- 010 Multi-color fabric(brand label)
- 011 Silver similar coated white fabric(belt of bag/face/hands/feet)
- 012 Golden similar coated yellow fabric(face)
- 013 Black plastic(eyes)
- 014 Purple plastic(zipper elements)
- 015 Light blue plastic(button)
- 016 Red plastic(button)
- 017 Yellow plastic(button)
- 018 Translucent plastic(eye pad,inside)
- 019 White elastic plastic (elastic band of belt, inside of bag)
- 020 White sponge(inside of bag)
- 021 White fabric with white/black coatings(label)
- 022 Bright white fabric with multi-color printing(pattern of body with button)
- 023 White sponge(binding,inside of face)

Page 15 of 16





Report No. A221046640210101

Page 16 of 16

Photo(s) of the sample(s)



Statement:

- 1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
- 2. Company Name and Address shown on Report, the sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which CTI hasn't verified;
- 3. The result(s) shown in this report refer(s) only to the sample(s) tested;
- 4. Without written approval of CTI, this report can't be reproduced except in full.

*** End of Report ***