

BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

SAMPLE DESCRIPTION	:	Twilight Buddies – Fawn, Twilight Buddies – Dragon, Twilight Buddies – Bunny, Twilight Buddies - Unicom w/ Wings
STYLE NO.	:	7474-BD, 7474-DR, 7473-BB, 7473-WUN
PO NO.	:	Not Provided
AGE GRADE	:	Not Provided
COLOUR	:	Not Provided
APPLICANT	:	BTL Diffusion
MANUFACTURER	:	Not Provided
BUYER	:	Not Provided
COUNTRY OF ORIGIN	:	Not Provided
EXPORTED TO	:	Not Provided
TESTING LOCATION	:	UL VS Shanghai Limited Shenzhen Branch
DATE RECEIVED SAMPLES	:	Aug 15, 2022
DATE OF TEST	:	Aug 15, 2022 – Sep 07, 2022
RESULTS	:	Please refer to the following page(s)

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

CONCLUSION:

CON	ICLUSION:	
1.	As specified by client, to determine the Migration of Certain Elements content in the submitted sample(s) in accordance with European Standard on Safety of Toys EN 71-3:2019+A1:2021.	Pass
2.	As specified by client, to determine the Migration of Certain Elements content in the submitted sample(s) in accordance with British Standard on Safety of Toys BS EN 71-3:2019+A1:2021.	Pass
3.	As specified by client, to determine the Heavy Elements content in the submitted sample(s) in accordance	Pass
4.	with ASTM F963-17 (Clause 4.3.5) Standard Consumer Safety Specification for Toy Safety. As specified by client, to determine the Soluble Elements content in the submitted sample(s) in	Pass
5.	accordance with Australian/New Zealand Standard on Safety of Toys AS/NZS 8124.3:2021. As specified by client, to determine the Toxicological Hazards content in the submitted sample(s) in accordance with Canada Consumer Product Safety Act : Toys Regulations (SOR/2011-17 and amendment SOR/2016-195 & SOR/2016-302 Section 27)	Pass
6.	As specified by client, to determine the Lead content in the submitted sample(s) in accordance with Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment Title 1 section 101- Children's products containing lead; lead paint rule.	Pass
7.	As specified by client, to determine the Lead content in the submitted sample(s) in accordance with California "Proposition 65".	Pass
8.	As specified by client, to determine the Total Lead content in the submitted sample(s) in accordance with Canada Consumer Product Safety Act : Consumer Products Containing Lead Regulations SOR/2018-83.	Pass
9.	As specified by client, to determine the Total Lead content in the submitted sample(s) in accordance with Canada Surface coating materials regulations (SOR/2016-193).	Pass
10.	As specified by client, to determine the Total Lead content in the submitted sample(s) in accordance with 16 CFR 1303.	Pass
11.	As specified by client, to determine the Mercury content in the submitted sample(s) in accordance with Canadian Environmental Protection Act : Products Containing Mercury Regulations SOR/2014-254.	Pass
12.	As specified by client, to determine the PAHs content in the submitted sample(s) in accordance with Item 50 of Annex XVII of REACH Regulation (EC) 1907/2006 & amendment (EU) No 1272/2013.	Pass
13.	As specified by client, to determine the Short Chain Chlorinated Paraffin Content in the submitted sample(s) in accordance with the Persistent Organic Pollutants (POPs) Regulation (EU) 2019/1021.	Pass
14.	As specified by client, to determine the Specific Migration of Bisphenol A (BPA) in the submitted sample(s) in accordance with Directive 2009/48/EC and its amendment Directive (EU) 2017/898.	Pass
15.	As specified by client, to determine the Specific Migration of Phenol content in the submitted sample(s) in accordance with Directive 2009/48/EC and its amendment Directive (EU) 2017/774.	Pass
16.	As specified by client, to determine the DEHP 、 DBP 、 BBP 、 DINP 、 DIBP 、 DPENP 、 DHEXP and DCHP content in the submitted sample(s) in accordance with Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment &16 CFR Part 1307-Prohibition of Children Toys and Child	Pass
17.	Care Articles Containing Specified Phthalates. As specified by client, to determine the DBP、BBP、DEHP、DIDP、DNHP and DINP content	Pass
	in the submitted sample(s) in accordance with California "Proposition 65".	1 466
18.	As specified by client, to determine the DEHP、DBP、BBP、DIBP、DINP、DIDP and DNOP content In the submitted sample(s) in accordance with Item 51&52 of Annex XVII of REACH Regulation (EC) 1907/2006.	Pass
19.	As specified by client, to determine the DEHP \circ DBP \circ BBP \circ DINP \circ DIDP and DNOP content in the submitted sample(s) in accordance with Canada Consumer Product Safety Act : Phthalates Pergulations (SOP/2016 188)	NA

Regulations (SOR/2016-188).

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from their contractual responsibilities deputed during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers from their contractual responsibilities any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

CONCLUSION:

20.	As specified by client, to determine the DEHP content in the submitted sample(s) in accordance with Australia Competition and Consumer Act 2010 in children's products - Consumer Protection Notice No. 11 of 2011.	Pass
21.	As specified by client, to determine the Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr ⁶⁺), Polybrominated Biphenyls(PBBs) & Polybrominated Diphenyl Ethers(PBDEs) content in the submitted sample(s) in accordance with Directive 2011/65/EU (RoHS) & its amendment Directive (EU) 2015/863.	Pass
22.	As specified by client, to determine the Dibutyl Phthalate (DBP), Benzylbutyl Phthalate (BBP), Bis-(2- ethylhexyl)Phthalate (DEHP) and Diisobutyl Phthalate (DIBP) content in the submitted sample(s) in accordance with Directive 2011/65/EU (RoHS) & its amendment Directive (EU) 2015/863.	Pass
23.	As specified by client, to determine the Cadmium content in the submitted sample(s) in accordance with Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006.	Pass
24.	As specified by client, to determine the Azocolourants content in the submitted sample(s) in accordance with Item 43 of Annex XVII of REACH Regulation (EC) NO. 1907/2006 & amendment No. 552/2009 and 126/2013.	Pass
25.	As specified by client, to determine the Pentachlorophenol (PCP) content in the submitted sample(s) in accordance with the Persistent Organic Pollutants (POPs) Regulation (EU) 2019/1021 and its amendment Directive (EU) 2021/277.	Pass
26.	As specified by client, to determine the Formaldehyde content in the submitted sample(s) in accordance with Directive 2009/48/EC & its amendment Directive (EU) 2019/1929.	Pass
27.	As specified by client, to determine TCEP, TCPP, TDCP content in the submitted sample(s) in accordance with Directive (EU) 2009/48/EC & its amendment Directive 2014/79/EU.	Pass
28.	As specified by client, to determine the Phthalates content in the submitted sample(s).	Pass

Note: The results relate only to the items tested.

For and on behalf of

Thic. Wa

UL VS Shanghai Limited Shenzhen Branch

Eric Wu - Engineering Manager (Hardlines Testing)



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from their contractual responsibilities deputed during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers from their contractual responsibilities any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Specimen Description:

No.	Test part(s) name	
1	Beige grey flannel, antlers /legs	7474-BD
2	Brown plush, body	7474-BD
3	Creamy plush, body	7474-BD
4	Black flannel, nose	7474-BD
5	Pink long plush, head/tail	7473-WUN
6	Brown plastic, cover	7474-BD
7	Light green blue plastic, cover	7474-DR
8	Dark green hot-stamping fabric, back	7474-DR
9	Silvery hot-stamping fabric, wing	7474-DR
10	Creamy flannel, corn/abdomen	7474-DR
11	Light green flannel, body	7474-DR
12	Brown plastic, cell box	7474-BD
13	Light green plastic, cell box	7474-DR
14	White plastic, switch	All style
15	Beige plastic, hook tape Velcro	7474-DR
16	Beige fabric, lining	7474-BD
17	Creamy white fabric, lining	7474-DR
18	Apricot plastic, cover	7473-BB
19	Apricot plush, body	7473-BB
20	Creamy fabric, lining	7473-BB
21	Apricot plastic, cell box	7473-BB
22	Pink plastic, cell box	7473-WUN
23	White plastic, hook tape Velcro	7474-BD/7473-BB
24	Black/white embroidery, eye	7474-BD/7473-BB/7473-WUN
25	Pink embroidery, pattern	7474-BD
26	White coating, cover	7474-BD
27	Green/light green/dark green/white textile, logo label	7474-BD/7474-DR
28	Black printed white fabric, label	All style

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

No.	Test part(s) name				
29	Multi-color embroidery, eye	7474-DR			
30	Light green fabric, nose	7474-DR			
31	White plush, body	7473-WUN			
32	Pink hot-stamping fabric, wing	7473-WUN			
33	White fabric, lining	7473-WUN			
34	Pink plastic, cover	7473-WUN			
35	White/blue/yellow/light green textile, logo label	7473-BB/7473-WUN			
36	Apricot flannel, ear	7473-BB			
37	Silvery metal, screw				
38	White foam, wing(inner)				
39	White mesh, wing(inner)				
40	White textile with white thread, edge(inner)	All style			
41	White floss, interlayer(inner)	-			
42	White plastic, wing(inner)				
43	Transparent plastic, gasket(inner)				
44	Black foam with adhesive(inner)				
45	Silvery metal, spring(inner)				
46	Silvery metal, electrode plate(inner)				
47	Silvery metal, gasket screw(inner)				
48	Creamy white plastic, fixation(inner)				
49	Silvery metal, nut screw(inner)	All style			
50	White plastic, ribbon				
51	Silvery metal, screw(inner)				
52	Translucent/black soft plastic, buttons				
53	White printed brown PCB(inner)				
54	Silvery solder, PCB(inner)				
55	Black soft plastic, wire jacket(inner)				

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

No.	Test part(s) name	
56	Red soft plastic, wire jacket(inner)	
57	Orange soft plastic, wire jacket(inner)	
58	Translucent brown soft plastic, wire jacket(inner)	
59	Translucent pink soft plastic, wire jacket(inner)	
60	Translucent green soft plastic, wire jacket(inner)	
61	Translucent purple soft plastic, wire jacket(inner)	
62	Translucent orange soft plastic, wire jacket(inner)	
63	Coppery metal, wire core(inner)	
64	Transparent plastic, LED(inner)	
65	Silvery metal, LED(inner)	
66	Transparent dry glue(inner)	
67	Green/white printed brown PCB(inner)	All style
68	White printed black material with pin, big chip resistor (Inner)	
69	White printed black material with pin, small chip resistor (Inner)	
70	Grey material with pin, chip capacitor (Inner)	
71	Black material with pin, IC(Inner)	
72	Silvery solder, PCB(inner)	
73	Black plated silvery metal, button (Inner)	
74	Silvery metal spring, button (Inner)	
75	Silvery metal spring plate, button (Inner)	
76	Silvery metal, pin of button (Inner)	
77	Light brown PCB, button (Inner)	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

1. Migration of Certain Elements- EN 71-3:2019+A1:2021

Test Method: EN 71-3:2019+A1:2021

Test Instrument	Indu	uctively Co	upled Plasma Op upled Plasma Ma tography-Inducti	ass Spectro	meter (ICP-MS)	(LC-ICP-MS)

				Limit (mg/kg)			
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	1	2
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)				
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	3	4	
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.	
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.	
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.	
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.	
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.	
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.	
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.	
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.	
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.	
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.	
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.	
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.	
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)				
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	5	6	
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.	
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.	
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.	
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.	
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.	
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.	
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.	
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.	
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.	
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.	
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.	
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.	
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Result(s)			
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	7	8
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	99
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)				
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	9	10	
Aluminum (Al)	mg/kg	2	2250	560	28130	21	N.D.	
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.	
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.	
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.	
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.	
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.	
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.	
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.	
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.	
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.	
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.	
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.	
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	11	12
Aluminum (Al)	mg/kg	2	2250	560	28130	26	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	13	14
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	15	16
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	17	18
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	19	20
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	21	22
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Result(s)	
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	23	24
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	25	26
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	60
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	22

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	27	28
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	29	30
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	31	32
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	18
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	33	34
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	35	36
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr ³⁺)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr ⁶⁺)	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

-The Migration content limit is Category 3.

Remark :

1. The migration of organic tin is expressed as Tributyltin(TBT).

- Confirmation test of soluble chromium (III) & chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in EN 71-3:2019+A1:2021.
- 3. Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN 71-3:2019+A1:2021.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers from mercent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer is right indicative company. Contract, and whatever the cause thereof, (a) for any special indicet or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

2. Migration of Certain Elements- BS EN 71-3:2019+A1:2021

Test Method: BS EN 71-3:2019+A1:2021

Test Instrument:

ment: Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES), Inductively Coupled Plasma Mass Spectrometer (ICP-MS) Liquid Chromatography-Inductively Coupled Plasma Mass Spectrometer (LC-ICP-MS)

				Limit (mg/kg)		Result(s)					
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	1	2	3	4		
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.		
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.		
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.		
Ва	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.		
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.		
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.		
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.		
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.		
Со	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.		
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.		
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.		
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.		
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.		
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.		
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.		
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.		
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.		
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.		
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.		

以下条款仅针对中国市场和社会:

-----该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from their contractual responsibilities deputed during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers from their contractual responsibilities any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Result(s)				
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	5	6	7	8	
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	99	
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.	
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.	
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.	
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.	
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.	
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.	
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.	
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.	
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.	
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.	
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

			Limit (mg/kg)				Result(s)				
Test item(s)	Unit	Unit MDL mg/kg 2	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	9	10	11	12		
AI	mg/kg	2	2250	560	28130	21	N.D.	26	N.D.		
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.		
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.		
Ва	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.		
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.		
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.		
Cr 🎞	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.		
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.		
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.		
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.		
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.		
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.		
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.		
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.		
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.		
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.		
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.		
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.		
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.		

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Result(s)				
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	13	14	15	16	
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.	
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.	
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.	
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.	
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.	
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.	
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.	
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.	
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.	
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.	
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.	
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Result(s)				
Test item(s)	Unit MD	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	17	18	19	20	
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.	
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.	
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.	
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.	
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.	
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.	
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.	
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.	
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.	
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.	
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.	
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Result(s)				
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	21	22	23	24	
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.	
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.	
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.	
Ва	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.	
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.	
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.	
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.	
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.	
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.	
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.	
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.	
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Result(s)				
Test item(s)	Unit MDL		Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	25	26	27	28	
AI	mg/kg	2	2250	560	28130	N.D.	60	N.D.	N.D.	
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.	
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.	
Ва	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.	
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.	
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.	
Со	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.	
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.	
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.	
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.	
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.	
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	N.D.	22	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Result(s)				
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	29	30	31	32	
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	18	
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.	
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.	
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.	
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.	
Cr 🎞	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.	
Со	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.	
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.	
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.	
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.	
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.	
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Limit (mg/kg)		Result(s)			
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	33	34	35	36
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.

-The Migration content limit is Category 3.

Remark :

1. The migration of organic tin is expressed as Tributyltin(TBT).

- Confirmation test of soluble chromium (III) & chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in BS EN 71-3:2019+A1:2021.
- 3. Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in BS EN 71-3:2019+A1:2021.

以下条款仅针对中国市场和社会:

一一该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in definition or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers from compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer is not indirect or consequential damage of any autory duty) or howsoever, and whatever the cause thereof, (a) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

伐力胜邦质量检测(上海)有限公司深圳分公司 广东省深圳市南山区高新科技园北区朝山二路 6 号清溢光电大厦三、四楼 电话(T): 755-26018600 / 传真 (F): 755-26018626 / 网址(W): W: ul.com



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

3. Heavy Elements content- ASTM F963-17 (Clause 4.3.5) Standard Consumer Safety Specification for Toy Safety. Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

Test Method: CPSC-CH-E1001-08.3& CPSC-CH-E1002-08.3

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit	MDL	Limit	Result(s)			
rest terr(s)	Onit	WDL	Linin	6+7+12	8+9+32	13+14+15	18+21+22
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.

Test item(s)	Linit	Unit MDL	Limit -	Result(s)				
Test item(s)	Unit			23+24	28	37	38	
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.	

Total Lead (Pb) Content in Surface Coating

Test Method: CPSC-CH-E1003-09.1

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

	(s) Unit MDL Limit		Limit	Result(s)
Test item(s)	Offic	NIDL	LIIIII	26
Lead(Pb)	mg/kg	10	90	N.D.

以下条款仅针对中国市场和社会:

-----该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of use goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers from mercent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers for orguneant and/or hidden defects (a) for any special indirect or construct. Let for fick usings or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

伐力胜邦质量检测(上海)有限公司深圳分公司 广东省深圳市南山区高新科技园北区朝山二路 6号清溢光电大厦三、四楼 电话(T): 755-26018600 / 传真 (F): 755-26018626 / 网址(W): W: ul.com



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Soluble elements Content

Test Method: ASTM F 963-17 Section 8.3.5& ASTM F 963-17 Section 8.3.2

Test Instrument:

Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

T = = 1 (1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Unit	MDL	Limit	Result(s)					
Test item(s)				1	2	3	4	5	
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.	
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.	
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.	
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.	
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.	
	-								
Test item(s)	Unit	MDL	Limit	Result(s)					
Test item(s)				6	7	8	9	10	
	1	1							

l est item(s)	Unit	MDL	Limit	6	7	8	9	10	
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.	
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.	
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.	
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.	
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from their contractual responsibilities defunded during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers for or the super anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Test item(s)	Unit	MDL	Limit	Result(s)					
rest tem(s)				11	12	13	14	15	
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.	
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.	
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.	
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.	
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.	
				Result(s)					
Test item(s)	Unit	MDL	Limit	16	17	18	19	20	
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.	
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.	
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.	
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.	
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Test item(s)	Unit	MDL	Limit			Result(s)		
Test tiem(s)	Unit	MDL	Limit	21	22	23	24	25
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.
						Result(s)		
Test item(s)	Unit	MDL	Limit	26	27	28	29	30
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Test item(s)	Unit	MDL	Limit			Result(s)		
rest ttem(s)	Unit	MDL	LIIIII	31	32	33	34	35
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.
						Result(s)		
Test item(s)	Unit	MDL	Limit	20	20	()	40	44
				36	38	39	40	41
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

4. Soluble elements Content - AS/NZS 8124.3:2021

Test Method: AS/NZS 8124.3:2021

Test Instrument: Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test item(s)	Unit	MDL	Limit	Result(s)					
rest item(s)	Onit	MDL		1	2	3	4	5	
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.	
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.	
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.	
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.	
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.	
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.	

Test item(s)	Unit	MDL	Limit	Result(s)						
rest tient(s)	Ont	MBE	Linin	6	7	8	9	10		
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.		
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.		
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.		
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.		
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.		
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.		
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.		
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.		

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Test item(s)	Unit	MDL	Limit			Result(s)		
rest tient(s)	Onit	WIDE	LIIIIL	11	12	13	14	15
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.
						Result(s)		
Test item(s)	Unit	MDL	Limit	16	17	18	19	20
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Test item(s)	Unit	MDL	Limit			Result(s)		
rest tient(s)	Offic	WIDE	Liint	21	22	23	24	25
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.
						Result(s)		
Test item(s)	Unit	MDL	Limit			itesuii(s)		
				26	27	20	20	20
				26	27	28	29	30
Cadmium(Cd)	mg/kg	5	75	26 N.D.	27 N.D.	28 N.D.	29 N.D.	30 N.D.
Cadmium(Cd) Lead(Pb)		5						
	mg/kg		75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg mg/kg	5	75 90	N.D. N.D.	N.D. N.D.	N.D. N.D.	N.D. N.D.	N.D. N.D.
Lead(Pb) Chromium(Cr)	mg/kg mg/kg mg/kg	5	75 90 60	N.D. N.D. N.D.	N.D. N.D. N.D.	N.D. N.D. N.D.	N.D. N.D. N.D.	N.D. N.D. N.D.
Lead(Pb) Chromium(Cr) Mercury(Hg)	mg/kg mg/kg mg/kg mg/kg	5 5 5	75 90 60 60	N.D. N.D. N.D. N.D.	N.D. N.D. N.D. N.D.	N.D. N.D. N.D. N.D.	N.D. N.D. N.D. N.D.	N.D. N.D. N.D. N.D.
Lead(Pb) Chromium(Cr) Mercury(Hg) Antimony(Sb)	mg/kg mg/kg mg/kg mg/kg mg/kg	5 5 5 5	75 90 60 60 60	N.D. N.D. N.D. N.D. N.D.	N.D. N.D. N.D. N.D. N.D.	N.D. N.D. N.D. N.D. N.D.	N.D. N.D. N.D. N.D. N.D.	N.D. N.D. N.D. N.D. N.D. N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Test item(s)	Unit	MDL	DL Limit			Result(s)		
rest ten(s)	Onit	MDL	Linin	31	32	33	34	35
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.
				Result(s)				
Test item(s)	Unit	MDL	Limit			36		
Cadmium(Cd)	mg/kg	5	75			N.D.		
Lead(Pb)	mg/kg	5	90			N.D.		
Chromium(Cr)	mg/kg	5	60			N.D.		
Mercury(Hg)	mg/kg	5	60			N.D.		
Antimony(Sb)	mg/kg	5	60			N.D.		
Barium(Ba)	mg/kg	5	1000			N.D.		
Arsenic(As)	mg/kg	5	25	N.D.				
Selenium(Se)	mg/kg	5	500			N.D.		

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

5. Toxicological Hazards content - Toys Regulations (SOR/2011-17 and amendment SOR/2016-195 & SOR/2016-302 Section 27)

Test method: In-house Method

Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) Test Instrument:

Test item(s)	Unit	MDL	Limit			Result(s)		
Test item(s)	Unit	NDL	Limit	6	7	12	13	14
Total Lead(Pb)	mg/kg	10	90	N.D.	N.D.	N.D.	N.D.	N.D.
Total Mercury (Hg)	mg/kg	10	Not detected	N.D.	N.D.	N.D.	N.D.	N.D.
Soluble Antimony (Sb)	mg/kg	10	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Soluble Arsenic (As)	mg/kg	10	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Soluble Barium (Ba)	mg/kg	10	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Soluble Cadmium (Cd)	mg/kg	10	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Soluble Selenium (Se)	mg/kg	10	1000	N.D.	N.D.	N.D.	N.D.	N.D.
						Result(s)		
Test item(s)	Unit	MDL	Limit	15	18	Result(s) 21	22	23
Test item(s) Total Lead(Pb)	Unit mg/kg	MDL 10	Limit 90	15 N.D.	18 N.D.		22 N.D.	23 N.D.
					-	21		-
Total Lead(Pb)	mg/kg	10	90	N.D.	N.D.	21 N.D.	N.D.	N.D.
Total Lead(Pb)	mg/kg mg/kg	10 10	90 Not detected	N.D. N.D.	N.D. N.D.	21 N.D. N.D.	N.D. N.D.	N.D. N.D.
Total Lead(Pb) Total Mercury (Hg) Soluble Antimony (Sb)	mg/kg mg/kg mg/kg	10 10 10	90 Not detected 1000	N.D. N.D. N.D.	N.D. N.D. N.D.	21 N.D. N.D. N.D.	N.D. N.D. N.D.	N.D. N.D. N.D.
Total Lead(Pb) Total Mercury (Hg) Soluble Antimony (Sb) Soluble Arsenic (As)	mg/kg mg/kg mg/kg mg/kg	10 10 10 10	90 Not detected 1000 1000	N.D. N.D. N.D. N.D.	N.D. N.D. N.D. N.D.	21 N.D. N.D. N.D. N.D.	N.D. N.D. N.D. N.D.	N.D. N.D. N.D. N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Test item(s)	Unit	MDL	Limit	Result(s) 34
Total Lead(Pb)	mg/kg	10	90	N.D.
Total Mercury (Hg)	mg/kg	10	Not detected	N.D.
Soluble Antimony (Sb)	mg/kg	10	1000	N.D.
Soluble Arsenic (As)	mg/kg	10	1000	N.D.
Soluble Barium (Ba)	mg/kg	10	1000	N.D.
Soluble Cadmium (Cd)	mg/kg	10	1000	N.D.
Soluble Selenium (Se)	mg/kg	10	1000	N.D.

6. Total lead content - Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment Title 1 section 101

Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

Test Method: CPSC-CH-E1001-08.3& CPSC-CH-E1002-08.3

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit	MDL Limit	Result(s)				
Test tient(s)	Onit	MDL	Limit	6+7+12	8+9+32	13+14+15	18+21+22
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.

Test item(s)	Unit	MDL	DL Limit		Res	ult(s)	
Test item(s)	Unit	MDL		23+24	28	37	38
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.

Total Lead (Pb) Content in Surface Coating

CPSC-CH-E1003-09.1 Test Method:

Test Instrument:	Atomic Absorption Spectrophotometer	(AAS)
root moti amont.		(0,0,0)

Test item(s)	Unit	MDL	Limit	Result(s)
rest tient(s)	Offic	NIDL	Linin	26
Lead(Pb)	mg/kg	10	90	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

7. Total lead content - California "Proposition 65"

Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

CPSC-CH-E1001-08.3& CPSC-CH-E1002-08.3 Test Method:

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit MDL		Limit	Result(s)				
rest tiern(s)	Onit	WIDL	Limit	6+7+12	8+9+32	13+14+15	18+21+22	
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.	

Test item(s)	Unit	MDL Limit	Result(s)				
Test item(s)	Unit	MDL	Limit	23+24	28	37	38
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	N.D.

Total Lead (Pb) Content in Surface Coating

Test Method: CPSC-CH-E1003-09.1

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit	MDL Limit		Result(s)
rest tient(s)		MDL	Linin	26
Lead(Pb)	mg/kg	10	90	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

8. Total Lead content - Consumer Products Containing Lead Regulations SOR/2018-83

Test method: With reference to Method C02.3.2:2021& C-02.4:2017

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit MDL		Limit	Result(s)				
rest ttern(s)	Unit	WIDL	Limit	6+7+12	8+9+32	13+14+15	18+21+22	
Total Lead(Pb)	mg/kg	10	90	N.D.	N.D.	N.D.	N.D.	

Test item(s)	Unit MDL		Limit	Result(s)				
rest tient(s)	Unit		Liitiit	23+24	26	28	37	
Total Lead(Pb)	mg/kg	10	90	N.D.	N.D.	N.D.	N.D.	

Test item(s)) Unit	MDL	Limit	Result(s)
Test item(s)		MDL	Limit	38
Total Lead(Pb)	mg/kg	10	90	N.D.

9. Total Lead content - Canada Surface coating materials regulations(SOR/2016-193)

Test Method:

With reference to Method C02.2.2:2020

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Linit	Jnit MDL Limit		Result(s)
rest tterm(s)	Unit	MDL	Linni	26
Lead(Pb)	mg/kg	10	90	N.D.

10. Total lead content - 16 CFR 1303

Total Lead (Pb) Content in Surface Coating

Test Method: CPSC-CH-E1003-09.1

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit	MDL Limit		Result(s)
rest tient(s)		Linin	26	
Lead(Pb)	mg/kg	10	90	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

11. Total Mercury content-Canadian Environmental Protection Act :Products Containing Mercury Regulations SOR/2014-254

Test Method: With reference to IEC 62321-4:2013+A1: 2017

Test Instrument: Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test item(s)	Unit	MDL	Limit	Resi	ult(s)
Test item(s)	Unit		LIIIII	6+7+14	12+13+15
Total Mercury (Hg)	mg/kg	10	1000	N.D.	N.D.

12. PAHs content- Item 50 of Annex XVII of REACH Regulation (EC) 1907/2006 & amendment (EU) No 1272/2013.

Test Method: With reference to AfPS-GS-2019-01: PAK

NI-	T = = t : t = == (-)		11	MDL	Result(s)		
No.	Test item(s)	CAS No	Unit	MDL	6+7+14	12+13+15	
1	Benzo (a)anthracene (BaA)	56-55-3	mg/kg	0.2	N.D.	N.D.	
2	Chrysene (CHR)	218-01-9	mg/kg	0.2	N.D.	N.D.	
3	Benzo (b) fluoranthene (BbFA)	205-99-2	mg/kg	0.2	N.D.	N.D.	
4	Benzo (k) fluoranthene (BkFA)	207-08-9	mg/kg	0.2	N.D.	N.D.	
5	Benzo (j) fluoranthene (BjFA)	205-82-3	mg/kg	0.2	N.D.	N.D.	
6	Benzo (e) pyrene (BeP)	192-97-2	mg/kg	0.2	N.D.	N.D.	
7	Benzo (a) pyrene (BaP)	50-32-8	mg/kg	0.2	N.D.	N.D.	
8	Dibenzo (a,h) anthracene (DBAhA)	53-07-3	mg/kg	0.2	N.D.	N.D.	

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

以下条款仅针对中国市场和社会:

-----该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from mercent and/or hidden defects any loss of processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with the claim gainst sellers / suppliers for ompensation for any apparent and/or hidden defects any loss of profit, businesses, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

No	Test item(s)	CAS No	l la it	MDL	Result(s)
No.	Test item(s)	CAS NO	Unit	MDL	18+21+22
1	Benzo (a)anthracene (BaA)	56-55-3	mg/kg	0.2	N.D.
2	Chrysene (CHR)	218-01-9	mg/kg	0.2	N.D.
3	Benzo (b) fluoranthene (BbFA)	205-99-2	mg/kg	0.2	N.D.
4	Benzo (k) fluoranthene (BkFA)	207-08-9	mg/kg	0.2	N.D.
5	Benzo (j) fluoranthene (BjFA)	205-82-3	mg/kg	0.2	N.D.
6	Benzo (e) pyrene (BeP)	192-97-2	mg/kg	0.2	N.D.
7	Benzo (a) pyrene (BaP)	50-32-8	mg/kg	0.2	N.D.
8	Dibenzo (a,h) anthracene (DBAhA)	53-07-3	mg/kg	0.2	N.D.

Remark:

(1) (EU) No 1272/2013 amending Item No 50 of Annex XVII of REACH Regulation (EC) 1907/2006

Parameter (mg/kg)	Category 1	Category 2	
	Articles come into direct as well as prolonged or short- term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use Such articles include amongst others: - sport equipment such as bicycles, golf clubs, racquets. - household utensils, trolleys, walking frames - tools for domestic use - clothing, footwear, gloves and sportswear - watch-straps, wrist-bands, masks, head-bands	Toys, including activity toys, and childcare articles, that come into direct as well as prolonged or short- term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use,	
Benzo[a]pyrene	<1	<0.5	
Benzo[e]pyrene	<1	<0.5	
Benzo[a]anthracene	<1	<0.5	
Benzo[b]fluoranthene	<1	<0.5	
Benzo[j]fluoranthene	<1	<0.5	
Benzo[k]fluoranthene	<1	<0.5	
Chrysene	<1	<0.5	
Dibenzo[a,h]anthracene	<1	<0.5	

- The PAHs limit is Category 2

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quality of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers from their contractual responsibilities with regard to the quality / quality / quality / duality of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers from their contract and/or hold endeted during UL's random inspection or testing or audit. The liability of UL to the Customer is not ract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

13. Short Chain Chlorinated Paraffin content - the Persistent Organic Pollutants (POPs) Regulation (EU) 2019/1021.

Test Method: In-house method

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

Test item(s)	Unit	MDL	Limit	Resi	ult(s)
	Onit	WIDL	LIIIII	55+56+57	58+59+60
Short Chain Chlorinated Paraffin (SCCP)	mg/kg	50	1500	N.D.	N.D.

Test item(s)	Unit	MDL	Limit	Result(s) 61+62	
rest tien(s)	Unit M	MDL	Linin	61+62	
Short Chain Chlorinated Paraffin (SCCP)	mg/kg	50	1500	N.D.	

14. Specific Migration of Bisphenol A (BPA)- Directive 2009/48/EC and its amendment Directive (EU) 2017/898. Test Method: EN 71-10:2005& EN 71-11:2005

Test Instrument: High Performance Liquid Chromatography (HPLC)

Test item(s)	Test item(s) Unit MDL Limit	Result(s)			
rest tiern(s)	Onit	MDL	MDL LIMIT	6	7
Specific Migration of Bisphenol A (BPA)	mg/L	0.02	0.04	N.D.	N.D.

15. Specific Migration of Phenol Content- Directive 2009/48/EC and its amendment Directive (EU) 2017/774.

Test Method: With reference to EN71-10: 2005& EN71-11: 2005

Test Instrument: High Performance Liquid Chromatography- fluorescence detector (HPLC-FLD)

Test item(s)	Linit	MDL	Limit	Result(s)
Test item(s)	Unit N	MDL	LITIIL	6+7
Specific Migration of Phenol	mg/L	5	5	N.D.

以下条款仅针对中国市场和社会:

一一该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of use grantly identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality of use grantly identical or similar materials, products or processes. Reports / Quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers from more for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsover, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

16. Phthalates content- Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment &16 CFR Part 1307-Prohibition of Children Toys and Child Care Articles Containing Specified Phthalates.

Test Method: CPSC-CH-C1001-09.4(2018)

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

Toot itom(o)	CAS No.	Unit	MDL	Limit	Result(s)			
Test item(s)	CAS NO.	Unit	MDL	LIMI	6+7+12	13+14+ 15	18+21+ 22	
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.	N.D.	
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.	N.D.	
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.	N.D.	
Di-iso-nonyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg	100	1000	N.D.	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.	N.D.	
Di-n-pentyl Phthalate (DPENP)	131-18-0	mg/kg	50	1000	N.D.	N.D.	N.D.	
Di-n-hexyl Phthalate (DHEXP)	84-75-3	mg/kg	50	1000	N.D.	N.D.	N.D.	
Dicyclohexly Phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.	N.D.	

Test item(s)	CAS No.	Unit	MDL	Limit	Result(s)		
rest territo)	0A0 N0.	Onic	MDL	Linit	23+24	26	38
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	393	N.D.
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.	N.D.
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.	N.D.
Di-iso-nonyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg	100	1000	N.D.	N.D.	N.D.
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.	N.D.
Di-n-pentyl Phthalate (DPENP)	131-18-0	mg/kg	50	1000	N.D.	N.D.	N.D.
Di-n-hexyl Phthalate (DHEXP)	84-75-3	mg/kg	50	1000	N.D.	N.D.	N.D.
Dicyclohexly Phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

一一该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

17. Phthalates content- California "Proposition 65".

Test Method: CPSC-CH-C1001-09.4

Test Instrument: Gas Chromatography - Mass Spectrometer (GC-MS)

Test item(s)	Unit	MDL	Limit	Result(s)			
16511(611(5)	Onic	WIDL	Linit	6+7+12	13+14+15	18+21+22	
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Dibutyl phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Benzyl butyl phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Di-n-hexyl phthalate (DNHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Diisodecyl phthalate (DIDP)	mg/kg	100	1000	N.D.	N.D.	N.D.	
Di-iso-nonyl phthalate (DINP)	mg/kg	100	1000	N.D.	N.D.	N.D.	

Test item(s)	Unit	MDL	Limit	Result(s)			
rest tiern(s)	Onit	WIDE	Linit	23+24	26	38	
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	50	1000	N.D.	393	N.D.	
Dibutyl phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Benzyl butyl phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Di-n-hexyl phthalate (DNHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Diisodecyl phthalate (DIDP)	mg/kg	100	1000	N.D.	N.D.	N.D.	
Di-iso-nonyl phthalate (DINP)	mg/kg	100	1000	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

18. Phthalates content- Item 51& 52 of Annex XVII of REACH Regulation (EC) 1907/2006

Test Method: With reference to EN 14372:2004(E)

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

Test item(s)	l lucit		Limit -	Result(s)			
Test item(s)	Unit	MDL	Limit	6+7+12	13+14+15	18+21+22	
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Total(DEHP+ DBP+BBP+ DIBP)	mg/kg	/	1000	N.D.	N.D.	N.D.	
Diisononyl Phthalate (DINP)	mg/kg	100	/	N.D.	N.D.	N.D.	
Diisodecyl Phthalate (DIDP)	mg/kg	100	/	N.D.	N.D.	N.D.	
Di-n-octyl Phthalate (DNOP)	mg/kg	50	/	N.D.	N.D.	N.D.	
Total(DINP+ DIDP+DNOP)	mg/kg	/	1000	N.D.	N.D.	N.D.	

Test item(s)	Unit	MDL	Limit	Result(s)			
rest tient(s)	Onit	MDL		23+24	26	38+44	
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	393	N.D.	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Total(DEHP+ DBP+BBP+ DIBP)	mg/kg	/	1000	N.D.	393	N.D.	
Diisononyl Phthalate (DINP)	mg/kg	100	/	N.D.	N.D.	N.D.	
Diisodecyl Phthalate (DIDP)	mg/kg	100	1	N.D.	N.D.	N.D.	
Di-n-octyl Phthalate (DNOP)	mg/kg	50	/	N.D.	N.D.	N.D.	
Total(DINP+ DIDP+DNOP)	mg/kg	/	1000	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

一一该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Test item(s)	Unit	MDL	Limit	Result(s)			
Test item(s)	Unit	NDL	LIIIII	52	55+56+57	58+59+60	
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Total(DEHP+ DBP+BBP+ DIBP)	mg/kg	/	1000	N.D.	N.D.	N.D.	
Diisononyl Phthalate (DINP)	mg/kg	100	/	N.D.	N.D.	N.D.	
Diisodecyl Phthalate (DIDP)	mg/kg	100	/	N.D.	N.D.	N.D.	
Di-n-octyl Phthalate (DNOP)	mg/kg	50	/	N.D.	N.D.	N.D.	
Total(DINP+ DIDP+DNOP)	mg/kg	/	1000	N.D.	N.D.	N.D.	

	l lmit		1 : :4	Result(s)		
Test item(s)	Unit	MDL	Limit	61+62	66	
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	
Total(DEHP+ DBP+BBP+ DIBP)	mg/kg	1	1000	N.D.	N.D.	
Diisononyl Phthalate (DINP)	mg/kg	100	/	N.D.	N.D.	
Diisodecyl Phthalate (DIDP)	mg/kg	100	/	N.D.	N.D.	
Di-n-octyl Phthalate (DNOP)	mg/kg	50	/	N.D.	N.D.	
Total(DINP+ DIDP+DNOP)	mg/kg	1	1000	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

19. Phthalates content- Canada Consumer Product Safety Act : Phthalates Regulations (SOR/2016-188) Test Method: Health Canada Method C34:2018

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

Test item(s)	Unit	MDL	Limit	Result(s)
rest item(s)	Onic	NDL	LIIIII	-
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	NA
Dibutyl Phthalate (DBP)	mg/kg	50	1000	NA
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	NA
Di-n-octyl Phthalate (DNOP)	mg/kg	50	1000	NA
Diisononyl Phthalate (DINP)	mg/kg	100	1000	NA
Diisodecyl Phthalate (DIDP)	mg/kg	100	1000	NA

Note: No PVC materials presented on the received sample(s). Therefore, the phthalates content analysis of PVC materials according to Canada Consumer Product Safety Act, Phthalate Regulations, SOR/2016-188, was not conducted.

20. Phthalates content- Australia Competition and Consumer Act 2010 in children's products - Consumer Protection Notice No. 11 of 2011

Test Method: With reference to EN 14372:2004

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

Test item(a)	CAS No.	Unit	MDL	Limit	Result(s)		
Test item(s)	CAS NO.	Unit		Limit	6+7+12	13+14+15	
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	10000	N.D.	N.D.	

Test item(s)		l la it	MDL	l insit	Result(s)		
Test item(s)	CAS No.	Unit		Limit	18+21+22	23+24	
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	10000	N.D.	N.D.	

以下条款仅针对中国市场和社会:

一一该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of use grantly identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality of use grantly identical or similar materials, products or processes. Reports / Quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers from more for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsover, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

Test Instrument

TEST RESULTS

Test item(s)

21. RoHS Directive 2011/65/EU and its amendment directives Screening by X-ray fluorescence spectrometry

Lead, mercury, cadmium, chromium and bromine IEC 62321-3-1:2013 X-ray fluorescence spectrometry

Seq. Tested Det(s)				Result(s)		
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br
1	Beige grey flannel, antlers /legs	BL	BL	BL	BL	BL
2	Brown plush, body	BL	BL	BL	BL	BL
3	Creamy plush, body	BL	BL	BL	BL	BL
4	Black flannel, nose	BL	BL	BL	BL	Х
5	Pink long plush, head/tail	BL	BL	BL	BL	BL
6	Brown plastic, cover	BL	BL	BL	BL	BL
7	Light green blue plastic, cover	BL	BL	BL	BL	BL
8	Dark green hot-stamping fabric, back	BL	BL	BL	BL	BL
9	Silvery hot-stamping fabric, wing	BL	BL	BL	BL	BL
10	Creamy flannel, corn/abdomen	BL	BL	BL	BL	BL
11	Light green flannel, body	BL	BL	BL	BL	BL
12	Brown plastic, cell box	BL	BL	BL	BL	BL
13	Light green plastic, cell box	BL	BL	BL	BL	BL
14	White plastic, switch	BL	BL	BL	BL	BL
15	Beige plastic, hook tape Velcro	BL	BL	BL	BL	BL
16	Beige fabric, lining	BL	BL	BL	BL	BL
17	Creamy white fabric, lining	BL	BL	BL	BL	BL
18	Apricot plastic, cover	BL	BL	BL	BL	BL
19	Apricot plush, body	BL	BL	BL	BL	BL
20	Creamy fabric, lining	BL	BL	BL	BL	BL
21	Apricot plastic, cell box	BL	BL	BL	BL	BL
22	Pink plastic, cell box	BL	BL	BL	BL	BL
23	White plastic, hook tape Velcro	BL	BL	BL	BL	BL
24	Black/white embroidery, eye	BL	BL	BL	BL	BL
25	Pink embroidery, pattern	BL	BL	BL	BL	BL

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

No. Pb Cd Hg Cr Br 26 White coating, cover BL BL <th>Seq.</th> <th colspan="2">Tested Part(s)</th> <th colspan="6">Result(s)</th>	Seq.	Tested Part(s)		Result(s)					
27 Green/light green/dark green/white textile, logo label BL BL BL BL BL BL BL BL BL 28 Black printed white fabric, label BL B	No.	resteu Pari(s)	Pb	Cd	Hg	Cr	Br		
28Black printed while fabric, labelBLBLBLBLBLBLBL29Multi-color embroidery, eyeBLBLBLBLBLBLBL30Light green fabric, noseBLBLBLBLBLBLBL31White plush, bodyBLBLBLBLBLBLBL32Pink hot-stamping fabric, wingBLBLBLBLBLBL33White fabric, liningBLBLBLBLBLBL34Pink plastic, coverBLBLBLBLBLBL35White/blue/yellow/light green textile, logo labelBLBLBLBLBL36Apricot flannel, earBLBLBLBLBLBL37Silvery metal, screwBLBLBLBLBLBL39White foam, wing(inner)BLBLBLBLBLBL40White floss, interlayer(inner)BLBLBLBLBLBL41White plastic, gasket(inner)BLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBL44Silvery metal, apring(inner)BLBLBLBLBLNA46Silvery metal, apsket screw(inner)BLBLBLBLBLBLBL44Black foam with adhesi	26	White coating, cover	BL	BL	BL	BL	BL		
29Multi-color embroidery, eyeBLBLBLBLBLBLBLBL30Light green fabric, noseBLBLBLBLBLBLBLBL31White plush, bodyBLBLBLBLBLBLBLBL32Pink hot-stamping fabric, wingBLBLBLBLBLBLBL33White fabric, liningBLBLBLBLBLBLBL34Pink plastic, coverBLBLBLBLBLBLBL35White/blue/yellow/light green textile, logo labelBLBLBLBLBLBL36Apricot flannel, earBLBLBLBLBLBLBL37Silvery metal, screwBLBLBLBLBLBLBL38White foam, wing(inner)BLBLBLBLBLBLBL39White floss, interlayer(inner)BLBLBLBLBLBL40White textile with white thread, edge(inner)BLBLBLBLBLBL41White floss, interlayer(inner)BLBLBLBLBLBL42White plastic, wing(inner)BLBLBLBLBLBL43Transparent plastic, gasket(inner)BLBLBLBLBLBL44Black foam with adhesive(inner)BL <t< td=""><td>27</td><td>Green/light green/dark green/white textile, logo label</td><td>BL</td><td>BL</td><td>BL</td><td>BL</td><td>BL</td></t<>	27	Green/light green/dark green/white textile, logo label	BL	BL	BL	BL	BL		
30Light green fabric, noseBLBLBLBLBLBLBLBL31White plush, bodyBLBLBLBLBLBLBLBL32Pink hot-stamping fabric, wingBLBLBLBLBLBLBL33White fabric, liningBLBLBLBLBLBLBL34Pink plastic, coverBLBLBLBLBLBLBL35White/blue/yellow/light green textile, logo labelBLBLBLBLBLBL36Apricot flannel, earBLBLBLBLBLBLBL37Silvery metal, screwBLBLBLBLBLBLBL39White foam, wing(inner)BLBLBLBLBLBLBL40White textile with white thread, edge(inner)BLBLBLBLBLBL41White floss, interlayer(inner)BLBLBLBLBLBL42White plastic, wing(inner)BLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBL44Silvery metal, gasket screw(inner)BLBLBLBLNA45Silvery metal, gasket screw(inner)BLBLBLBLNA46Silvery metal, nut screw(inner)BLBLBLBLN	28	Black printed white fabric, label	BL	BL	BL	BL	BL		
31White plush, bodyBLBLBLBLBLBLBLBLBL32Pink hot-stamping fabric, wingBLBLBLBLBLBLBLBL33White fabric, liningBLBLBLBLBLBLBLBL34Pink plastic, coverBLBLBLBLBLBLBL35White/blue/yellow/light green textile, logo labelBLBLBLBLBLBL36Apricot flannel, earBLBLBLBLBLBLBL37Silvery metal, screwBLBLBLBLBLBLBL38White foam, wing(inner)BLBLBLBLBLBLBL39White mesh, wing(inner)BLBLBLBLBLBLBL40White flass, interlayer(inner)BLBLBLBLBLBL41White plastic, wing(inner)BLBLBLBLBLBL42White plastic, gasket(inner)BLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBLBL45Silvery metal, gasket screw(inner)BLBLBLBLNAA46Silvery metal, gasket screw(inner)BLBLBLBLBLNA47Silvery metal, nut screw(inner)BL<	29	Multi-color embroidery, eye	BL	BL	BL	BL	BL		
32Pink hot-stamping fabric, wingBLBLBLBLBLBLBLBLBL33White fabric, liningBLBLBLBLBLBLBLBL34Pink plastic, coverBLBLBLBLBLBLBLBL35White/blue/yellow/light green textile, logo labelBLBLBLBLBLBLBL36Apricot flannel, earBLBLBLBLBLBLBL37Silvery metal, screwBLBLBLBLBLBLBL39White foam, wing(inner)BLBLBLBLBLBL40White fabric, wing(inner)BLBLBLBLBLBL41White floss, interlayer(inner)BLBLBLBLBLBL42White plastic, gasket(inner)BLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBL45Silvery metal, spring(inner)BLBLBLBLNA46Silvery metal, apexet screw(inner)BLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLNA49Silvery metal, nut screw(inner)BLBLBLBLNA50White plastic, ribbonBLBLBLBLBLBLBL	30	Light green fabric, nose	BL	BL	BL	BL	BL		
33White fabric, liningBLBLBLBLBLBLBLBL34Pink plastic, coverBLBLBLBLBLBLBLBLBL35White/blue/yellow/light green textile, logo labelBLBLBLBLBLBLBLBL36Apricot flannel, earBLBLBLBLBLBLBLBLBL37Silvery metal, screwBLBLBLBLBLBLBLBL39White foam, wing(inner)BLBLBLBLBLBLBL40White textile with white thread, edge(inner)BLBLBLBLBLBL41White floss, interlayer(inner)BLBLBLBLBLBL42White plastic, wing(inner)BLBLBLBLBLBL43Transparent plastic, gasket(inner)BLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBLBL45Silvery metal, spring(inner)BLBLBLBLNANA46Silvery metal, gasket screw(inner)BLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLBLNA49Silvery me	31	White plush, body	BL	BL	BL	BL	BL		
34Pink plastic, coverBLBLBLBLBLBLBLBLBL35White/blue/yellow/light green textile, logo labelBLBLBLBLBLBLBL36Apricot flannel, earBLBLBLBLBLBLBLBL37Silvery metal, screwBLBLBLBLBLBLBLBL38White foam, wing(inner)BLBLBLBLBLBLBL39White mesh, wing(inner)BLBLBLBLBLBLBL40White textile with white thread, edge(inner)BLBLBLBLBLBL41White floss, interlayer(inner)BLBLBLBLBLBL42White plastic, wing(inner)BLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBL45Silvery metal, electrode plate(inner)BLBLBLBLNA46Silvery metal, gasket screw(inner)BLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLBLNA49Silvery metal, nut screw(inner)BLBLBLBLBLBLNA50White plastic, ribbonBLBLBLBLBLNASilvery metal, screw(inner)BLBLBLB	32	Pink hot-stamping fabric, wing	BL	BL	BL	BL	BL		
35White/blue/yellow/light green textile, logo labelBLBLBLBLBLBLBLBLBLBL36Apricot flannel, earBLBLBLBLBLBLBLBLBL37Silvery metal, screwBLBLBLBLBLBLBLBLBL38White foam, wing(inner)BLBLBLBLBLBLBLBL39White mesh, wing(inner)BLBLBLBLBLBLBL40White textile with white thread, edge(inner)BLBLBLBLBLBL41White floss, interlayer(inner)BLBLBLBLBLBL42White flostic, wing(inner)BLBLBLBLBLBL43Transparent plastic, gasket(inner)BLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBL45Silvery metal, spring(inner)BLBLBLBLNA46Silvery metal, gasket screw(inner)BLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLNA49Silvery metal, nut screw(inner)BLBLBLBLBLBL51Silvery metal, screw(inner)BLBLBLBLNA	33	White fabric, lining	BL	BL	BL	BL	BL		
36Apricot flannel, earBLBLBLBLBLBLBLBLBL37Silvery metal, screwBLBLBLBLBLBLBLBLBL38White foam, wing(inner)BLBLBLBLBLBLBLBL39White mesh, wing(inner)BLBLBLBLBLBLBL40White textile with white thread, edge(inner)BLBLBLBLBLBL41White floss, interlayer(inner)BLBLBLBLBLBL42White plastic, wing(inner)BLBLBLBLBLBL43Transparent plastic, gasket(inner)BLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBL45Silvery metal, spring(inner)BLBLBLBLNA46Silvery metal, gasket screw(inner)BLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLBLBL49Silvery metal, nut screw(inner)BLBLBLBLBLBLBL50White plastic, ribbonBLBLBLBLBLBLA51Silvery metal, screw(inner)BLBLBLBLAA	34	Pink plastic, cover	BL	BL	BL	BL	BL		
37Silvery metal, screwBL <th< td=""><td>35</td><td>White/blue/yellow/light green textile, logo label</td><td>BL</td><td>BL</td><td>BL</td><td>BL</td><td>BL</td></th<>	35	White/blue/yellow/light green textile, logo label	BL	BL	BL	BL	BL		
38White foam, wing(inner)BLBLBLBLBLBLBL39White mesh, wing(inner)BLBLBLBLBLBLBL40White textile with white thread, edge(inner)BLBLBLBLBLBL41White floss, interlayer(inner)BLBLBLBLBLBL42White plastic, wing(inner)BLBLBLBLBLBL43Transparent plastic, gasket(inner)BLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBL45Silvery metal, spring(inner)BLBLBLBLBLNA46Silvery metal, gasket screw(inner)BLBLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLBLBL49Silvery metal, nut screw(inner)BLBLBLBLBLBLBL50White plastic, ribbonBLBLBLBLBLBLBLBL51Silvery metal, screw(inner)BLBLBLBLBLAA	36	Apricot flannel, ear	BL	BL	BL	BL	BL		
39White mesh, wing(inner)BLBLBLBLBLBLBLBL40White textile with white thread, edge(inner)BLBLBLBLBLBLBL41White floss, interlayer(inner)BLBLBLBLBLBLBL42White plastic, wing(inner)BLBLBLBLBLBLBL43Transparent plastic, gasket(inner)BLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBL45Silvery metal, spring(inner)BLBLBLBLBLNA46Silvery metal, electrode plate(inner)BLBLBLBLBLNA47Silvery metal, gasket screw(inner)BLBLBLBLBLBLA48Creamy white plastic, fixation(inner)BLBLBLBLBLBLA50White plastic, ribbonBLBLBLBLBLBLBLBL51Silvery metal, screw(inner)BLBLBLBLBLBLBLA	37	Silvery metal, screw	BL	BL	BL	BL	NA		
40White textile with white thread, edge(inner)BLBLBLBLBLBLBLBLBL41White floss, interlayer(inner)BLBLBLBLBLBLBLBL42White plastic, wing(inner)BLBLBLBLBLBLBLBL43Transparent plastic, gasket(inner)BLBLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBLBL45Silvery metal, spring(inner)BLBLBLBLBLNA46Silvery metal, electrode plate(inner)BLBLBLBLBLNA47Silvery metal, gasket screw(inner)BLBLBLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLBLBLBLSI49Silvery metal, nut screw(inner)BLBLBLBLBLBLBLSISI50White plastic, ribbonBLBLBLBLBLBLBLBLSISISI51Silvery metal, screw(inner)BLBLBLBLBLSI	38	White foam, wing(inner)	BL	BL	BL	BL	BL		
41White floss, interlayer(inner)BLBLBLBLBLBLBL42White plastic, wing(inner)BLBLBLBLBLBLBL43Transparent plastic, gasket(inner)BLBLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBLBL45Silvery metal, spring(inner)BLBLBLBLBLNA46Silvery metal, electrode plate(inner)BLBLBLBLNA47Silvery metal, gasket screw(inner)BLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLBLBL49Silvery metal, nut screw(inner)BLBLBLBLBLBLSL50White plastic, ribbonBLBLBLBLBLBLSL51Silvery metal, screw(inner)BLBLBLBLBLSL	39	White mesh, wing(inner)	BL	BL	BL	BL	BL		
42White plastic, wing(inner)BLBLBLBLBLBLBLBL43Transparent plastic, gasket(inner)BLBLBLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBLBLBL45Silvery metal, spring(inner)BLBLBLBLBLNA46Silvery metal, electrode plate(inner)BLBLBLBLBLNA47Silvery metal, gasket screw(inner)BLBLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLBLBL49Silvery metal, nut screw(inner)BLBLBLBLBLBLSL50White plastic, ribbonBLBLBLBLBLBLBLSL51Silvery metal, screw(inner)BLBLBLBLBLNA	40	White textile with white thread, edge(inner)		BL	BL	BL	BL		
43Transparent plastic, gasket(inner)BLBLBLBLBLBLBL44Black foam with adhesive(inner)BLBLBLBLBLBLBL45Silvery metal, spring(inner)BLBLBLBLBLBLNA46Silvery metal, electrode plate(inner)BLBLBLBLBLNA47Silvery metal, gasket screw(inner)BLBLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLBLBLBL49Silvery metal, nut screw(inner)BLBLBLBLBLBLBLSI50White plastic, ribbonBLBLBLBLBLBLBLBLSI51Silvery metal, screw(inner)BLBLBLBLBLNA	41	White floss, interlayer(inner)	BL	BL	BL	BL	BL		
44Black foam with adhesive(inner)BLBLBLBLBLBLBLBL45Silvery metal, spring(inner)BLBLBLBLBLBLNA46Silvery metal, electrode plate(inner)BLBLBLBLBLBLNA47Silvery metal, gasket screw(inner)BLBLBLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLBLBLBL49Silvery metal, nut screw(inner)BLBLBLBLBLNA50White plastic, ribbonBLBLBLBLBLBLBL51Silvery metal, screw(inner)BLBLBLBLNA	42	White plastic, wing(inner)	BL	BL	BL	BL	BL		
45Silvery metal, spring(inner)BLBLBLBLBLBLNA46Silvery metal, electrode plate(inner)BLBLBLBLBLNA47Silvery metal, gasket screw(inner)BLBLBLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLBLBLBL49Silvery metal, nut screw(inner)BLBLBLBLBLNA50White plastic, ribbonBLBLBLBLBLBLBL51Silvery metal, screw(inner)BLBLBLBLBLNA	43	Transparent plastic, gasket(inner)	BL	BL	BL	BL	BL		
46Silvery metal, electrode plate(inner)BLBLBLBLBLBLNA47Silvery metal, gasket screw(inner)BLBLBLBLBLBLBLBL48Creamy white plastic, fixation(inner)BLBLBLBLBLBLBLBL49Silvery metal, nut screw(inner)BLBLBLBLBLNA50White plastic, ribbonBLBLBLBLBLBL51Silvery metal, screw(inner)BLBLBLBLNA	44	Black foam with adhesive(inner)	BL	BL	BL	BL	BL		
47Silvery metal, gasket screw(inner)BLBLBLBLBLBLNA48Creamy white plastic, fixation(inner)BLBLBLBLBLBLBL49Silvery metal, nut screw(inner)BLBLBLBLBLBLNA50White plastic, ribbonBLBLBLBLBLBLBL51Silvery metal, screw(inner)BLBLBLBLNA	45	Silvery metal, spring(inner)	BL	BL	BL	BL	NA		
48Creamy white plastic, fixation(inner)BLBLBLBLBLBL49Silvery metal, nut screw(inner)BLBLBLBLBLNA50White plastic, ribbonBLBLBLBLBLBLBL51Silvery metal, screw(inner)BLBLBLBLBLNA	46	Silvery metal, electrode plate(inner)	BL	BL	BL	BL	NA		
49Silvery metal, nut screw(inner)BLBLBLBLBLNA50White plastic, ribbonBLBLBLBLBLBLBL51Silvery metal, screw(inner)BLBLBLBLBLNA	47	Silvery metal, gasket screw(inner)		BL	BL	BL	NA		
50 BL BL BL BL BL 51 Silvery metal, screw(inner) BL BL BL BL	48	Creamy white plastic, fixation(inner)	BL	BL	BL	BL	BL		
51 Silvery metal, screw(inner) BL BL BL BL NA	49	Silvery metal, nut screw(inner)		BL	BL	BL	NA		
	50	White plastic, ribbon	BL	BL	BL	BL	BL		
52 Translucent/black soft plastic, buttons BL BL BL BL BL BL	51	Silvery metal, screw(inner)	BL	BL	BL	BL	NA		
	52	Translucent/black soft plastic, buttons	BL	BL	BL	BL	BL		

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Seq.		Result(s)					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
53	White printed brown PCB(inner)	BL	BL	BL	BL	BL	
54	Silvery solder, PCB(inner)	BL	BL	BL	BL	NA	
55	Black soft plastic, wire jacket(inner)	BL	BL	BL	BL	BL	
56	Red soft plastic, wire jacket(inner)	BL	BL	BL	BL	BL	
57	Orange soft plastic, wire jacket(inner)	BL	BL	BL	BL	BL	
58	Translucent brown soft plastic, wire jacket(inner)	BL	BL	BL	BL	BL	
59	Translucent pink soft plastic, wire jacket(inner)	BL	BL	BL	BL	BL	
60	Translucent green soft plastic, wire jacket(inner)	BL	BL	BL	BL	BL	
61	Translucent purple soft plastic, wire jacket(inner)	BL	BL	BL	BL	BL	
62	Translucent orange soft plastic, wire jacket(inner)	BL	BL	BL	BL	BL	
63	Coppery metal, wire core(inner)		BL	BL	BL	NA	
64	Transparent plastic, LED(inner)		BL	BL	BL	BL	
65	Silvery metal, LED(inner)		BL	BL	Х	NA	
66	Transparent dry glue(inner)		BL	BL	BL	BL	
67	Green/white printed brown PCB(inner)		BL	BL	BL	BL	
68	White printed black material with pin, big chip resistor (Inner)	BL	BL	BL	Х	BL	
69	White printed black material with pin, small chip resistor (Inner)	>1500#	BL	BL	BL	BL	
70	Grey material with pin, chip capacitor (Inner)	BL	BL	BL	BL	BL	
71	Black material with pin, IC(Inner)	BL	BL	BL	BL	BL	
72	Silvery solder, PCB(inner)	BL	BL	BL	BL	NA	
73	Black plated silvery metal, button (Inner)	BL	BL	BL	BL	NA	
74	Silvery metal spring, button (Inner)		BL	BL	Х	NA	
75	Silvery metal spring plate, button (Inner)	BL	BL	BL	BL	NA	
76	Silvery metal, pin of button (Inner)	BL	BL	BL	BL	NA	
77	Light brown PCB, button (Inner)	BL	BL	BL	BL	BL	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material	
Cd	mg/kg	BL≤70-3σ< X <130+3σ≤OL	BL≤70-3σ< X <130+3σ≤OL	LOD < X <150+3σ≤OL	
Pb	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤ OL	BL≤500-3σ< X <1500+3σ≤OL	
Hg	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤OL	BL≤500-3σ< X <1500+3σ≤OL	
Cr	mg/kg	BL≤700-3σ< X	BL≤700-3σ< X	BL≤500-3σ< X	
Br	mg/kg	BL≤300-3σ< X		BL≤250-3σ< X	

Note:

- BL= Below Limit
- OL= Over Limit
- X = Inconclusive
- NA=Not Applicable

#=As claimed by the material declaration submitted by the client, the material of the sample No.69 is ceramic and glass. And according to RoHS directive 2011/65/EU and its amendments, Lead is exempted in 7(c)-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors (piezoelectronic devices) or in a glass or ceramic matrix compound.

(2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample(s) be of nonuniformity composition.

(3) The maximum permissible limit is quoted from the document 2011/65/EU and its amendment.

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominate ddiphenylethers (PBDEs)	1000

Disclaimers

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample(s) size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

以下条款仅针对中国市场和社会:

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

一一该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers from mercent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the emount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

The Test Results of Chemical Method

Hexavalent Chromium content

Test Method: IEC 62321-7-2: 2017 & IEC 62321-7-1:2015

Test Instrument: Ultraviolet and Visible Spectrophotometer(UV-Vis)

Test item(s)	Unit MDL		RoHS Limit	Result(s)		
rest tieffi(s)	Test item(s) Unit MDL RoH		65	74		
Chromium (VI)	µg/cm²	0.10	See Remark	Negative	Negative	

T = = 4 (4 - m / -)	1 1 14	Unit MDL		Result(s)
Test item(s)	Unit	MDL	RoHS Limit	68
Chromium (VI) (Cr ⁶⁺)	mg/kg	2	1000	N.D.

Remark:

Sample Cr(VI) concentration (µg/cm ²)	Result(s)
< 0.10	Negative- The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.
0.10 – 0.13	Inconclusive- Unavoidable coating variations may influence the determination.
> 0.13	Positive- The Cr(VI) concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

以下条款仅针对中国市场和社会:

-----该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from mercent and/or hidden defects any loss of processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with the claim gainst sellers / suppliers for ompensation for any apparent and/or hidden defects any loss of profit, businesses, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

PBBs&PBDEs content

Test Method:

IEC 62321-6: 2015

Test Instrument:

Gas Chromatography-Mass Spectrometer(GC-MS)

T = = 4 it = == (=)	11		1 : :4	Result(s)
Test item(s)	Unit	MDL	Limit	4
Monobromobiphenyl	mg/kg	10	/	N.D.
Dibromobiphenyl	mg/kg	10	/	N.D.
Tribromobiphenyl	mg/kg	10	/	N.D.
Tetrabromobiphenyl	mg/kg	10	/	N.D.
Pentabromobiphenyl	mg/kg	10	/	N.D.
Hexabromobiphenyl	mg/kg	10	/	N.D.
Heptabromobiphenyl	mg/kg	10	/	N.D.
Octabromobiphenyl	mg/kg	10	1	N.D.
Nonabromodiphenyl	mg/kg	10	/	N.D.
Decabromodiphenyl	mg/kg	10	/	N.D.
Sum of PBBs	mg/kg	/	1000	N.D.
Monobromodiphenyl ether	mg/kg	10	/	N.D.
Dibromodiphenyl ether	mg/kg	10	1	N.D.
Tribromodiphenyl ether	mg/kg	10	/	N.D.
Tetrabromodiphenyl ether	mg/kg	10	/	N.D.
Pentabromodiphenyl ether	mg/kg	10	1	N.D.
Hexabromodiphenyl ether	mg/kg	10	1	N.D.
Heptabromodiphenyl ether	mg/kg	10	/	N.D.
Octabromodiphenyl ether	mg/kg	10	1	N.D.
Nonabromodiphenyl ether	mg/kg	10	/	N.D.
Decabromodiphenyl ether	mg/kg	10	/	N.D.
Sum of PBDEs	mg/kg	/	1000	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

22. Phthalates content - Directive 2011/65/EU (RoHS) & its amendment Directive (EU) 2015/863.

Test Method IEC 62321-8: 2017

Test Instrument Gas Chromatography-Mass Spectrometer(GC-MS)

Test item(s)	Unit MDL		RoHS	Result(s)			
rest tien(s)	Unit	MDL	Limit	6+7+12	13+14+15	18+21+22	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Diisobutyl Phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	

Test item(s)	Unit MDL		RoHS	Result(s)		
Test item(s)	Onit	IT MDL	Limit	23+24	38+44	42+43+48
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.
Diisobutyl Phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.

Test item/s)	Linit	MDL	RoHS	Result(s)		
Test item(s)	Onit	Unit MDL		50+64	52	53+67+77
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.
Diisobutyl Phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Test item/s)	Unit	MDL	RoHS		Result(s)	
Test item(s)	Unit	MDL	Limit	55+56+57	58+59+60	61+62
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.
Diisobutyl Phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.
Test item(s)	Unit	MDL	RoHS		Result(s)	
Test lien(s)	Onit	IVIDL	Limit		66	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.		
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.		
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.		
Diisobutyl Phthalate (DIBP)	mg/kg	50	1000		N.D.	

23. Total Cadmium content- Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006

IEC 62321-5: 2013 Test Method:

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit	MDL	Limit –		Result(s)	
rest tient(s)	Ont	MDL	Linit	6+7+12	13+14+15	18+21+22
Cadmium(Cd)	mg/kg	5	Refer to Remark	N.D.	N.D.	N.D.

Test item(s)	Unit	MDL	Limit –		Result(s)	
rest tient(s)	Onit	MDL		23+24	38+44	42+43+48
Cadmium(Cd)	mg/kg	5	Refer to Remark	N.D.	N.D.	N.D.

Test item(s)	Unit	MDL	Limit -		Result(s)	
rest tient(s)	Onit	WIDL		50+64	52	53+67+77
Cadmium(Cd)	mg/kg	5	Refer to Remark	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Test tient(s) Onit MDL Ennit 55+56+57 58+59+60 61+62 Cadmium(Cd) mg/kg 5 Refer to Remark N.D. N.D. N.D.	Test item(s)	Unit	MDL	Limit –		Result(s)	
Cadmium(Cd) mg/kg 5 Refer to Remark N.D. N.D. N.D.	rest tient(s)	Offic	MDL		55+56+57	58+59+60	61+62
	Cadmium(Cd)	mg/kg	5	Refer to Remark	N.D.	N.D.	N.D.

Test item(s)	Unit	MDL	Limit	Result(s)
rest tient(s)	Offic	MDL	Linnu -	66
Cadmium(Cd)	mg/kg	5	Refer to Remark	N.D.

Remark:

Category	Limit (mg/kg)
Paints with code[3208]and [3209]	100
Paints with code[3208]and [3209] with a zinc content exceeding 10% by weight of the paint	1000
Painted article	1000
Plastic	100
Metal parts of jewelry & hair accessories	100

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

24. Azo colorants content - Item 43 of Annex XVII of the REACH Regulation (EC) NO. 1907/2006 & amendment (EC) No 552/2009 and 126/2013.

Test Method: ISO 14362-1:2017

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

No.	Test item(s)	CAS No.	l lucit	MDL		Res	ult(s)
NO.	Test item(s)	CAS NO.	Unit	NDL	Limit	1+2+3	4+11+19
1	Biphenyl-4-ylamine/ 4-aminobiphenyl/xenylamine	92-67-1	mg/kg	5	30	N.D.	N.D.
2	Benzidine	92-87-5	mg/kg	5	30	N.D.	N.D.
3	4-chloro-o-toluidine	95-69-2	mg/kg	5	30	N.D.	N.D.
4	2-naphthylamine	91-59-8	mg/kg	5	30	N.D.	N.D.
5	o-aminoazotoluene/4-o-tolyazao-o-toluidine /4-amino-2',3-dimethylazobenzene*	97-56-3	mg/kg	5	30	N.D.	N.D.
6	5-nitro-o-toluidine/2-amino-4-nitrotoluol*	99-55-8	mg/kg	5	30	N.D.	N.D.
7	4-chloroaniline	106-47-8	mg/kg	5	30	N.D.	N.D.
8	4-methoxy-m-phenylenediamine/ 2,4-diaminoanisole	615-05-4	mg/kg	5	30	N.D.	N.D.
9	4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane	101-77-9	mg/kg	5	30	N.D.	N.D.
10	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'-ylenediamine	91-94-1	mg/kg	5	30	N.D.	N.D.
11	3,3'-dimethoxybenzidine/o-dianisidine	119-90-4	mg/kg	5	30	N.D.	N.D.
12	3,3'-dimethylbenzidine/4,4'-bi-o-toluidine	119-93-7	mg/kg	5	30	N.D.	N.D.
13	4,4'-methylenedi-o-toluidine	838-88-0	mg/kg	5	30	N.D.	N.D.
14	6-methoxy-m-toluidine/p-cresidine	120-71-8	mg/kg	5	30	N.D.	N.D.
15	4,4'-methylene-bis-(2-chloro-aniline)/ 2,2'-dichloro-4,4'-methylene-dianiline	101-14-4	mg/kg	5	30	N.D.	N.D.
16	4,4'-oxydianiline	101-80-4	mg/kg	5	30	N.D.	N.D.
17	4,4'-thiodianiline	139-65-1	mg/kg	5	30	N.D.	N.D.
18	o-toluidine/2-aminotoluene	95-53-4	mg/kg	5	30	N.D.	N.D.
19	2,4-diaminotoluene/2,4-toluylendiamine/ 4-methyl-m-phenylenediamine	95-80-7	mg/kg	5	30	N.D.	N.D.
20	2,4,5-trimethylaniline	137-17-7	mg/kg	5	30	N.D.	N.D.
21	o-anisidine/2-methoxyaniline	90-04-0	mg/kg	5	30	N.D.	N.D.
22	4-aminoazobenzene**	60-09-3	mg/kg	5	30	N.D.	N.D.
23	2,4-Xylidine	95-68-1	mg/kg	5	30	N.D.	N.D.
24	2,6-Xylidine	87-62-7	mg/kg	5	30	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Nie	Test item (a)		Linit	MDL	Linsit	Res	ult(s)
No.	Test item(s)	CAS No.	Unit	WDL	Limit	8+9	16+17+20
1	Biphenyl-4-ylamine/ 4-aminobiphenyl/xenylamine	92-67-1	mg/kg	5	30	N.D.	N.D.
2	Benzidine	92-87-5	mg/kg	5	30	N.D.	N.D.
3	4-chloro-o-toluidine	95-69-2	mg/kg	5	30	N.D.	N.D.
4	2-naphthylamine	91-59-8	mg/kg	5	30	N.D.	N.D.
5	o-aminoazotoluene/4-o-tolyazao-o-toluidine /4-amino-2',3-dimethylazobenzene*	97-56-3	mg/kg	5	30	N.D.	N.D.
6	5-nitro-o-toluidine/2-amino-4-nitrotoluol*	99-55-8	mg/kg	5	30	N.D.	N.D.
7	4-chloroaniline	106-47-8	mg/kg	5	30	N.D.	N.D.
8	4-methoxy-m-phenylenediamine/ 2,4-diaminoanisole	615-05-4	mg/kg	5	30	N.D.	N.D.
9	4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane	101-77-9	mg/kg	5	30	N.D.	N.D.
10	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'-ylenediamine	91-94-1	mg/kg	5	30	N.D.	N.D.
11	3,3'-dimethoxybenzidine/o-dianisidine	119-90-4	mg/kg	5	30	N.D.	N.D.
12	3,3'-dimethylbenzidine/4,4'-bi-o-toluidine	119-93-7	mg/kg	5	30	N.D.	N.D.
13	4,4'-methylenedi-o-toluidine	838-88-0	mg/kg	5	30	N.D.	N.D.
14	6-methoxy-m-toluidine/p-cresidine	120-71-8	mg/kg	5	30	N.D.	N.D.
15	4,4'-methylene-bis-(2-chloro-aniline)/ 2,2'-dichloro-4,4'-methylene-dianiline	101-14-4	mg/kg	5	30	N.D.	N.D.
16	4,4'-oxydianiline	101-80-4	mg/kg	5	30	N.D.	N.D.
17	4,4'-thiodianiline	139-65-1	mg/kg	5	30	N.D.	N.D.
18	o-toluidine/2-aminotoluene	95-53-4	mg/kg	5	30	N.D.	N.D.
19	2,4-diaminotoluene/2,4-toluylendiamine/ 4-methyl-m-phenylenediamine	95-80-7	mg/kg	5	30	N.D.	N.D.
20	2,4,5-trimethylaniline	137-17-7	mg/kg	5	30	N.D.	N.D.
21	o-anisidine/2-methoxyaniline	90-04-0	mg/kg	5	30	N.D.	N.D.
22	4-aminoazobenzene**	60-09-3	mg/kg	5	30	N.D.	N.D.
23	2,4-Xylidine	95-68-1	mg/kg	5	30	N.D.	N.D.
24	2,6-Xylidine	87-62-7	mg/kg	5	30	N.D.	N.D.

Remark:

- *The amines o-aminoazotoluene (No 5, CAS No.97-56-3) and 2-amino-4-nitrotoluene (No 6, CAS No.99-55-8) are further reduced to o-toluidine (No 18, CAS No. 95-53-4) and 2, 4-diaminotoluene (No 19, CAS No. 95-80-7).

- **Azo colorants that are able to form 4-aminoazobenzene (No 22, CAS No. 60-09-3) generate, under the condition of this method, aniline (CAS No. 62-53-3) and 1, 4-phenylendiamine (CAS No. 106-50-3). Due to detection limits, only aniline may be detected. If aniline is detected above 5mg/kg, then the presence of these colorants should be tested by ISO 14362-3:2017.

以下条款仅针对中国市场和社会:

一一该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quality of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer is not recequential damage of any nature whatsoever, and whatever the cause thereof, (a) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

25. Pentachlorophenol(PCP) content - the Persistent Organic Pollutants (POPs) Regulation (EU) 2019/1021 and its amendment Directive (EU) 2021/277.

Test Method: In-house Method

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

Toot itom(a)	Unit	MDL	Limit	Result(s)			
Test item(s)	Unit	MDL	LIIIII	16			
Pentachlorophenol(PCP)	mg/kg	0.1	5	N.D.			

26. Formaldehyde content - Directive (EU) 2009/48/EC & its amendment Directive (EU) 2019/1929

Test Method: EN ISO 14184-1: 2011.

Test Instrument: Ultraviolet and visible spectrophotometer (UV-Vis)

Test item(s)	Unit	MDL	Limit	Result(s)				
rest tieff(s)	Onit	WIDE	Linit	1	2	3		
Formaldehyde	mg/kg	16	30	N.D.	N.D.	N.D.		

Test item(s)	Unit	MDL	Limit		Result(s)		
restnem(s)	Onic	MDL	Linit	4	5	8	
Formaldehyde	mg/kg	16	30	N.D.	N.D.	N.D.	

Test item(s)	Unit	MDL	Limit		Result(s)		
rest terr(s)	Onic	MDL	Linit	9	10	11	
Formaldehyde	mg/kg	16	30	N.D.	N.D.	N.D.	

Test item(s)	Unit	MDL	Limit	Resi	ult(s)	
rest tierin(s)	Onic	WIDE	Linit	19	20	
Formaldehyde	mg/kg	16	30	N.D.	N.D.	

以下条款仅针对中国市场和社会:

一一。该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from mercent and/or hidden defects any loss of processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with the claim gainst sellers / suppliers for ompensation for any apparent and/or hidden defects any loss of profit, businesses, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

27. TCEP, TCPP, TDCP content - Directive (EU) 2009/48/EC & its amendment Directive 2014/79/EU

Test Method: In-house method

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

	,		
Unit	MDI	Limit	Result(s)
Unit	WIDL	Limit	1+2
mg/kg	0.5	5	N.D.
mg/kg	0.5	5	N.D.
mg/kg	0.5	5	N.D.
	1		
l Init	MDI	Limit	Result(s)
Onit	NIDL	LIIIII	10+11
mg/kg	0.5	5	N.D.
mg/kg	0.5	5	N.D.
mg/kg	0.5	5	N.D.
Γ		1	
Unit	МП	Limit	Result(s)
Onit	MDE	Linin	16+17
mg/kg	0.5	5	N.D.
mg/kg	0.5	5	N.D.
mg/kg	0.5	5	N.D.
Unit	MDI	Limit	Result(s)
0			19+20
mg/kg	0.5	5	N.D.
mg/kg	0.5	5	N.D.
mg/kg	0.5	5	N.D.
	mg/kg mg/kg Unit mg/kg mg/kg mg/kg Unit mg/kg Unit mg/kg Unit mg/kg Unit mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg unit mg/kg unit	mg/kg 0.5 mg/kg 0.5 mg/kg 0.5 mg/kg 0.5 Unit MDL mg/kg 0.5 mg/kg 0.5	mg/kg 0.5 5 mg/kg 0.5 5 mg/kg 0.5 5 mg/kg 0.5 5 Unit MDL Limit mg/kg 0.5 5 mg/kg 0.5 5

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

28. Phthalates content

Test Method: With reference to CPSC-CH-C1001-09.4(2018)

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

T (1) (1)				Client	Result(s)		
Test item(s)	CAS No.	Unit	MDL	Limit	6+7+12	13+14+15	
Benzyl butyl phthalate(BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.	
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.	
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.	
Diisobutyl phthalate(DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.	
Di(2-methoxyethy) phthalate (DMEP)	117-82-8	mg/kg	50	1000	N.D.	N.D.	
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPP)	131-18-0	mg/kg	50	1000	N.D.	N.D.	
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	mg/kg	50	1000	N.D.	N.D.	
n-Pentyl –isopentylphthalate(nPiPP)	776297-69-9	mg/kg	50	1000	N.D.	N.D.	
Diisopentyl phthalate(DIPP)	605-50-5	mg/kg	50	1000	N.D.	N.D.	
1,2-Benzenedicarboxylic acid, dipentylester brancjed and linear	84777-06-0	mg/kg	50	1000	N.D.	N.D.	
1,2-Benzenedicarboxylic acid, di-C6-8- branced alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	N.D.	N.D.	
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	50	1000	N.D.	N.D.	
Di-n-hexyl Phthalate(DHP)	84-75-3	mg/kg	50	1000	N.D.	N.D.	
1,2-benzenedicarboxylic acid, diC6-10- alkyl esters or mixed decyl and hexyl and octyl diesters with ≥0.3% of dihexyl phthalate (EC No.201-559-5)	68515-51-5 68648-93-1	mg/kg	50	1000	N.D.	N.D.	
Di-iso-nonyl phthalate (DINP)	28553-12-0	mg/kg	50	1000	N.D.	N.D.	
Diisodecyl Phthalate (DIDP)	26761-40-0	mg/kg	50	1000	N.D.	N.D.	
Di-n-octyl Phthalate(DNOP)	117-84-0	mg/kg	50	1000	N.D.	N.D.	
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	1000	N.D.	N.D.	
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Client	Res	Result(s)		
Test item(s)	CAS No.	Unit	MDL	Limit	18+21+22	23+24		
Benzyl butyl phthalate(BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.		
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.		
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.		
Diisobutyl phthalate(DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.		
Di(2-methoxyethy) phthalate (DMEP)	117-82-8	mg/kg	50	1000	N.D.	N.D.		
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPP)	131-18-0	mg/kg	50	1000	N.D.	N.D.		
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	mg/kg	50	1000	N.D.	N.D.		
n-Pentyl –isopentylphthalate(nPiPP)	776297-69-9	mg/kg	50	1000	N.D.	N.D.		
Diisopentyl phthalate(DIPP)	605-50-5	mg/kg	50	1000	N.D.	N.D.		
1,2-Benzenedicarboxylic acid, dipentylester brancjed and linear	84777-06-0	mg/kg	50	1000	N.D.	N.D.		
1,2-Benzenedicarboxylic acid, di-C6-8- branced alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	N.D.	N.D.		
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	50	1000	N.D.	N.D.		
Di-n-hexyl Phthalate(DHP)	84-75-3	mg/kg	50	1000	N.D.	N.D.		
1,2-benzenedicarboxylic acid, diC6-10- alkyl esters or mixed decyl and hexyl and octyl diesters with ≥0.3% of dihexyl phthalate (EC No.201-559-5)	68515-51-5 68648-93-1	mg/kg	50	1000	N.D.	N.D.		
Di-iso-nonyl phthalate (DINP)	28553-12-0	mg/kg	50	1000	N.D.	N.D.		
Diisodecyl Phthalate (DIDP)	26761-40-0	mg/kg	50	1000	N.D.	N.D.		
Di-n-octyl Phthalate(DNOP)	117-84-0	mg/kg	50	1000	N.D.	N.D.		
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	1000	N.D.	N.D.		
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.		

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

				Client	Res	Result(s)		
Test item(s)	CAS No.	Unit	MDL	Limit	26	38+44		
Benzyl butyl phthalate(BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.		
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.		
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	393	N.D.		
Diisobutyl phthalate(DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.		
Di(2-methoxyethy) phthalate (DMEP)	117-82-8	mg/kg	50	1000	N.D.	N.D.		
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPP)	131-18-0	mg/kg	50	1000	N.D.	N.D.		
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	mg/kg	50	1000	N.D.	N.D.		
n-Pentyl –isopentylphthalate(nPiPP)	776297-69-9	mg/kg	50	1000	N.D.	N.D.		
Diisopentyl phthalate(DIPP)	605-50-5	mg/kg	50	1000	N.D.	N.D.		
1,2-Benzenedicarboxylic acid, dipentylester brancjed and linear	84777-06-0	mg/kg	50	1000	N.D.	N.D.		
1,2-Benzenedicarboxylic acid, di-C6-8- branced alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	N.D.	N.D.		
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	50	1000	N.D.	N.D.		
Di-n-hexyl Phthalate(DHP)	84-75-3	mg/kg	50	1000	N.D.	N.D.		
1,2-benzenedicarboxylic acid, diC6-10- alkyl esters or mixed decyl and hexyl and octyl diesters with ≥0.3% of dihexyl phthalate (EC No.201-559-5)	68515-51-5 68648-93-1	mg/kg	50	1000	N.D.	N.D.		
Di-iso-nonyl phthalate (DINP)	28553-12-0	mg/kg	50	1000	N.D.	N.D.		
Diisodecyl Phthalate (DIDP)	26761-40-0	mg/kg	50	1000	N.D.	N.D.		
Di-n-octyl Phthalate(DNOP)	117-84-0	mg/kg	50	1000	N.D.	N.D.		
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	1000	534	N.D.		
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.		

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

	0.4.0.N			Client	Res	ult(s)
Test item(s)	CAS No.	Unit	MDL	Limit	52	55+56+57
Benzyl butyl phthalate(BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.
Diisobutyl phthalate(DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.
Di(2-methoxyethy) phthalate (DMEP)	117-82-8	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPP)	131-18-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	mg/kg	50	1000	N.D.	N.D.
n-Pentyl –isopentylphthalate(nPiPP)	776297-69-9	mg/kg	50	1000	N.D.	N.D.
Diisopentyl phthalate(DIPP)	605-50-5	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester brancjed and linear	84777-06-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C6-8- branced alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	50	1000	N.D.	N.D.
Di-n-hexyl Phthalate(DHP)	84-75-3	mg/kg	50	1000	N.D.	N.D.
1,2-benzenedicarboxylic acid, diC6-10- alkyl esters or mixed decyl and hexyl and octyl diesters with ≥0.3% of dihexyl phthalate (EC No.201-559-5)	68515-51-5 68648-93-1	mg/kg	50	1000	N.D.	N.D.
Di-iso-nonyl phthalate (DINP)	28553-12-0	mg/kg	50	1000	N.D.	N.D.
Diisodecyl Phthalate (DIDP)	26761-40-0	mg/kg	50	1000	N.D.	N.D.
Di-n-octyl Phthalate(DNOP)	117-84-0	mg/kg	50	1000	N.D.	N.D.
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	1000	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Test item(s)	CAS No.	Unit	MDL	Client Limit	Result(s)	
					58+59+60	61+62
Benzyl butyl phthalate(BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.
Diisobutyl phthalate(DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.
Di(2-methoxyethy) phthalate (DMEP)	117-82-8	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPP)	131-18-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	mg/kg	50	1000	N.D.	N.D.
n-Pentyl –isopentylphthalate(nPiPP)	776297-69-9	mg/kg	50	1000	N.D.	N.D.
Diisopentyl phthalate(DIPP)	605-50-5	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester brancjed and linear	84777-06-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C6-8- branced alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	50	1000	N.D.	N.D.
Di-n-hexyl Phthalate(DHP)	84-75-3	mg/kg	50	1000	N.D.	N.D.
1,2-benzenedicarboxylic acid, diC6-10- alkyl esters or mixed decyl and hexyl and octyl diesters with ≥0.3% of dihexyl phthalate (EC No.201-559-5)	68515-51-5 68648-93-1	mg/kg	50	1000	N.D.	N.D.
Di-iso-nonyl phthalate (DINP)	28553-12-0	mg/kg	50	1000	N.D.	N.D.
Diisodecyl Phthalate (DIDP)	26761-40-0	mg/kg	50	1000	N.D.	N.D.
Di-n-octyl Phthalate(DNOP)	117-84-0	mg/kg	50	1000	N.D.	N.D.
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	1000	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

TEST RESULTS

Test item(s)	CAS No.	Unit	MDL	Client Limit	Result(s)
					66
Benzyl butyl phthalate(BBP)	85-68-7	mg/kg	50	1000	N.D.
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.
Diisobutyl phthalate(DIBP)	84-69-5	mg/kg	50	1000	N.D.
Di(2-methoxyethy) phthalate (DMEP)	117-82-8	mg/kg	50	1000	N.D.
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPP)	131-18-0	mg/kg	50	1000	N.D.
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	mg/kg	50	1000	N.D.
n-Pentyl –isopentylphthalate(nPiPP)	776297-69-9	mg/kg	50	1000	N.D.
Diisopentyl phthalate(DIPP)	605-50-5	mg/kg	50	1000	N.D.
1,2-Benzenedicarboxylic acid, dipentylester brancjed and linear	84777-06-0	mg/kg	50	1000	N.D.
1,2-Benzenedicarboxylic acid, di-C6-8- branced alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	N.D.
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	50	1000	N.D.
Di-n-hexyl Phthalate(DHP)	84-75-3	mg/kg	50	1000	N.D.
1,2-benzenedicarboxylic acid, diC6-10- alkyl esters or mixed decyl and hexyl and octyl diesters with ≥0.3% of dihexyl phthalate (EC No.201-559-5)	68515-51-5 68648-93-1	mg/kg	50	1000	N.D.
Di-iso-nonyl phthalate (DINP)	28553-12-0	mg/kg	50	1000	N.D.
Diisodecyl Phthalate (DIDP)	26761-40-0	mg/kg	50	1000	N.D.
Di-n-octyl Phthalate(DNOP)	117-84-0	mg/kg	50	1000	N.D.
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	1000	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

Photo(s) of specimen for reference



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against seliers / suppliers from mercent and/or hidden defects on site and users of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

Photo(s) of specimen for reference



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against seliers / suppliers from mercent and/or hidden defects on site and users of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

Photo(s) of specimen for reference



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against seliers / suppliers from mercent and/or hidden defects on site and users of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.




BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

Photo(s) of specimen for reference



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against seliers / suppliers from mercent and/or hidden defects on site and users of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.




BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

Photo(s) of specimen for reference



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against seliers / suppliers from mercent and/or hidden defects on site and users of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.




BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

Photo(s) of specimen for reference



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against seliers / suppliers from mercent and/or hidden defects on site and users of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.




BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

Photo(s) of specimen for reference



GST authenticate the photo on original report only

Note:

- mg/kg=milligram per kilogram
- N.D. =Not Detected (<MDL)
- MDL=Method Detection Limit
- NA = Not Applicable
- µg/cm² = Micrograms per square centimetre
- The soluble test results shown are of the adjusted analytical results.
- -As specified by client, the mixed testing were conducted.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



BTL Diffusion

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001678752 Date: Sep.7,2022

PRODUCT PHOTOS:



********* THE END ********

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against seliers / suppliers from mercent and/or hidden defects on site and users of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

UL VS Shanghai Limited Shenzhen Branch 3-4F Qingyi Supermask Photoelectricity Building, No.8 Langshan 2nd Road, North High-Tech Industrial Park, Nanshan District, Shenzhen, P.R. China

UL VS Terms and Conditions

All services are governed by the following Terms and Conditions.

- 1. Verification Services. The UL Contracting Party ("we", "us", or "our" as the context requires) will perform commercial testing, verification, audit, assessment, inspection, and/or other services ("Services") in accordance with your instructions as described in this order, scope of work, project proposal, quotation, or order acknowledgment ("Quotation"). The Services will be limited to an assessment of your samples' conformity to requirements, specifications, and/or protocols you have established ("Your Requirements"), and do not express any opinion regarding the bulk from which the samples were drawn. The Services do not involve any assessment or evaluation to independent safety standards, and we and our affiliates have no responsibility to make any independent safety assessment of any samples.
- Retailer Programs. If you request us to test compliance with retailer, carrier or other third party program ("Retailer") by requesting Services under the Retailer's program, you consent to our disclosure of all associated information, materials, and deliverables to such Retailer and acknowledge that, notwithstanding any terms to the contrary in these Terms and Conditions, the ownership of the deliverables for the Services will be in accordance with the Retailer's program.
- 3. Payment Terms. You will pay, without set off, our fees and related expenses in accordance with the Quotation including the cost of all taxes, wire or transfer fees, duties, and other fiscal charges which become due on the quoted pice and will indemnify us from and against liabilities, incurred as a result of failure to pay any such sums when they become due. We may charge interest at 1% per month (12% per year), or the maximum legal rate if less than 1.0% per month, from the due date until paid fulli). You agree to pay reasonable collection costs, including attorneys fees, if necessary, in the event of late or non-payment.
- 4. Your Requirements. You are responsible for establishing or selecting all Your Requirements that we will use in performing the Services. We may provide you with assistance in developing Your Requirements that meet your needs, however, in all cases you must review and approve Your Requirements to be used in performing the Services.
- 5. Estimated Schedule and Price. Any time schedule and pricing terms set forth in this Quotation are estimates only and subject to change upon reasonable notice from us depending upon the specific project.
- 6. On-Site Investigations. If we perform Services on site at your facilities, or at the facilities of other parties as directed by you; you will ensure that our representatives have safe, secure, and free access to the facilities. Our access will not be conditioned upon the execution of any agreement, waiver, or release. If our representatives are prevented from performing or completing any Services for any reason beyond our reasonable control, we will not be responsible for the nonperformance, and you may be charged for any access we incur and fees for Services performed.
- 7. Deliverables. We will provide you with a report outlining: (i) your instructions and request for Services accepted by us, (ii) Your Requirements used in providing the Services, (iii) the Services performed, and (iv) the results of those Services. We are under no obligation to refer to or report on any facts or circumstances which are outside your specific instructions received and accepted by us.
- 8. Our Findings. We do not guarantee that our opinions or findings will be recognized or accepted by third parties.
- 9. Use of Names and Marks. Except as otherwise authorized by us in writing, you will not use our name, abbreviation, symbols, marks, or the name of any of our subsidiaries, affiliates, or parent on any goods or their containers or packaging, or in connection with any advertising, promotions, or otherwise.
- 10. Cancellation Fees. If you cancel or change a Quotation: (i) for an inspection after 3:00 PM of the working day before the scheduled inspection date, we will charge you the Quotation price plus any travel costs incurred before the cancellation; (ii) for testing after we receive the sample(s) at the testing facility, we will charge you cancellation fees according to the amount of actual work performed with a minimum cancellation fee of \$100 USD; or (iii) for a scheduled audit date, you will be responsible for all incurred non-refundable travel costs associate with that audit. Any change or cancellation of an audit that occurs within 7 days of the scheduled audit will be charged a \$600 USD fee in addition to any incurred travel costs.
- 11. No Warranty. NO REPRESENTATION, WARRANTY, OR GUARANTEE, EXPRESS OR IMPLIED, IS INCLUDED IN THESE TERMS AND CONDITIONS, OR IN ANY QUOTATION, REPORT, OR OTHER DOCUMENT PROVIDED UNDER THESE TERMS AND CONDITIONS INCLUDING, BUT NOT LIMITED TO: (i) ANY "IMPLIED WARRANTY OF MERCHANTABILITY" OR "FITNESS FOR A PARTICULAR PURPOSE", (ii) NON-INFRINGEMENT, AND (iii) THAT THE WEB SERVICES (AS DEFINED BELOW) WILL BE UNINTERRUPTED, TIMELY, SECURE, OR ERROR-FREE.
- 12. Your Information. You represent and warrant that all information and data provided to us by you, or on your behalf, is complete and accurate and may be relied upon to provide Services. In addition, you represent and warrant that all of Your Information is owned or licensed by you, and does not infringe on the intellectual property rights of any third party. If any information or data provided to us by you or on your behalf is either incomplete or inaccurate, we will not be liable in any manner for any deficiencies in the Services.
- 13. Ownership of Work Product. You will own the test reports or other materials provided to you pursuant to any Quotation. We may retain a copy of the test reports and other materials for our archives and for creating reports for you and third parties, as required by you.
- 14. Web Services. We may provide you with certain website tools and related services, including the ability to order services online through a website (collectively, the "Web Services"). The Web Services are provided to you as a convenience and are provided on an "as is, as available" basis. By using the Web Services, you acknowledge and agree that no data or content transmitted over our networks, the Internet, or wirelessly, or through or in connection with the Web Services is guaranteed to be secure or free from unauthorized intrusion, and that data stored by us, our affiliates, or our service providers may be deleted, modified, or damaged. You acknowledge that if you wish to protect your transmission of data or files to us, it is our responsibility to use a secure encryted connection to communicate with and use the Web Services. Your use of the Web Services is at your sele risk and is subject to any terms of use applicable to such Web Services are included in the definition of Services above.
- 15. Confidentiality. We will not disclose your information obtained in confidence ("Confidential Information") to third parties, except our subsidiaries, affiliates, or subcontractors, without your prior written authorization. Confidential Information will not include information: (a) already known to us. (b) publicly available, (c) subsequently acquired by us from other sources without a breach of these Terms and Conditions, (d) disclosure that is necessary to perform the Services, (e) required to be produced by law or government order, or accreditation authority, or (f) related to a product bearing a UL Mark that should be disclosed to us or our affiliates pursuant to another agreement with you.
- 16. Samples. If we require sample examination, you will ship samples to us at your expense. Upon completion of testing, the samples will be destroyed, unless other arrangements are made for return of the samples at your expense. You acknowledge that testing and sample preparation may damage or destroy the sample(s), for which we will not be liable.
- 17. LIMITATION OF LIABILITY. OUR LIABILITY FOR ANY CLAIMS FOR LOSS, DAMAGE, OR EXPENSE OF ANY NATURE AND HOWSOEVER ARISING FOR ANY BREACH OF CONTRACT AND/OR ANY FAILURE TO EXERCISE APPROPRIATE SKILL AND CARE BY US WILL UNDER NO CIRCUMSTANCE EXCEED THE FEES RECEIVED FOR THE SPECIFIC SERVICES WHICH GIVE RISE TO SUCH CLAIMS. UNDER NO CIRCUMSTANCE WILL WE HAVE ANY LIABILITY FOR ANY CLAIMS FOR INDRECT, CONSEQUENTIAL, INCIDENTAL, EXEMPLARY, OR PUNITIVE DAMAGES OF ANY NATURE WHATDSEVER, INCILLIDING BUT NOT LIMITED TO: LOSS OF PROFITS, GOODWILL, USE, DATA, FUTURE BUSINESS, OR PRODUCTION; CANCELLATION OF CONTRACTS ENTERED INTO BY YOU; OR OTHER INTANGIBLE LOSSES (EVEN IF WE HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES). UNDER NO CIRCUMSTANCE WILL WE BE LIABLE TO YOU FOR ANY CLAIMS FOR LOSS, DAMAGE, OR EXPENSE UNLESS SUCH CLAIM IS BROUGHT UNDER SECTION 26 (DISPUTES) WITHIN TWELVE MONTHS AFTER THE DATE OF THE PERFORMANCE BY US OF THE SERVICES WHICH GIVE RISE TO THE CLAIM OR, IN THE EVENT OF ANY ALLEGED NON-PERFORMANCE, WITHIN TWELVE MONTHS OF THE DATE WHEN SUCH SERVICES SHOULD HAVE BEEN COMPLETED.
- 18. Indemnification. You will defend, hold harmless, and indemnify us and our officers, directors, trustees, employees, agents, or subcontractors against all claims made by any third party for loss, damage, or expense arising out of these Terms and Conditions, including without limitation, the performance of any Services or the Web Services.
- 19. Waiver. Any failure by a party to insist upon the performance of any section of these Terms and Conditions will not constitute a waiver of any rights under these Terms and Conditions or future performance of that section.
- 20. No Third Party Beneficiaries. The parties intend that no provisions of these Terms and Conditions will in any way bind or benefit any third party or the public at large and that no third party will have any rights or cause of action under these Terms and Conditions. In particular, in the event Singapore law governs these Terms and Conditions pursuant to Section 24 (Governing Law), a person or entity who is not a party to these Terms and Conditions will have no right under the Contracts (Rights of Third Parties) Act (Chapter 53B) to enforce any term of these Terms and Conditions, regardless of whether such person or entity has been identified by name, as a member of a class, or as answering a particular description.
- 21. No Assignment. Neither party may assign any of its rights or obligations under these Terms and Conditions to any other person without the other party's written authorization. However, we may, upon written notice, assign our rights and obligations under these Terms and Conditions to any of our affiliates or subsidiaries.
- 22. Subcontracting. We may use subcontractors for certain testing or other Services. All subcontractors will meet our current qualification requirements and will comply with our requirements for confidentiality, conflicts of interest, and ethical standards.
- 23. Termination and Notice. These Terms and Conditions will continue in effect until terminated by either party upon thirty days written notice or, in the event of your breach of these Terms and Conditions, immediately upon receipt of written notice to you. You will pay those fees and expenses incurred by us prior to termination. Notice to either party may be made by hand delivery, courier service, mail, facsimile, or e-mail transmission at the receiving party's designated principal place of business. Notice to us esent both to: UL Verification Services Pte. Ltd, Attm: President, 1 Maritime Square, Harbour Front Centre, #11-03, Singapore 099253 with a copy to UL LLC, Attm: General Counsel at 333 Pfingsten Road, Northbrook, Illinois 60062. Notice will be effective upon receipt.
- 24. Governing Law: These Terms and Conditions will be governed and interpreted by the laws of the State of Illinois, United States of America, except if: (i) UL Contracting Party's principal place of business is Asia, Australia, or New Zealand, then Singapore law, and (ii) UL Contracting Party's principal place of business is Europe, then Swiss law, without reference to the applicable jurisdiction's choice of law principles.
- 25. Disputes. Any dispute or disagreement, other than nonpayment of fees, relating to these Terms and Conditions or the Services, will be settled by confidential, binding arbitration administered by the International Centre for Dispute Resolution of the American Arbitration Association ("AAA") pursuant to the AAA Commercial Arbitration Rules and the Procedures for Large, Complex Commercial Disputes. The arbitration were will be Chicago. Illinois, except If: (I) UL Contacting Party sprincipal place of business is in Europe, the venue will be Geneva. Switzerland, and (II) UL Contacting Party sprincipal place of business is in Europe, the venue will be Geneva. Switzerland, and (II) UL Contacting Party sprincipal place of business is in Europe, the venue will be Geneva. Switzerland, and (II) UL Contacting Party sprincipal place of business is in Europe, the venue will be Geneva. Switzerland, and (II) UL Contacting Party sprincipal place of business is in the AAA's procedures for Large, Complex Commercial arbitrators (who are experienced in and familiar with the AAA's Procedures for Large, Complex Commercial arbitrators (who are experienced in and familiar with the AAA's Procedures for Large, Complex Commercial Disputes). From this is its, Austratian each choose one arbitrator. Arbitrators will agree on a third arbitrator from the Ist of ten (10), who will be the chair of the panel, and the panel will be final. The decision of the managers (including, but not limitator to change, or distrator smithat, consequential, or puntive damages (including, but not limitato, loss of use, unjust enrichment, and/or lost profits), or exceed the remedies provided by the limitation of labels these Terms and Conditions. The parel's decision will be beinding and judgment on the arbitration way be entered by a court order for injunctive relief (in addition to other remedies) to stop or prevent measures arising out of these Terms and Conditions, or worked, however, that nothing herein will prevent either party from seeking a court o
- 26. Severability. If any section of these Terms and Conditions is held invalid, void, or unenforceable for any reason that section will be severed, and all other sections of these Terms and Conditions will remain valid to the extent permissible under law.
- 27. Modifications. These Terms and Conditions are the entire and complete agreement between the parties and supersede any other communications, representations, or agreements with respect to its subject matter. Under no circumstances will any preprinted, additional, or different terms and conditions on your requests for quotation, purchase orders, invoices, sales or marketing materials, emails, any acceptance communications, or other business documents apply to any Services or Quotation or thind us in any manner. Modifications that have no the been made by us or that have not been accepted by us in a written or emailed confirmation or more requested by us, and commence will not signify acceptance by us of any such modifications. Any such modifications are excluded from our agreement, and such modifications will not be a binding agreement on us.
- 28. Order of Precedence. Except for conflicts with Section 3 (Payment Terms), Section 5 (Estimated Schedule and Price) and Section 10 (Cancellation Fees), these Terms and Conditions will take precedence over any conflicting terms in any Quotation.
- 29. Electronic Signature. These Terms and Conditions may be executed and delivered by facsimile, PDF, or by means of other electronic signature. Our electronic, digital, or hard copies of these Terms and Conditions, your acceptance, and Quotations as signed, or otherwise accepted, by you will be the true, complete, valid, authentic, and enforceable copies of these documents. You agree that you will not contest the admissibility or enforceability of our copies in a court or any proceeding arising out of such documents.
- 30. Force Majoure. Neither party will be liable for any failure or delay in the performance of its obligations due to fire, flood, earthquake, elements of nature, or acts of God, acts of war, terrorism, riots, civil disorder, rebellions, or other similar cause beyond the reasonable control of the party affected, provided such default or delay. (i) could not have been prevented by reasonable precautions, (ii) cannot reasonably be circumvented; (iii) and the party hindered or delayed immediately notifies the other party describing the circumstance causing delay.