

### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion** 16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### CONCLUSION:

13.	As specified by client, to determine the Cadmium content in the submitted sample(s) in accordance with Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006.	Pass
14.	As specified by client, to determine the Lead, Cadmium & Mercury content in the submitted sample(s) in accordance with Directive 2006/66/EC and its amendment Directive 2013/56/EU.	Pass
15.	As specified by client, to determine the Azocolourants content in the submitted sample(s) in accordance with Item 43 of Annex XVII of REACH Regulation (EC) NO. 1907/2006 & amendment No. 552/2009 and 126/2013.	Pass
16.	As specified by client, to determine the Short Chain Chlorinated Paraffin Content in the submitted sample(s) in accordance with the Persistent Organic Pollutants (POPs) Regulation (EU) 2019/1021.	Pass
17.	As specified by client, to determine the Pentachlorophenol (PCP) content n the submitted sample(s) in accordance with the Persistent Organic Pollutants (POPs) Regulation (EU) 2019/1021 and its amendment Directive (EU) 2021/277.	Pass
18.	As specified by client, to determine the Specific Migration of Bisphenol A (BPA) in the submitted sample(s) in accordance with Directive 2009/48/EC and its amendment Directive (EU) 2017/898.	Pass
19.	As specified by client, to determine the Formaldehyde content in the submitted sample(s) in accordance with Directive 2009/48/EC & its amendment Directive (EU) 2019/1929.	Pass
20.	As specified by client, to determine the Specific Migration of Phenol content in the submitted sample(s) in accordance with Directive 2009/48/EC and its amendment Directive (EU) 2017/774.	Pass
21.	As specified by client, to determine TCEP, TCPP, TDCP content in the submitted sample(s) in accordance with Directive (EU) 2009/48/EC & its amendment Directive 2014/79/EU.	Pass
22.	As specified by client, to determine the DEHP  DBP  BBP  DINP  DIBP  DPENP  DHEXP and DCHP content in the submitted sample(s) in accordance with Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment &16 CFR Part 1307-Prohibition of Children Toys and Child Care Articles Containing Specified Phthalates.	Pass
23.	As specified by client, to determine the DBP 、BBP 、DEHP 、DIDP 、DNHP and DINP content in the submitted sample(s) in accordance with California "Proposition 65".	Pass
24.	As specified by client, to determine the DEHP  DBP  DBP  DIBP  DIDP  DIDP and DNOP content In the submitted sample(s) in accordance with Item 51&52 of Annex XVII of REACH Regulation (EC) 1907/2006.	Pass
25.	As specified by client, to determine the DEHP \ DBP \ BBP \ DINP \ DIDP and DNOP content in the submitted sample(s) in accordance with Canada Consumer Product Safety Act : Phthalates Regulations (SOR/2016-188).	NA
26.	As specified by client, to determine the DEHP content in the submitted sample(s) in accordance with Australia Competition and Consumer Act 2010 in children's products - Consumer Protection Notice No. 11 of 2011.	Pass
27. 28.	As specified by client, to determine the Phthalates content in the submitted sample(s). As specified by client, to determine the PAHs content in the submitted sample(s) in accordance with Item 50 of Annex XVII of REACH Regulation (EC) 1907/2006 & amendment (EU) No1272/2013.	Pass Pass

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### CONCLUSION:

- As specified by client, to determine the Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr<sup>6+</sup>), Polybrominated Biphenyls(PBBs) & Polybrominated Diphenyl Ethers(PBDEs) content in the submitted sample(s) in accordance with Directive 2011/65/EU (RoHS) & its amendment Directive (EU) 2015/863.
- 30. As specified by client, to determine the Dibutyl Phthalate (DBP), Benzylbutyl Phthalate (BBP), Bis-(2-ethylhexyl)Phthalate (DEHP) and Diisobutyl Phthalate (DIBP) content in the submitted sample(s) in accordance with Directive 2011/65/EU (RoHS) & its amendment Directive (EU) 2015/863.

Pass

Pass

Note: The results relate only to the items tested.

For and on behalf of

UL VS Shanghai Limited Shenzhen Branch

Wic.W.

Eric Wu - Engineering Manager (Hardlines Testing)



以下条款仅针对中国市场和社会:

-----该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any psecial indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

UL VS Shanghai Limited Shenzhen Branch 3-4F Qingyi Supermask Photoelectricity Building, No.8 Langshan 2<sup>nd</sup> Road, North High-Tech Industrial Park, Nanshan District, Shenzhen, P.R. China 伏力胜邦质量检测(上海)有限公司深圳分公司 广东省深圳市南山区高新科技园北区朝山二路 8 号清溢光电大厦三、四楼 电话(T): 755-26018600 / 传真 (F): 755-26018626 / 阿扯(W): W: ul.com



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

#### **Specimen Description:**

No.	Test part(s) name
1	LoveLight®Buddies- Finley Fawn/LoveLight®Buddies- Drake the Dragon/ LoveLight®Buddies- Lily the Unicorn/LoveLight®Buddies- Billy Bunny

#### 1. US Stuffing label

Labeling Requirement: Stuffed toys sold in the states of Pennsylvania, Massachusetts, and/or Ohio must have a tag or label securely affixed which contains information required by each state.

US State Law	REQUIREMENT	OBSERVATION	CONCLUSION
	Must have a tag or label containing the following information, which shall be clearly legible and in sufficient size type.	Present	Pass
	A statement that "All New Material" or "All New (type) Material" was used in the manufacture of the stuffed toy.	Present	Pass
Pennsylvania code,	The registration number of the manufacturer or importer assigned by the Commonwealth preceded by the abbreviations " <b>REG. NO. PA</b> ." ( <b>Exact wording is needed</b> )	Present	Pass
Massachusetts General Laws & Ohio Adminstrative Code	Name and Address of the manufacturer, wholesaler, or importer	Present	Pass
	Material Content: - Generic name must be used (Refer to table 1) - "Foam" alone is Not Acceptable - Abbreviations like PP, PVC, PE is Acceptable. <b>Remove the label and stick it here.</b>	Present	Pass

以下条款仅针对中国市场和社会:

-----该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### **Specimen Description:**

No.	Test part(s) name	
1	Apricot plush, body	Billy Bunny
2	Light apricot flannel, ear	Billy Bunny
3	Apricot long plush, tail	Billy Bunny
4	Apricot plastic, hook tape of Velcro	Billy Bunny/ Lily
5	Apricot textile, loop tape of Velcro	the Unicorn /Finley Fawn
6	Apricot flannel, back	Billy Bunny
7	Black/white embroidery, eye	All style
8	Grey plush, nose	Billy Bunny
9	White plastic, hook tape of Velcro	All style
10	Apricot fabric, lining	Billy Bunny
11	Black printed white fabric, label	
12	Green/light green/dark green/white textile, logo label	All -6.1-
13	White plastic, music box	All style
14	Transparent plastic, music box	
15	Pink plush, body	Lily the Unicor
16	White plush, body	Lily the Unicor
17	White long plush, head/tail	Lily the Unicor
18	Pink flannel, back	Lily the Unicor
19	Multi-color printed white flannel, ear/leg	Lily the Unicor
20	Purple flannel, wing/head	Lily the Unicor
21	Pink fabric, lining	Lily the Unicor
22	Green plush, body	Drake the Drage
23	Creamy flannel, head/abdomen	Drake the Drage
24	White plastic, hook tape of Velcro	Drake the Drage
25	White textile, loop tape of Velcro	Drake the Drage
26	Green flannel, back	Drake the Drage
27	Green flannel, wing/head	Drake the Drage
28	Green fabric, lining	Drake the Drage
29	Brown plush, body	Finley Fawn
30	Creamy white plush, body	Finley Fawn
31	Creamy white flannel, head/leg	Finley Fawn
32	Brown flannel, back	Finley Fawn

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



#### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

No.	Test part(s) name	
33	Black flannel, nose	Finley Fawn
34	Beige embroidery, pattern	Finley Fawn
35	Light apricot fabric, lining	Finley Fawn
36	Dark grey coating, lettering	
37	White foam, wing(inner)	
38	White floss, interlayer(inner)	
39	White mesh, interlayer(inner)	
40	White textile, interlayer(inner)	
41	Silvery metal, screw(inner)	
42	Matt-silvery metal, screw(inner)	
43	Matt-silvery metal, gasket screw(inner)	
44	Transparent dry glue(inner)	All style
45	Silvery metal, speaker (Inner)	
46	Silvery metal plate, speaker (Inner)	
47	Silvery metal solder, speaker (Inner)	
48	Black glue, speaker (Inner)	
49	Green printed PCB, speaker (Inner)	
50	Black plastic film, speaker (Inner)	
51	Black plastic, speaker (Inner)	
52	Coppery metal, speaker (Inner)	
53	Silvery metal sheet, speaker (Inner)	
54	Silvery metal magnet, speaker (Inner)	
55	Transparent/yellow plastic, LED(inner)	All style
56	Silvery metal, LED(inner)	
57	Black printed white soft plastic, annular tube	
58	Black soft plastic, wire jacket(inner)	
59	Red soft plastic, wire jacket(inner)	
60	Green soft plastic, wire jacket(inner)	
61	Grey soft plastic, wire jacket(inner)	All style
62	Orange soft plastic, wire jacket(inner)	
63	Brown soft plastic, wire jacket(inner)	
64	Purple soft plastic, wire jacket(inner)	
65	Dark brown soft plastic, wire jacket(inner)	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



#### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

No.	Test part(s) name	
66	Coppery metal, wire core(inner)	
67	Black paper sticker, microphone (Inner)	
68	Silvery metal, microphone (Inner)	
69	Green plastic, microphone (Inner)	
70	Silvery metal, microphone (Inner)	
71	White plastic film, microphone (Inner)	
72	Silvery metal, microphone (Inner)	
73	Black material with pin, microphone (Inner)	
74	Green/ white printed brown PCB, microphone (Inner)	
75	White plastic, button (Inner)	All style
76	Black plated silvery metal, button (Inner)	
77	Silvery metal spring, button (Inner)	
78	Silvery metal spring plate, button (Inner)	
79	Silvery metal, pin of button (Inner)	
80	Light brown PCB, button (Inner)	
81	Translucent plastic, LED(inner)	
82	Silvery metal, LED(inner)	
83	Silvery metal, USB(inner)	
84	Black grey plastic, USB(inner)	
85	Golden metal, USB(inner)	
86	Light green PCB(inner)	All style
87	Silvery solder PCB (Inner)	
88	Black plastic, button (Inner)	/
89	Silvery metal, button (Inner)	/
90	Silvery metal spring plate, button (Inner)	/
91	Silvery metal, pin of button (Inner)	/
92	Black foam, PCB(inner)	/
93	Transparent plastic, PCB(inner)	/
94	White printed black plastic film, crystal(inner)	/
95	Dark blue plastic with black resin, crystal(inner)	/
96	Golden metal spring, crystal(inner)	/
97	Golden metal pin, crystal(inner)	/
98	White printed black material with pin, chip resistor (Inner)	/

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

No.	Test part(s) name	
99	Brown material with pin, chip capacitor (Inner)	1
100	Black material with pin, U1	1
101	Black material with pin, U2	1
102	Green PCB(inner)	1
103	Black foam with adhesive(inner)	1
104	Battery	1
105	White soft plastic, USB cover	
106	White soft plastic, cable jacket	
107	Silvery metal, USB shell	
108	White plastic, USB	All style
109	Silvery metal, Type-c shell	
110	Black grey plastic, Type-c(inner)	
111	Red grey PCB, Type-c(inner)	
112	Black soft plastic, wire jacket(inner)	
113	Red soft plastic, wire jacket(inner)	All style

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 2. Migration of Certain Elements- EN 71-3:2019+A1:2021

Test Method: EN 71-3:2019+A1:2021

Test Instrument: Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) Inductively Coupled Plasma Mass Spectrometer (ICP-MS) Liquid Chromatography-Inductively Coupled Plasma Mass Spectrometer (LC-ICP-MS)

			Limit (mg/kg)			Result(s)	
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	1	2
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from their contractual responsibilities deputed during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers from their contractual responsibilities any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	3	4
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Result(s)	
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	5	6
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

				Limit (mg/kg)			Result(s)	
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	7	8	
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.	
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.	
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.	
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.	
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.	
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.	
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.	
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.	
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.	
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.	
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.	
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.	
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	9	10
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	11	12
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	13	14
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	15	16
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	17	18
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	19	20
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	21	22
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	23	24
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	25	26
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	24
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	27	28
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	29	30
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	31	32
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	14
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Res	ult(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	33	34
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

				Limit (mg/kg)		Result(s)
Test item(s)	Unit	MDL	Category 1:dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	35
Aluminum (Al)	mg/kg	2	2250	560	28130	N.D.
Antimony(Sb)	mg/kg	2	45	11.3	560	N.D.
Arsenic(As)	mg/kg	0.5	3.8	0.9	47	N.D.
Barium(Ba)	mg/kg	2	1500	375	18750	N.D.
Boron(B)	mg/kg	2	1200	300	15000	N.D.
Cadmium(Cd)	mg/kg	0.2	1.3	0.3	17	N.D.
Chromium(Cr <sup>3+</sup> )	mg/kg	2	37.5	9.4	460	N.D.
Chromium(Cr <sup>6+</sup> )	mg/kg	0.015	0.02	0.005	0.053	N.D.
Cobalt (Co)	mg/kg	2	10.5	2.6	130	N.D.
Copper (Cu)	mg/kg	2	622.5	156	7700	N.D.
Lead (Pb)	mg/kg	0.2	2.0	0.5	23	N.D.
Manganese (Mn)	mg/kg	2	1200	300	15000	N.D.
Mercury (Hg)	mg/kg	1	7.5	1.9	94	N.D.
Nickel (Ni)	mg/kg	2	75	18.8	930	N.D.
Selenium (Se)	mg/kg	2	37.5	9.4	460	N.D.
Strontium (Sr)	mg/kg	2	4500	1125	56000	N.D.
Tin (Sn)	mg/kg	2	15000	3750	180000	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.
Zinc (Zn)	mg/kg	2	3750	938	46000	35

-The Migration content limit is Category 3.

#### Remark :

1. The migration of organic tin is expressed as Tributyltin(TBT).

2. Confirmation test of soluble chromium (III) & chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in EN 71-3:2019+A1:2021.

3. Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN 71-3:2019+A1:2021.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 3. Migration of Certain Elements- BS EN 71-3:2019+A1:2021

Test Method: BS EN 71-3:2019+A1:2021

Test Instrument: Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES), Inductively Coupled Plasma Mass Spectrometer (ICP-MS) Liquid Chromatography-Inductively Coupled Plasma Mass Spectrometer (LC-ICP-MS)

				Limit (mg/kg)	ľ	Result(s)				
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	1	2	3	4	
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.	
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.	
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.	
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.	
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.	
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.	
Со	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.	
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.	
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.	
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.	
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.	
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from their contractual responsibilities deputed during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers from their contractual responsibilities any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Result(s)			
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	5	6	7	8
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.
Cr 🎞	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.
Со	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

				Limit (mg/kg)		Result(s)				
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	9	10	11	12	
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.	
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.	
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.	
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.	
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.	
Cr 🎞	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.	
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.	
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.	
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.	
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.	
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.	
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)			Res	ult(s)	
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	13	14	15	16
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.
Cr 🎞	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.
Со	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)		Result(s)			
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	17	18	19	20
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.
Cr 🎞	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

				Limit (mg/kg)		Result(s)				
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	21	22	23	24	
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	N.D.	
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.	
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.	
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.	
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.	
Cr 🎞	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.	
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.	
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.	
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.	
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.	
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.	
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

				Limit (mg/kg)		Result(s)				
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	25	26	27	28	
AI	mg/kg	2	2250	560	28130	N.D.	24	N.D.	N.D.	
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.	
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.	
Ba	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.	
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.	
Cr 🎞	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.	
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.	
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.	
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.	
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.	
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.	
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.	
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.	
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.	
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.	
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.	
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

				Limit (mg/kg)		Result(s)			
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	29	30	31	32
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.	14
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.	N.D.
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.	N.D.
Ва	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.	N.D.
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.	N.D.
Cr 🎞	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.	N.D.
Co	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.	N.D.
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.	N.D.
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.	N.D.
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.	N.D.
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.	N.D.
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.	N.D.
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.	N.D.
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.	N.D.
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.	N.D.
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

### TEST RESULTS

				Limit (mg/kg)			Result(s)	
Test item(s)	Unit	MDL	Category 1: dry, brittle, powder-like, or pliable materials	Category 2: liquid, or sticky materials	Category 3: scraped-off materials	33	34	35
AI	mg/kg	2	2250	560	28130	N.D.	N.D.	N.D.
Sb	mg/kg	2	45	11.3	560	N.D.	N.D.	N.D.
As	mg/kg	0.5	3.8	0.9	47	N.D.	N.D.	N.D.
Ва	mg/kg	2	1500	375	18750	N.D.	N.D.	N.D.
В	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.
Cd	mg/kg	0.2	1.3	0.3	17	N.D.	N.D.	N.D.
Cr III	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.
Cr VI	mg/kg	0.015	0.02	0.005	0.053	N.D.	N.D.	N.D.
Со	mg/kg	2	10.5	2.6	130	N.D.	N.D.	N.D.
Cu	mg/kg	2	622.5	156	7700	N.D.	N.D.	N.D.
Pb	mg/kg	0.2	2.0	0.5	23	N.D.	N.D.	N.D.
Mn	mg/kg	2	1200	300	15000	N.D.	N.D.	N.D.
Hg	mg/kg	1	7.5	1.9	94	N.D.	N.D.	N.D.
Ni	mg/kg	2	75	18.8	930	N.D.	N.D.	N.D.
Se	mg/kg	2	37.5	9.4	460	N.D.	N.D.	N.D.
Sr	mg/kg	2	4500	1125	56000	N.D.	N.D.	N.D.
Sn	mg/kg	2	15000	3750	180000	N.D.	N.D.	N.D.
Organic tin	mg/kg	0.2	0.9	0.2	12	N.D.	N.D.	N.D.
Zn	mg/kg	2	3750	938	46000	N.D.	N.D.	35

-The Migration content limit is Category 3.

#### Remark :

1. The migration of organic tin is expressed as Tributyltin(TBT).

2. Confirmation test of soluble chromium (III) & chromium (VI) is not required in case of soluble chromium does not exceed their requirements as specified in BS EN 71-3:2019+A1:2021.

 Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in BS EN 71-3:2019+A1:2021.

以下条款仅针对中国市场和社会:

———该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of use grantly identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality of use grantly identical or similar materials, products or processes. Reports / Quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers from more for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsover, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 4. Heavy Elements content- ASTM F963-17 (Clause 4.3.5) Standard Consumer Safety Specification for Toy Safety. Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

Test Method: CPSC-CH-E1002-08.3

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit	MDL	Limit	Result(s)			
Test item(s)		WIDL	LIIIII	4+9+24	11	13+14	
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	

Test item(s)	Unit	MDL	Limit	Result(s)	
				19	37
Lead(Pb)	mg/kg	10	100	N.D.	N.D.

Total Lead (Pb) Content in Surface Coating

Test Method: CPSC-CH-E1003-09.1

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit	MDL	Limit	Result(s)	
				36	
Lead(Pb)	mg/kg	10	90	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from their contractual responsibilities deputed during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers from their contractual responsibilities any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



#### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Soluble elements Content

Test Method: ASTM F 963-17 Section 8.3.5& ASTM F 963-17 Section 8.3.2

Test Instrument:

Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test item(s)	L In it	MDI	Linsit			Result(s)		
Test item(s)	Unit	MDL	Limit	Limit         I         2         3           75         N.D.         N.D.         N.D.           90         N.D.         N.D.         N.D.           90         N.D.         N.D.         N.D.           60         N.D.         N.D.         N.D.           1000         N.D.         N.D.         N.D.           500         N.D.         N.D.         N.D.           500         N.D.         N.D.         N.D.           Limit         6         7         8           75         N.D.         N.D.         N.D.	4	5		
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.
						Result(s)		
Test item(s)	Unit	MDL	Limit	6	7		9	10
				-		-	-	10
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.

60

60

1000

25

500

N.D.

以下条款仅针对中国市场和社会:

Mercury(Hg)

Antimony(Sb)

Barium(Ba)

Arsenic(As)

Selenium(Se)

一一该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

mg/kg

mg/kg

mg/kg

mg/kg

mg/kg

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

5

5

5

5

5



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Test item (s)	Unit	MDL	Limit			Result(s)		
Test item(s)	Unit	MDL	Limit	11	12	13	14	15
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.
						Result(s)		
Test item(s)	Unit	MDL	Limit	16	17	18	19	20
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Test item(s)	Unit	MDL	Limit			Result(s)		
rest terri(s)	Unit	MDL	LIIIII	21	22	23	24	25
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.
	11-34	MDI	1 : :4			Result(s)		
Test item(s)	Unit	MDL	Limit	26	27	28	29	30
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Test item(s)	Unit	MDL	Limit			Result(s)		
rest terri(s)	Unit	MDL	LIIIIL	31	32	33	34	35
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.
<b>T</b>		MD	1	Result(s)				
Test item(s)	Unit	MDL	Limit	37		38		39
Cadmium(Cd)	mg/kg	5	75	N.D		N.D.		N.D.
Lead(Pb)	mg/kg	5	90	N.D		N.D.		N.D.
Chromium(Cr)	mg/kg	5	60	N.D		N.D.		N.D.
Mercury(Hg)	mg/kg	5	60	N.D		N.D.		N.D.
Antimony(Sb)	mg/kg	5	60	N.D		N.D.		N.D.
Barium(Ba)	mg/kg	5	1000	N.D		N.D.		N.D.
Arsenic(As)	mg/kg	5	25	N.D		N.D.		N.D.
Selenium(Se)	mg/kg	5	500	N.D		N.D.		N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 5. Soluble elements Content - AS/NZS 8124.3:2021

Test Method: AS/NZS 8124.3:2021

Test Instrument: Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test item(s)	Unit		MDL Limit			Result(s)		
rest item(s)	Offic	MDL	LIIIIL	1	2	3	4	5
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.

Test item(s)	Unit	МП	1DL Limit –			Result(s)		
rest tient(s)	Onic	MDL	Liinit	6	7	8	9	10
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Test item(s)	Unit	MDL	Limit			Result(s)		
rest tient(s)	Onit	WIDE	LIIIIL	11	12	13	14	15
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.
	T					Decult(a)		
Test item(s)	Unit	MDL	Limit			Result(s)		
				16	17	18	19	20
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Test item(s)	Unit	MDL	Limit			Result(s)		
rest tient(s)	Onit	WIDE	LIIIII	21	22	23	24	25
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.
						Result(s)		
Test item(s)	Unit	MDL	Limit	26	27	28	29	30
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)		5	60	N.D.	N.D.	N.D.	N.D.	N.D.
	mg/kg	0						
	mg/kg mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb) Barium(Ba)	mg/kg mg/kg					N.D. N.D.	N.D. N.D.	N.D. N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.			

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Test item(s)	Unit	MDL	Limit			Result(s)		
rest ttern(s)	Onic	MDL	LIIIII	31	32	33	34	35
Cadmium(Cd)	mg/kg	5	75	N.D.	N.D.	N.D.	N.D.	N.D.
Lead(Pb)	mg/kg	5	90	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(Cr)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury(Hg)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony(Sb)	mg/kg	5	60	N.D.	N.D.	N.D.	N.D.	N.D.
Barium(Ba)	mg/kg	5	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic(As)	mg/kg	5	25	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium(Se)	mg/kg	5	500	N.D.	N.D.	N.D.	N.D.	N.D.

#### 6. Toxicological Hazards content - Toys Regulations (SOR/2011-17 and amendment SOR/2016-195 & SOR/2016-302 Section 27)

Test method: In-house Method

#### Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) Test Instrument:

Test item(s)	Unit	MDL	Limit			Result(s)		
Test tient(s)	Unit	WIDL	Linnit	4	9	13	14	24
Total Lead(Pb)	mg/kg	10	90	N.D.	N.D.	N.D.	N.D.	N.D.
Total Mercury (Hg)	mg/kg	10	Not detected	N.D.	N.D.	N.D.	N.D.	N.D.
Soluble Antimony (Sb)	mg/kg	10	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Soluble Arsenic (As)	mg/kg	10	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Soluble Barium (Ba)	mg/kg	10	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Soluble Cadmium (Cd)	mg/kg	10	1000	N.D.	N.D.	N.D.	N.D.	N.D.
Soluble Selenium (Se)	mg/kg	10	1000	N.D.	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 7. Total lead content - Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment Title 1 section 101

Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

Test Method: CPSC-CH-E1002-08.3

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Lipit	Unit MDL Limit Result(s)				
rest ttern(s)	Onit	WIDL	Linnt	4+9+24	11	13+14
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.

Test item(s)	Unit	MDL	Limit		Result(s)	
rest territs)	Onit	MDL	Liiiiit	19	37	105+106
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.

Test item(s)	Lipit	MDL	Limit	Result(s)		
Test item(s)	Unit		LIIIII	107+109	108	
Lead(Pb)	mg/kg	10	100	N.D. N.D.		

Total Lead (Pb) Content in Surface CoatingTest Method:CPSC-CH-E1003-09.1

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit	MDL	Limit	Result(s)
Test item(s)	Unit	MDL	Linin	36
Lead(Pb)	mg/kg	10	90	N.D.

以下条款仅针对中国市场和社会:

-----该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from mercent and/or hidden defects any loss of processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with the claim gainst sellers / suppliers for ompensation for any apparent and/or hidden defects any loss of profit, businesses, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 8. Total lead content - California "Proposition 65"

Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

Test Method: CPSC-CH-E1002-08.3

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Lipit	MDL	Limit	Result(s)			
	Unit			4+9+24	11	13+14	
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	N.D.	

Test item(s)	Lipit	MDL	Limit	Result(s)		
Test item(s)	Unit			19	37	
Lead(Pb)	mg/kg	10	100	N.D.	N.D.	

Total Lead (Pb) Content in Surface Coating

Test Method: CPSC-CH-E1003-09.1

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit	MDL	Limit	Result(s)
Test item(s)	Unit	MDL	Linin	36
Lead(Pb)	mg/kg	10	90	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 9. Total Lead content - Consumer Products Containing Lead Regulations SOR/2018-83

Test method: With reference to Method C02.3.2:2021& C02.2.2:2020

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Lipit	MDL	Limit	Result(s)			
	Unit			4+9+24	11	13+14	
Lead(Pb)	mg/kg	10	90	N.D.	N.D.	N.D.	

Test item(s)	Lipit	MDL	Limit	Result(s)			
	Unit			19	36	37	
Lead(Pb)	mg/kg	10	90	N.D.	N.D.	N.D.	

#### 10. Total Lead content - Canada Surface coating materials regulations(SOR/2016-193)

Test Method:

With reference to Method C02.2.2:2020

Test Instrument: Atomic Absorption Spectrophotometer (AAS)					
Test item(s)	Unit MDL		Limit	Result(s)	
rest item(s)	Offic	MDL	LIIIII	36	
Lead(Pb)	mg/kg	10	90	N.D.	

#### 11. Total lead content - 16 CFR 1303

Total Lead (Pb) Content in Surface Coating

Test Method: CPSC-CH-E1003-09.1

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s)	Unit	MDL	Limit	Result(s)
Test item(s)	Unit	MDL	LIIIII	36
Lead(Pb)	mg/kg	10	90	N.D.

以下条款仅针对中国市场和社会:

该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 12. Total Mercury content-Canadian Environmental Protection Act : Products Containing Mercury Regulations SOR/2014-254

Test Method: With reference to IEC 62321-4:2013+A1: 2017

Test Instrument: Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test item(a)	Linit	MDL	Limit	Result(s)		
Test item(s)	Unit	MDL	Limit	9+24	13+14	
Total Mercury (Hg)	mg/kg	10	1000	N.D.	N.D.	

## 13. Total Cadmium content- Item 23 of Annex XVII of REACH Regulation (EC) 1907/2006

Test Method: IEC 62321-5: 2013

Test Instrument: Atomic Absorption Spectrophotometer (AAS)

Test item(s) Unit	nit MDL Limit		Result(s)				
	Onit		Linne	4+9+24	13+14	37+92+103	44+48
Cadmium(Cd)	mg/kg	5	Refer to Remark	N.D.	N.D.	N.D.	N.D.

Test item(s) Unit MD	MDI	Limit	Result(s)				
	WIDE	Linne	49+74+80	50+51+55	57+58+59	60+61+62	
Cadmium(Cd)	mg/kg	5	Refer to Remark	N.D.	N.D.	N.D.	N.D.

Test item(s)	Unit	MDL	Limit		Resu	ult(s)	
rest territer	Onit	WIDE	Linit	63+64+65	69+71+75	81+84+88	86+102
Cadmium(Cd)	mg/kg	5	Refer to Remark	N.D.	N.D.	N.D.	N.D.

Test item(s)	Unit	MDL	Limit		Resi	ult(s)	
rest ttern(s)	Onit	IVIDE	Limit	93+94+95	105+106	108	110
Cadmium(Cd)	mg/kg	5	Refer to Remark	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

一一。该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from mercent and/or hidden defects any loss of processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with the claim gainst sellers / suppliers for ompensation for any apparent and/or hidden defects any loss of profit, businesses, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Test item(s)	Unit	MDL	Limit	Resi	ult(s)		
rest tient(s)	Onit	MDL	Linit	111	112+113		
Cadmium(Cd)	mg/kg	5	Refer to Remark	N.D.	N.D.		
Remark:							

Category	Limit (mg/kg)
Paints with code[3208]and [3209]	100
Paints with code[3208]and [3209] with a zinc content exceeding 10% by weight of the paint	1000
Painted article	1000
Plastic	100
Metal parts of jewelry & hair accessories	100

#### 14. Directive 2006/66/EC-Heavy metals content in batteries and accumulators Test Method

Test	Item	(s)
------	------	-----

Lead (Pb) and Cadmium (Cd) IEC 62321-5:2013

Mercury (Ha) IEC 62321-4:2013+A1: 2017

AAS

Test Instrument

ICP-OFS

wereary (rig)								
Test item(s)	Unit	Unit MDL Limit -		Result(s)				
rest tiern(s)		Linin	104					
Lead(Pb)	%(w/w)	0.0010	Refer to Remark	N.D.				
Cadmium(Cd)	%(w/w)	0.0010	0.0020*	N.D.				
Mercury(Hg)	%(w/w)	0.0001	0.0005	N.D.				

#### Remark:

- According to 2006/66/EC and its amendment the Directive 2013/56/EU, Article 21, appropriate symbol of crossed-out wheeled bin is required.
- According to the Directive 2006/66/EC and its amendment the Directive 2013/56/EU, batteries, accumulators and button cells containing more than 0.002 % cadmium or more than 0.004 % lead, shall be marked with the chemical symbol for the metal concerned: Cd or Pb.
- According to the Directive 2006/66/EC and its amendment the Directive 2013/56/EU, Member States shall prohibit the placing on the market of batteries and accumulators, containing more than 0.0005% of mercury by weight and 0.002% of cadmium by weight, including in those cases where these batteries and accumulators are incorporated into appliances.
- \* Portable battery(ies) and accumulator(s) that is (are) intended for use in medical equipment and emergency and alarm systems, including emergency lighting is (are) excluded from the Cadmium requirement.

以下条款仅针对中国市场和社会:

该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



#### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 15. Azo colorants content - Item 43 of Annex XVII of the REACH Regulation (EC) NO. 1907/2006 & amendment (EC) No 552/2009 and 126/2013.

Test Method: ISO 14362-1:2017

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

No.	No. Test item(s)		Unit	MDL	Limit	Res	ult(s)
NO.		CAS No.	Onit	IVIDL	Limit	1+15+22	20+27+29
1	Biphenyl-4-ylamine/ 4-aminobiphenyl/xenylamine	92-67-1	mg/kg	5	30	N.D.	N.D.
2	Benzidine	92-87-5	mg/kg	5	30	N.D.	N.D.
3	4-chloro-o-toluidine	95-69-2	mg/kg	5	30	N.D.	N.D.
4	2-naphthylamine	91-59-8	mg/kg	5	30	N.D.	N.D.
5	o-aminoazotoluene/4-o-tolyazao-o-toluidine /4-amino-2',3-dimethylazobenzene*	97-56-3	mg/kg	5	30	N.D.	N.D.
6	5-nitro-o-toluidine/2-amino-4-nitrotoluol*	99-55-8	mg/kg	5	30	N.D.	N.D.
7	4-chloroaniline	106-47-8	mg/kg	5	30	N.D.	N.D.
8	4-methoxy-m-phenylenediamine/ 2,4-diaminoanisole	615-05-4	mg/kg	5	30	N.D.	N.D.
9	4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane	101-77-9	mg/kg	5	30	N.D.	N.D.
10	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'-ylenediamine	91-94-1	mg/kg	5	30	N.D.	N.D.
11	3,3'-dimethoxybenzidine/o-dianisidine	119-90-4	mg/kg	5	30	N.D.	N.D.
12	3,3'-dimethylbenzidine/4,4'-bi-o-toluidine	119-93-7	mg/kg	5	30	N.D.	N.D.
13	4,4'-methylenedi-o-toluidine	838-88-0	mg/kg	5	30	N.D.	N.D.
14	6-methoxy-m-toluidine/p-cresidine	120-71-8	mg/kg	5	30	N.D.	N.D.
15	4,4'-methylene-bis-(2-chloro-aniline)/ 2,2'-dichloro-4,4'-methylene-dianiline	101-14-4	mg/kg	5	30	N.D.	N.D.
16	4,4'-oxydianiline	101-80-4	mg/kg	5	30	N.D.	N.D.
17	4,4'-thiodianiline	139-65-1	mg/kg	5	30	N.D.	N.D.
18	o-toluidine/2-aminotoluene	95-53-4	mg/kg	5	30	N.D.	N.D.
19	2,4-diaminotoluene/2,4-toluylendiamine/ 4-methyl-m-phenylenediamine	95-80-7	mg/kg	5	30	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from their contractual responsibilities deputed during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers from their contractual responsibilities any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

优力胜邦质量检测(上海)有限公司深圳分公司 广东省深圳市南山区高新科技园北区朝山二路 8 号清溢光电大厦三、四楼 电话(T): 755-26018600 / 传真 (F): 755-26018626 / 网址(W): W: ul.com



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

No.	Test item(s)	CAS No.	Unit	MDL	Limit	Result(s)	
NO.	reschen(s)	0A0 N0.	Onic		Limit	1+15+22	20+27+29
20	2,4,5-trimethylaniline	137-17-7	mg/kg	5	30	N.D.	N.D.
21	o-anisidine/2-methoxyaniline	90-04-0	mg/kg	5	30	N.D.	N.D.
22	4-aminoazobenzene**	60-09-3	mg/kg	5	30	N.D.	N.D.
23	2,4-Xylidine	95-68-1	mg/kg	5	30	N.D.	N.D.
24	2,6-Xylidine	87-62-7	mg/kg	5	30	N.D.	N.D.

#### Remark:

- \*The amines o-aminoazotoluene (No 5, CAS No.97-56-3) and 2-amino-4-nitrotoluene (No 6, CAS No.99-55-8) are further reduced to o-toluidine (No 18, CAS No. 95-53-4) and 2, 4-diaminotoluene (No 19, CAS No. 95-80-7).

- \*\*Azo colorants that are able to form 4-aminoazobenzene (No 22, CAS No. 60-09-3) generate, under the condition of this method, aniline (CAS No. 62-53-3) and 1, 4-phenylendiamine (CAS No. 106-50-3).Due to detection limits, only aniline may be detected. If aniline is detected above 5mg/kg, then the presence of these colorants should be tested by ISO 14362-3:2017.

#### 16. Short Chain Chlorinated Paraffin content - the Persistent Organic Pollutants (POPs) Regulation (EU) 2019/1021.

Test Method: In-house method

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

Test item(s)	Unit	MDL	Limit	Result(s)		
r est tiern(s)	Unit	MDL	Linit	57+58+59	60+61+62	
Short Chain Chlorinated Paraffin (SCCP)	mg/kg	50	1500	N.D.	N.D.	

Tast item(s)	Unit	MDL	Limit	Result(s)		
Test item(s)	Onit	WIDL	LIIIII	63+64+65	105+106	
Short Chain Chlorinated Paraffin (SCCP)	mg/kg	50	1500	N.D.	N.D.	

Test item(s)	Unit	MDL	Limit	Result(s)
l est item(s)	Unit	IVIDL	Linin	112+113
Short Chain Chlorinated Paraffin (SCCP)	mg/kg	50	1500	N.D.

以下条款仅针对中国市场和社会:

一一该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of use grantly identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality of use grantly identical or similar materials, products or processes. Reports / Quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers from more for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsover, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

# 17. Pentachlorophenol(PCP) content - the Persistent Organic Pollutants (POPs) Regulation (EU) 2019/1021 and its amendment Directive (EU) 2021/277.

Test Method: In-house Method

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

Test item(s)	Linit	MDL	Limit -	Result(s)
Test item(s)	Unit	IVIDL		1+15+22
Pentachlorophenol(PCP)	mg/kg	0.1	5	N.D.

## 18. Specific Migration of Bisphenol A (BPA)- Directive 2009/48/EC and its amendment Directive (EU) 2017/898.

Test Method: EN 71-10:2005& EN 71-11:2005

Test Instrument: High Performance Liquid Chromatography (HPLC)

Test item(s)	Unit	MDL	Limit	Result(s)
Test item(s)		Linin	13	
Specific Migration of Bisphenol A (BPA)	mg/L	0.02	0.04	N.D.

## 19. Formaldehyde content - Directive (EU) 2009/48/EC & its amendment Directive (EU) 2019/1929

Test Method: EN ISO 14184-1: 2011.

Test Instrument: Ultraviolet and visible spectrophotometer (UV-Vis)

Test item(s)	Lipit	МП	Limit	Result(s)				
rest tiern(s)	Fest item(s) Unit MDL Limit	LIIIII	1	15	22	29		
Formaldehyde	mg/kg	16	30	N.D.	N.D.	N.D.	N.D.	

#### 20. Specific Migration of Phenol Content- Directive 2009/48/EC and its amendment Directive (EU) 2017/774.

Test Method: With reference to EN71-10: 2005& EN71-11: 2005

Test Instrument: High Performance Liquid Chromatography- fluorescence detector (HPLC-FLD)

Test item(s)	Test item(s) Unit MDL Limit	Limit	Result(s)	
l est item(s)		MDL	LIIIII	13+14
Specific Migration of Phenol	mg/L	5	5	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 21. TCEP, TCPP, TDCP content - Directive (EU) 2009/48/EC & its amendment Directive 2014/79/EU

Test Method: In-house method

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

	l Imit	MDI	l insit	Result(s)
Test item(s)	Unit	MDL	Limit	1+22
Tris(2-chloroethyl) phosphate (TCEP)	mg/kg	0.5	5	N.D.
Tris-(2-chloroisopropyl) phosphate (TCPP)	mg/kg	0.5	5	N.D.
Tris(1,3-dichloroisopropyl)phosphate(TDCP)	mg/kg	0.5	5	N.D.
Test item(s)	Unit	MDL	Limit	Result(s)
rest tient(s)		WIDL	LIIIII	15+29
Tris(2-chloroethyl) phosphate (TCEP)	mg/kg	0.5	5	N.D.
Tris-(2-chloroisopropyl) phosphate (TCPP)	mg/kg	0.5	5	N.D.
Tris(1,3-dichloroisopropyl)phosphate(TDCP)	mg/kg	0.5	5	N.D.
	•	•		
Tost itom/o)	Lipit	MDL	Limit	Result(s)
Test item(s)	Unit	MDL		20+27

mg/kg

mg/kg

mg/kg

0.5

0.5

0.5

5

5

5

以下条款仅针对中国市场和社会:

Tris(2-chloroethyl) phosphate (TCEP)

Tris-(2-chloroisopropyl) phosphate (TCPP)

Tris(1,3-dichloroisopropyl)phosphate(TDCP)

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of use goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects any loss of profit. Dusiness, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL'S Terms and Conditions.

N.D.

N.D.

N.D.



#### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

# 22. Phthalates content- Consumer Product Safety Improvement Act of 2008(H.R. 4040) & H.R.2715 amendment &16 CFR Part 1307-Prohibition of Children Toys and Child Care Articles Containing Specified Phthalates.

Test Method: CPSC-CH-C1001-09.4(2018)

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

Test item(s)	CAS No.	Unit	MDL	Limit	Result(s)		
rest territs)	0A0 N0.	Onic	WDL	Linit	4+9+24	13+14	
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.	
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.	
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.	
Di-iso-nonyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg	100	1000	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.	
Di-n-pentyl Phthalate (DPENP)	131-18-0	mg/kg	50	1000	N.D.	N.D.	
Di-n-hexyl Phthalate (DHEXP)	84-75-3	mg/kg	50	1000	N.D.	N.D.	
Dicyclohexly Phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.	

Test item(s)	CAS No.	Unit	MDL	Limit	Result(s)		
r cornon(o)	0/10/110.	Onic	MDE	Linit	36	37	
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.	
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.	
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.	
Di-iso-nonyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg	100	1000	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.	
Di-n-pentyl Phthalate (DPENP)	131-18-0	mg/kg	50	1000	N.D.	N.D.	
Di-n-hexyl Phthalate (DHEXP)	84-75-3	mg/kg	50	1000	N.D.	N.D.	
Dicyclohexly Phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.	

以下条款仅针对中国市场和社会:

一一该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from mercent and/or hidden defects any loss of processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with the claim gainst sellers / suppliers for ompensation for any apparent and/or hidden defects any loss of profit, businesses, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Test item(s)	CAS No.	Unit	MDL	Limit	Result(s)		
r cornon(o)	0/10/110.	Onic	MDE	Linit	105+106	108	
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.	
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.	
Benzyl butyl phthalate (BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.	
Di-iso-nonyl phthalate (DINP)	28553-12-0 68515-48-0	mg/kg	100	1000	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.	
Di-n-pentyl Phthalate (DPENP)	131-18-0	mg/kg	50	1000	N.D.	N.D.	
Di-n-hexyl Phthalate (DHEXP)	84-75-3	mg/kg	50	1000	N.D.	N.D.	
Dicyclohexly Phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.	

#### 23. Phthalates content- California "Proposition 65".

Test Method: CPSC-CH-C1001-09.4

#### Gas Chromatography - Mass Spectrometer (GC-MS) Test Instrument:

Test item(s)	Unit	MDL	Limit	Result(s)		
rest tem(s)	Onic	WIDE	Linin	4+9+24	13+14	
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	
Dibutyl phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	
Benzyl butyl phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	
Di-n-hexyl phthalate (DNHP)	mg/kg	50	1000	N.D.	N.D.	
Diisodecyl phthalate (DIDP)	mg/kg	100	1000	N.D.	N.D.	
Di-iso-nonyl phthalate (DINP)	mg/kg	100	1000	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Test item(s)	Unit	MDL	Limit	Result(s)		
rest tem(s)	Ont	MDL	Linin	36	37	
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	
Dibutyl phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	
Benzyl butyl phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	
Di-n-hexyl phthalate (DNHP)	mg/kg	50	1000	N.D.	N.D.	
Diisodecyl phthalate (DIDP)	mg/kg	100	1000	N.D.	N.D.	
Di-iso-nonyl phthalate (DINP)	mg/kg	100	1000	N.D.	N.D.	

#### 24. Phthalates content- Item 51& 52 of Annex XVII of REACH Regulation (EC) 1907/2006

Test Method: With reference to EN 14372:2004(E)

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

/ >				Result(s)			
Test item(s)	Unit	MDL	Limit	4+9+24	13+14	36	37+92+ 103
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.
Diisobutyl phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.
Total(DEHP+ DBP+BBP+ DIBP)	mg/kg	/	1000	N.D.	N.D.	N.D.	N.D.
Diisononyl Phthalate (DINP)	mg/kg	100	1	N.D.	N.D.	N.D.	N.D.
Diisodecyl Phthalate (DIDP)	mg/kg	100	1	N.D.	N.D.	N.D.	N.D.
Di-n-octyl Phthalate (DNOP)	mg/kg	50	/	N.D.	N.D.	N.D.	N.D.
Total(DINP+ DIDP+DNOP)	mg/kg	/	1000	N.D.	N.D.	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Toot itom(a)	Unit	MDL	Limit	Result(s)				
Test item(s)	Unit		LIIIII	44+48	57+58+59	60+61+62	63+64+65	
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Total(DEHP+ DBP+BBP+ DIBP)	mg/kg	/	1000	N.D.	N.D.	N.D.	N.D.	
Diisononyl Phthalate (DINP)	mg/kg	100	/	N.D.	N.D.	N.D.	N.D.	
Diisodecyl Phthalate (DIDP)	mg/kg	100	/	N.D.	N.D.	N.D.	N.D.	
Di-n-octyl Phthalate (DNOP)	mg/kg	50	/	N.D.	N.D.	N.D.	N.D.	
Total(DINP+ DIDP+DNOP)	mg/kg	/	1000	N.D.	N.D.	N.D.	N.D.	

Test item (s)	l la it	MDL	Limit	Result(s)				
Test item(s)	Unit	MDL	Limit	105+106	108	110	111	
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Diisobutyl phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	N.D.	
Total(DEHP+ DBP+BBP+ DIBP)	mg/kg	/	1000	N.D.	N.D.	N.D.	N.D.	
Diisononyl Phthalate (DINP)	mg/kg	100	/	N.D.	N.D.	N.D.	N.D.	
Diisodecyl Phthalate (DIDP)	mg/kg	100	/	N.D.	N.D.	N.D.	N.D.	
Di-n-octyl Phthalate (DNOP)	mg/kg	50	/	N.D.	N.D.	N.D.	N.D.	
Total(DINP+ DIDP+DNOP)	mg/kg	/	1000	N.D.	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Tost itom(s)	Unit	MDL	Limit	Result(s)
Test item(s)	Unit	NDL	LIIIII	112+113
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.
Diisobutyl phthalate (DIBP)	mg/kg	50	1000	N.D.
Total(DEHP+ DBP+BBP+ DIBP)	mg/kg	1	1000	N.D.
Diisononyl Phthalate (DINP)	mg/kg	100	1	N.D.
Diisodecyl Phthalate (DIDP)	mg/kg	100	1	N.D.
Di-n-octyl Phthalate (DNOP)	mg/kg	50	/	N.D.
Total(DINP+ DIDP+DNOP)	mg/kg	1	1000	N.D.

#### 25. Phthalates content- Canada Consumer Product Safety Act : Phthalates Regulations (SOR/2016-188) Test Method: Health Canada Method C34:2018

Test item(s)	Unit	MDL	Limit	Result(s)
rest item(s)	Onit	NDL	LIIIII	-
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	NA
Dibutyl Phthalate (DBP)	mg/kg	50	1000	NA
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	NA
Di-n-octyl Phthalate (DNOP)	mg/kg	50	1000	NA
Diisononyl Phthalate (DINP)	mg/kg	100	1000	NA
Diisodecyl Phthalate (DIDP)	mg/kg	100	1000	NA

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

Note: No PVC materials presented on the received sample(s). Therefore, the phthalates content analysis of PVC materials according to Canada Consumer Product Safety Act, Phthalate Regulations, SOR/2016-188, was not conducted.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 26. Phthalates content- Australia Competition and Consumer Act 2010 in children's products - Consumer Protection Notice No. 11 of 2011

Test Method: With reference to EN 14372:2004

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

Test item(s)		Linit	MDL	Limit	Result(s)	
	CAS No.	Unit	MDL	Limit	4+9+24	13+14
Bis (2-ethylhexyl) phthalate (DEHP)	117-81-7	mg/kg	50	10000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



#### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 27. Phthalates content

Test Method: With reference to CPSC-CH-C1001-09.4(2018)

Test Instrument: Gas Chromatography-Mass Spectrometer (GC-MS)

	0.00.1		MDI	Client	Res	ult(s)
Test item(s)	CAS No.	Unit	MDL	Limit	4+9+24	13+14
Benzyl butyl phthalate(BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.
Diisobutyl phthalate(DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.
Di(2-methoxyethy) phthalate (DMEP)	117-82-8	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPP)	131-18-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	mg/kg	50	1000	N.D.	N.D.
n-Pentyl –isopentylphthalate(nPiPP)	776297-69-9	mg/kg	50	1000	N.D.	N.D.
Diisopentyl phthalate(DIPP)	605-50-5	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester brancjed and linear	84777-06-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C6-8- branced alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	50	1000	N.D.	N.D.
Di-n-hexyl Phthalate(DHP)	84-75-3	mg/kg	50	1000	N.D.	N.D.
1,2-benzenedicarboxylic acid, diC6-10- alkyl esters or mixed decyl and hexyl and octyl diesters with ≥0.3% of dihexyl phthalate (EC No.201-559-5)	68515-51-5 68648-93-1	mg/kg	50	1000	N.D.	N.D.
Di-iso-nonyl phthalate (DINP)	28553-12-0	mg/kg	50	1000	N.D.	N.D.
Diisodecyl Phthalate (DIDP)	26761-40-0	mg/kg	50	1000	N.D.	N.D.
Di-n-octyl Phthalate(DNOP)	117-84-0	mg/kg	50	1000	N.D.	N.D.
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	1000	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



#### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

	0.4.0.N			Client	Res	ult(s)
Test item(s)	CAS No.	Unit	MDL	Limit	36	37+92+103
Benzyl butyl phthalate(BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.
Diisobutyl phthalate(DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.
Di(2-methoxyethy) phthalate (DMEP)	117-82-8	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPP)	131-18-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	mg/kg	50	1000	N.D.	N.D.
n-Pentyl –isopentylphthalate(nPiPP)	776297-69-9	mg/kg	50	1000	N.D.	N.D.
Diisopentyl phthalate(DIPP)	605-50-5	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester brancjed and linear	84777-06-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C6-8- branced alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	50	1000	N.D.	N.D.
Di-n-hexyl Phthalate(DHP)	84-75-3	mg/kg	50	1000	N.D.	N.D.
1,2-benzenedicarboxylic acid, diC6-10- alkyl esters or mixed decyl and hexyl and octyl diesters with ≥0.3% of dihexyl phthalate (EC No.201-559-5)	68515-51-5 68648-93-1	mg/kg	50	1000	N.D.	N.D.
Di-iso-nonyl phthalate (DINP)	28553-12-0	mg/kg	50	1000	N.D.	N.D.
Diisodecyl Phthalate (DIDP)	26761-40-0	mg/kg	50	1000	N.D.	N.D.
Di-n-octyl Phthalate(DNOP)	117-84-0	mg/kg	50	1000	N.D.	N.D.
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	1000	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



#### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

<b>T</b> (1)				Client	Res	ult(s)
Test item(s)	CAS No.	Unit	MDL	Limit	44+48	57+58+59
Benzyl butyl phthalate(BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.
Diisobutyl phthalate(DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.
Di(2-methoxyethy) phthalate (DMEP)	117-82-8	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPP)	131-18-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	mg/kg	50	1000	N.D.	N.D.
n-Pentyl –isopentylphthalate(nPiPP)	776297-69-9	mg/kg	50	1000	N.D.	N.D.
Diisopentyl phthalate(DIPP)	605-50-5	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester brancjed and linear	84777-06-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C6-8- branced alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	50	1000	N.D.	N.D.
Di-n-hexyl Phthalate(DHP)	84-75-3	mg/kg	50	1000	N.D.	N.D.
1,2-benzenedicarboxylic acid, diC6-10- alkyl esters or mixed decyl and hexyl and octyl diesters with ≥0.3% of dihexyl phthalate (EC No.201-559-5)	68515-51-5 68648-93-1	mg/kg	50	1000	N.D.	N.D.
Di-iso-nonyl phthalate (DINP)	28553-12-0	mg/kg	50	1000	N.D.	N.D.
Diisodecyl Phthalate (DIDP)	26761-40-0	mg/kg	50	1000	N.D.	N.D.
Di-n-octyl Phthalate(DNOP)	117-84-0	mg/kg	50	1000	N.D.	N.D.
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	1000	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



#### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

<b>T</b> (1) ()				Client	Res	ult(s)
Test item(s)	CAS No.	Unit	MDL	Limit	60+61+62	63+64+65
Benzyl butyl phthalate(BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.
Diisobutyl phthalate(DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.
Di(2-methoxyethy) phthalate (DMEP)	117-82-8	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPP)	131-18-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	mg/kg	50	1000	N.D.	N.D.
n-Pentyl –isopentylphthalate(nPiPP)	776297-69-9	mg/kg	50	1000	N.D.	N.D.
Diisopentyl phthalate(DIPP)	605-50-5	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester brancjed and linear	84777-06-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C6-8- branced alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	50	1000	N.D.	N.D.
Di-n-hexyl Phthalate(DHP)	84-75-3	mg/kg	50	1000	N.D.	N.D.
1,2-benzenedicarboxylic acid, diC6-10- alkyl esters or mixed decyl and hexyl and octyl diesters with ≥0.3% of dihexyl phthalate (EC No.201-559-5)	68515-51-5 68648-93-1	mg/kg	50	1000	N.D.	N.D.
Di-iso-nonyl phthalate (DINP)	28553-12-0	mg/kg	50	1000	N.D.	N.D.
Diisodecyl Phthalate (DIDP)	26761-40-0	mg/kg	50	1000	N.D.	N.D.
Di-n-octyl Phthalate(DNOP)	117-84-0	mg/kg	50	1000	N.D.	N.D.
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	1000	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



#### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

				Client	Res	ult(s)
Test item(s)	CAS No.	Unit	MDL	Limit	105+106	108
Benzyl butyl phthalate(BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.
Diisobutyl phthalate(DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.
Di(2-methoxyethy) phthalate (DMEP)	117-82-8	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPP)	131-18-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	mg/kg	50	1000	N.D.	N.D.
n-Pentyl –isopentylphthalate(nPiPP)	776297-69-9	mg/kg	50	1000	N.D.	N.D.
Diisopentyl phthalate(DIPP)	605-50-5	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester brancjed and linear	84777-06-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C6-8- branced alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	50	1000	N.D.	N.D.
Di-n-hexyl Phthalate(DHP)	84-75-3	mg/kg	50	1000	N.D.	N.D.
1,2-benzenedicarboxylic acid, diC6-10- alkyl esters or mixed decyl and hexyl and octyl diesters with ≥0.3% of dihexyl phthalate (EC No.201-559-5)	68515-51-5 68648-93-1	mg/kg	50	1000	N.D.	N.D.
Di-iso-nonyl phthalate (DINP)	28553-12-0	mg/kg	50	1000	N.D.	N.D.
Diisodecyl Phthalate (DIDP)	26761-40-0	mg/kg	50	1000	N.D.	N.D.
Di-n-octyl Phthalate(DNOP)	117-84-0	mg/kg	50	1000	N.D.	N.D.
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	1000	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



#### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

T + :+ ( )		11	MDL	Client	Res	ult(s)
Test item(s)	CAS No.	Unit	MDL	Limit	110	111
Benzyl butyl phthalate(BBP)	85-68-7	mg/kg	50	1000	N.D.	N.D.
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.	N.D.
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.	N.D.
Diisobutyl phthalate(DIBP)	84-69-5	mg/kg	50	1000	N.D.	N.D.
Di(2-methoxyethy) phthalate (DMEP)	117-82-8	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPP)	131-18-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	mg/kg	50	1000	N.D.	N.D.
n-Pentyl –isopentylphthalate(nPiPP)	776297-69-9	mg/kg	50	1000	N.D.	N.D.
Diisopentyl phthalate(DIPP)	605-50-5	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, dipentylester brancjed and linear	84777-06-0	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C6-8- branced alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	N.D.	N.D.
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	50	1000	N.D.	N.D.
Di-n-hexyl Phthalate(DHP)	84-75-3	mg/kg	50	1000	N.D.	N.D.
1,2-benzenedicarboxylic acid, diC6-10- alkyl esters or mixed decyl and hexyl and octyl diesters with ≥0.3% of dihexyl phthalate (EC No.201-559-5)	68515-51-5 68648-93-1	mg/kg	50	1000	N.D.	N.D.
Di-iso-nonyl phthalate (DINP)	28553-12-0	mg/kg	50	1000	N.D.	N.D.
Diisodecyl Phthalate (DIDP)	26761-40-0	mg/kg	50	1000	N.D.	N.D.
Di-n-octyl Phthalate(DNOP)	117-84-0	mg/kg	50	1000	N.D.	N.D.
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	1000	N.D.	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

<b>T</b> (1) ()			MDI	Client	Result(s)
Test item(s)	CAS No.	Unit	MDL	Limit	112+113
Benzyl butyl phthalate(BBP)	85-68-7	mg/kg	50	1000	N.D.
Dibutyl phthalate (DBP)	84-74-2	mg/kg	50	1000	N.D.
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	mg/kg	50	1000	N.D.
Diisobutyl phthalate(DIBP)	84-69-5	mg/kg	50	1000	N.D.
Di(2-methoxyethy) phthalate (DMEP)	117-82-8	mg/kg	50	1000	N.D.
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear(DPP)	131-18-0	mg/kg	50	1000	N.D.
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	mg/kg	50	1000	N.D.
n-Pentyl –isopentylphthalate(nPiPP)	776297-69-9	mg/kg	50	1000	N.D.
Diisopentyl phthalate(DIPP)	605-50-5	mg/kg	50	1000	N.D.
1,2-Benzenedicarboxylic acid, dipentylester brancjed and linear	84777-06-0	mg/kg	50	1000	N.D.
1,2-Benzenedicarboxylic acid, di-C6-8- branced alkyl esters, C7-rich (DIHP)	71888-89-6	mg/kg	50	1000	N.D.
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	mg/kg	50	1000	N.D.
Di-n-hexyl Phthalate(DHP)	84-75-3	mg/kg	50	1000	N.D.
1,2-benzenedicarboxylic acid, diC6-10- alkyl esters or mixed decyl and hexyl and octyl diesters with ≥0.3% of dihexyl phthalate (EC No.201-559-5)	68515-51-5 68648-93-1	mg/kg	50	1000	N.D.
Di-iso-nonyl phthalate (DINP)	28553-12-0	mg/kg	50	1000	N.D.
Diisodecyl Phthalate (DIDP)	26761-40-0	mg/kg	50	1000	N.D.
Di-n-octyl Phthalate(DNOP)	117-84-0	mg/kg	50	1000	N.D.
Diethyl Phthalate(DEP)	84-66-2	mg/kg	50	1000	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	mg/kg	50	1000	N.D.

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 28. PAHs content- Item 50 of Annex XVII of REACH Regulation (EC) 1907/2006 & amendment (EU) No 1272/2013.

Test Method: With reference to AfPS-GS-2019-01: PAK

Test Instrument:	Gas Chromatography-Mass Spectrometer (GC-MS)
------------------	--

NL	No. Test item(s)		11		Result(s)		
NO.		CAS No	Unit	MDL	13+14	105+106	
1	Benzo (a)anthracene (BaA)	56-55-3	mg/kg	0.2	N.D.	N.D.	
2	Chrysene (CHR)	218-01-9	mg/kg	0.2	N.D.	N.D.	
3	Benzo (b) fluoranthene (BbFA)	205-99-2	mg/kg	0.2	N.D.	N.D.	
4	Benzo (k) fluoranthene (BkFA)	207-08-9	mg/kg	0.2	N.D.	N.D.	
5	Benzo (j) fluoranthene (BjFA)	205-82-3	mg/kg	0.2	N.D.	N.D.	
6	Benzo (e) pyrene (BeP)	192-97-2	mg/kg	0.2	N.D.	N.D.	
7	Benzo (a) pyrene (BaP)	50-32-8	mg/kg	0.2	N.D.	N.D.	
8	Dibenzo (a,h) anthracene (DBAhA)	53-07-3	mg/kg	0.2	N.D.	N.D.	

No.	Test item(s)	CAS No	Unit	MDL	Result(s)		
				MDL	108		
1	Benzo (a)anthracene (BaA)	56-55-3	mg/kg	0.2	N.D.		
2	Chrysene (CHR)	218-01-9	mg/kg	0.2	N.D.		
3	Benzo (b) fluoranthene (BbFA)	205-99-2	mg/kg	0.2	N.D.		
4	Benzo (k) fluoranthene (BkFA)	207-08-9	mg/kg	0.2	N.D.		
5	Benzo (j) fluoranthene (BjFA)	205-82-3	mg/kg	0.2	N.D.		
6	Benzo (e) pyrene (BeP)	192-97-2	mg/kg	0.2	N.D.		
7	Benzo (a) pyrene (BaP)	50-32-8	mg/kg	0.2	N.D.		
8	Dibenzo (a,h) anthracene (DBAhA)	53-07-3	mg/kg	0.2	N.D.		

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### Remark:

(1) (EU) No 1272/2013 amending Item No 50 of Annex XVII of REACH Regulation (EC) 1907/2006

Parameter (mg/kg)	Category 1	Category 2		
	Articles come into direct as well as prolonged or short- term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use Such articles include amongst others: - sport equipment such as bicycles, golf clubs, racquets. - household utensils, trolleys, walking frames - tools for domestic use - clothing, footwear, gloves and sportswear - watch-straps, wrist-bands, masks, head-bands	Toys, including activity toys, and childcare articles, that come into direct as well as prolonged or short- term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use,		
Benzo[a]pyrene	<1	<0.5		
Benzo[e]pyrene	<1	<0.5		
Benzo[a]anthracene	<1	<0.5		
Benzo[b]fluoranthene	<1	<0.5		
Benzo[j]fluoranthene	<1	<0.5		
Benzo[k]fluoranthene	<1	<0.5		
Chrysene	<1	<0.5		
Dibenzo[a,h]anthracene	<1	<0.5		

- The PAHs limit is Category 2

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 29. RoHS Directive 2011/65/EU and its amendment directives Screening by X-ray fluorescence spectrometry

Test item(s)

Test Method

**Test Instrument** 

X-ray fluorescence spectrometry

Lead, mercury, cadmium, chromium and bromine IEC 62321-3-1:2013

Seq.	Tested Part(s)		Result(s)					
No.	rested Pari(s)	Pb	Cd	Hg	Cr	Br		
1	Apricot plush, body	BL	BL BL BL BL					
2	Light apricot flannel, ear	BL	BL	BL	BL	BL		
3	Apricot long plush, tail	BL	BL	BL	BL	BL		
4	Apricot plastic, hook tape of Velcro	BL	BL	BL	BL	BL		
5	Apricot textile, loop tape of Velcro	BL	BL	BL	BL	BL		
6	Apricot flannel, back	BL	BL	BL	BL	BL		
7	Black/white embroidery, eye	BL	BL	BL	BL	BL		
8	Grey plush, nose	BL	BL	BL	BL	BL		
9	White plastic, hook tape of Velcro	BL	BL	BL	BL	BL		
10	Apricot fabric, lining	BL	BL	BL	BL	BL		
11	Black printed white fabric, label	label BL BL BL BL				BL		
12	Green/light green/dark green/white textile, logo label	BL	BL	BL	BL	BL		
13	White plastic, music box		BL	BL	BL	BL		
14	Transparent plastic, music box	BL	BL	BL	BL	BL		
15	Pink plush, body		BL	BL	BL	BL		
16	White plush, body	dy BL BL E		BL	BL	BL		
17	White long plush, head/tail	BL BL BL BL			BL			
18	Pink flannel, back	BL	BL	BL	BL	BL		
19	Multi-color printed white flannel, ear/leg	BL	BL	BL	BL	BL		
20	Purple flannel, wing/head	BL	BL	BL	BL	BL		
21	Pink fabric, lining	BL	BL	BL	BL	BL		
22	Green plush, body	ush, body BL BL BL BL		BL				
23	Creamy flannel, head/abdomen		BL	BL	BL	BL		
24	White plastic, hook tape of Velcro		BL	BL	BL	BL		
25	White textile, loop tape of Velcro	BL	BL	BL	BL	BL		
26	Green flannel, back	BL BL BL BL		BL				
27	Green flannel, wing/head	BL	BL BL BL BL BL			BL		
28	Green fabric, lining	BL BL BL BL BL				BL		

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Seq.	Tested Part(s)		Result(s)					
No.			Cd	Hg	Cr	Br		
29	Brown plush, body	BL	BL BL BL BL			BL		
30	Creamy white plush, body	BL	BL BL BL			BL		
31	Creamy white flannel, head/leg	BL	BL	BL	BL	BL		
32	Brown flannel, back	BL	BL	BL	BL	BL		
33	Black flannel, nose	BL	BL	BL	BL	Х		
34	Beige embroidery, pattern	BL	BL	BL	BL	BL		
35	Light apricot fabric, lining	BL	BL	BL	BL	BL		
36	Dark grey coating, lettering	BL	BL	BL	BL	BL		
37	White foam, wing(inner)	BL	BL	BL	BL	BL		
38	White floss, interlayer(inner)	BL	BL	BL	BL	BL		
39	White mesh, interlayer(inner)	BL	BL	BL	BL	BL		
40	White textile, interlayer(inner)	BL	BL	BL	BL	BL		
41	Silvery metal, screw(inner)	BL	BL	BL	BL	NA		
42	Matt-silvery metal, screw(inner)	BL	BL	BL	BL	NA		
43	Matt-silvery metal, gasket screw(inner)	BL	BL	BL	BL	NA		
44	Transparent dry glue(inner)		BL	BL	BL	BL		
45	Silvery metal, speaker (Inner)		BL	BL	BL	NA		
46	Silvery metal plate, speaker (Inner)	BL	BL	BL	BL	NA		
47	Silvery metal solder, speaker (Inner)	BL BL BL BL		NA				
48	Black glue, speaker (Inner)	BL	BL	BL	BL	BL		
49	Green printed PCB, speaker (Inner)	BL	BL	BL	BL	Х		
50	Black plastic film, speaker (Inner)	BL	BL	BL	BL	BL		
51	Black plastic, speaker (Inner)	BL	BL	BL	BL	BL		
52	Coppery metal, speaker (Inner)	BL	BL	BL	BL	NA		
53	Silvery metal sheet, speaker (Inner)		BL	BL	BL	NA		
54	Silvery metal magnet, speaker (Inner)		BL	BL	BL	NA		
55	Transparent/yellow plastic, LED(inner) BL BL BL BL		BL	BL				
56	Silvery metal, LED(inner)	r metal, LED(inner) BL BL BL X		NA				
57	Black printed white soft plastic, annular tube	BL BL BL BL			BL			
58	Black soft plastic, wire jacket(inner)	BL BL BL BL BL			BL			
59	Red soft plastic, wire jacket(inner)	BL BL BL BL BL				BL		

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Seq.	Tested Port/c)		Result(s)				
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
60	Green soft plastic, wire jacket(inner)	BL	BL	BL	BL		
61	Grey soft plastic, wire jacket(inner)	BL	BL	BL	BL	BL	
62	Orange soft plastic, wire jacket(inner)	BL	BL	BL	BL	BL	
63	Brown soft plastic, wire jacket(inner)	BL	BL	BL	BL	BL	
64	Purple soft plastic, wire jacket(inner)	BL	BL	BL	BL	BL	
65	Dark brown soft plastic, wire jacket(inner)	BL	BL	BL	BL	BL	
66	Coppery metal, wire core(inner)	BL	BL	BL	BL	NA	
67	Black paper sticker, microphone (Inner)	BL	BL	BL	BL	BL	
68	Silvery metal, microphone (Inner)	BL	BL	BL	BL	NA	
69	Green plastic, microphone (Inner)	BL	BL	BL	BL	BL	
70	Silvery metal, microphone (Inner)	BL	BL	BL	BL	NA	
71	White plastic film, microphone (Inner)	BL	BL	BL	BL	BL	
72	Silvery metal, microphone (Inner)	BL	BL	BL	BL	NA	
73	Black material with pin, microphone (Inner)		BL	BL	BL	Х	
74	Green/ white printed brown PCB, microphone (Inner)		BL	BL	BL	BL	
75	White plastic, button (Inner)		BL	BL	BL	BL	
76	Black plated silvery metal, button (Inner)		BL	BL	BL	NA	
77	Silvery metal spring, button (Inner)		BL	BL	BL	NA	
78	Silvery metal spring plate, button (Inner)	spring plate, button (Inner) BL BL BL BL			BL	NA	
79	Silvery metal, pin of button (Inner)	y metal, pin of button (Inner) BL BL BL			BL	NA	
80	Light brown PCB, button (Inner)	BL	BL	BL	BL	BL	
81	Translucent plastic, LED(inner)	Translucent plastic, LED(inner) BL BL BL		BL	Х		
82	Silvery metal, LED(inner)	BL	BL	BL	Х	NA	
83	Silvery metal, USB(inner)	BL	BL	BL	Х	NA	
84	Black grey plastic, USB(inner)		BL	BL	BL	BL	
85	Golden metal, USB(inner)		BL	BL	BL	NA	
86	Light green PCB(inner)		BL	BL	BL	BL	
87	Silvery solder PCB (Inner)	Silvery solder PCB (Inner) BL BL BL BL		BL	NA		
88	Black plastic, button (Inner)	BL BL BL BL		BL			
89	Silvery metal, button (Inner)	BL BL BL BL N			NA		
90	Silvery metal spring plate, button (Inner)	on (Inner) BL BL BL X N			NA		

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")



## **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Seq.	Tested Part(s)		Result(s)			
No.	No.		Cd	Hg	Cr	Br
91	Silvery metal, pin of button (Inner)	BL	BL	BL	BL	NA
92	Black foam, PCB(inner)	BL	BL	BL	BL	BL
93	Transparent plastic, PCB(inner)	BL	BL	BL	BL	BL
94	White printed black plastic film, crystal(inner)	BL	BL	BL	BL	BL
95	Dark blue plastic with black resin, crystal(inner)		BL	BL	BL	BL
96	Golden metal spring, crystal(inner)		BL	BL	BL	NA
97	Golden metal pin, crystal(inner)		BL	BL	BL	NA
98	White printed black material with pin, chip resistor (Inner)		BL	BL	BL	BL
99	Brown material with pin, chip capacitor (Inner)		BL	BL	BL	BL
100	Black material with pin, U1		BL	BL	BL	BL
101	Black material with pin, U2		BL	BL	BL	BL
102	Green PCB(inner)		BL	BL	BL	BL
103	Black foam with adhesive(inner)		BL	BL	BL	BL

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
Cd	Cd mg/kg BL≤70-3σ< X <130+3σ≤OL BL≤70-3σ< X <130+3σ		BL≤70-3σ< X <130+3σ≤OL	LOD < X <150+3σ≤OL
Pb	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤ OL	BL≤500-3σ< X <1500+3σ≤OL
Hg	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤OL	BL≤500-3σ< X <1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ< X	BL≤700-3σ< X	BL≤500-3σ< X
Br	mg/kg	BL≤300-3σ< Χ		BL≤250-3σ< X

#### Note:

- BL= Below Limit
- OL= Over Limit
- X = Inconclusive
- NA=Not Applicable
- (2) The XRF screening test for RoHS elements The reading may be different to the actual content in the sample(s) be of nonuniformity composition.

以下条款仅针对中国市场和社会:

一一该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of use goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers from mercent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers for orguneant and/or hidden defects (a) for any special indirect or construct. Let for fick usings or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

伐力胜邦质量检测(上海)有限公司深圳分公司 广东省深圳市南山区高新科技园北区朝山二路 8 号清溢光电大厦三、四楼 电话(T): 755-26018600 / 传真 (F): 755-26018626 / 阿扯(W): W: ul.com



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

(3) The maximum permissible limit is quoted from the document 2011/65/EU and its amendment.

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)				
Cadmium (Cd)	100				
Lead (Pb)	1000				
Mercury (Hg)	1000				
Hexavalent Chromium (Cr(VI))	1000				
Polybrominated biphenyls (PBBs)	1000				
Polybrominate ddiphenylethers (PBDEs)	1000				

#### Disclaimers

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample(s) size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

#### The Test Results of Chemical Method

#### Hexavalent Chromium content

Test Method:

IEC 62321-7-1: 2015

Test Instrument: Ultraviolet and Visible Spectrophotometer(UV-Vis)

Test item(s)	Test item(s) Unit MD	MDL	RoHS Limit	Result(s)				
rest tiern(s)	Unit	MDL		56	82	83	90	
Chromium (VI)	µg/cm²	0.10	See Remark	Negative	Negative	Negative	Negative	

#### Remark:

Sample Cr(VI) concentration (µg/cm <sup>2</sup> )	Result(s)
< 0.10	Negative- The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.
0.10 - 0.13	Inconclusive- Unavoidable coating variations may influence the determination.
> 0.13	Positive- The Cr(VI) concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

以下条款仅针对中国市场和社会:

一一该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quality of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer is not recequential damage of any nature whatsoever, and whatever the cause thereof, (a) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### **PBBs&PBDEs** content Test Method:

IEC 62321-6: 2015

Test Instrument:

Gas Chromatography-Mass Spectrometer(GC-MS)

Tost itom(s)	l la it		Linait	Result(s)				
Test item(s)	Unit	MDL	Limit	33	49	73	81	
Monobromobiphenyl	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Dibromobiphenyl	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Tribromobiphenyl	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Tetrabromobiphenyl	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Pentabromobiphenyl	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Hexabromobiphenyl	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Heptabromobiphenyl	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Octabromobiphenyl	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Nonabromodiphenyl	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Decabromodiphenyl	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Sum of PBBs	mg/kg	/	1000	N.D.	N.D.	N.D.	N.D.	
Monobromodiphenyl ether	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Dibromodiphenyl ether	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Tribromodiphenyl ether	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Tetrabromodiphenyl ether	mg/kg	10	1	N.D.	N.D.	N.D.	N.D.	
Pentabromodiphenyl ether	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Hexabromodiphenyl ether	mg/kg	10	1	N.D.	N.D.	N.D.	N.D.	
Heptabromodiphenyl ether	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Octabromodiphenyl ether	mg/kg	10	1	N.D.	N.D.	N.D.	N.D.	
Nonabromodiphenyl ether	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Decabromodiphenyl ether	mg/kg	10	/	N.D.	N.D.	N.D.	N.D.	
Sum of PBDEs	mg/kg	/	1000	N.D.	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from their contractual responsibilities deputed during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers from their contractual responsibilities any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

#### 30. Phthalates content - Directive 2011/65/EU (RoHS) & its amendment Directive (EU) 2015/863.

Test Method IEC 62321-8: 2017

**Test Instrument** Gas Chromatography-Mass Spectrometer(GC-MS)

Test item(s)	l lucit	MDL	RoHS Limit	Result(s)			
	Unit			4+9+24	13+14	37+92+103	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Diisobutyl Phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	

Test item(s)	Unit	MDL	RoHS Limit	Result(s)			
				44+48	49+74+80	50+51+55	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	120	
Diisobutyl Phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	

Test item(s)	Unit	MDL	RoHS Limit	Result(s)			
	Onit			57+58+59	60+61+62	63+64+65	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Diisobutyl Phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in deputery nor do they prejudice the Customer's right to claim against sellers / suppliers from their contractual responsibilities deputed during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers from their contractual responsibilities any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### TEST RESULTS

Test item(s)	Unit	MDL	RoHS	Result(s)			
	Unit		Limit	69+71+75	81+84+88	86+102	
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Diisobutyl Phthalate (DIBP)	mg/kg	50	1000	N.D.	N.D.	N.D.	
Test item(s)	Unit	MDL	RoHS	Result(s)			
rest tient(s)			Limit		93+94+95		
Dibutyl Phthalate (DBP)	mg/kg	50	1000	N.D.			
Benzylbutyl Phthalate (BBP)	mg/kg	50	1000	N.D.			
Bis-(2-ethylhexyl)Phthalate (DEHP)	mg/kg	50	1000	N.D.			
Diisobutyl Phthalate (DIBP)	mg/kg	50	1000	N.D.			

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")




### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

Photo(s) of specimen for reference:



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against seliers / suppliers from mercent and/or hidden defects on site and users of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the eanout of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

Photo(s) of specimen for reference:



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")




### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

Photo(s) of specimen for reference:



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against seliers / suppliers from mercent and/or hidden defects on site and users of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the eanout of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2017-10-12)

UL VS Shanghai Limited Shenzhen Branch 3-4F Qingyi Supermask Photoelectricity Building, No.8 Langshan 2<sup>nd</sup> Road, North High-Tech Industrial Park, Nanshan District, Shenzhen, P.R. China




### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

Photo(s) of specimen for reference:



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")




### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

Photo(s) of specimen for reference:



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")




### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

Photo(s) of specimen for reference:



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")




### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

Photo(s) of specimen for reference:



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")




### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

Photo(s) of specimen for reference:



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")




### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

Photo(s) of specimen for reference:



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against seliers / suppliers from mercent and/or hidden defects on site and users of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the eanout of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.




### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

Photo(s) of specimen for reference:



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against seliers / suppliers from mercent and/or hidden defects on site and users of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the eanout of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### Note:

- mg/kg=milligram per kilogram
- N.D. =Not Detected (<MDL)
- NA = Not Applicable
- MDL=Method Detection Limit
- The soluble test results shown are of the adjusted analytical results.
- -As specified by client, the mixed testing were conducted.
- -As specified by client, only above test part(s) was/were analyzed.

#### **PRODUCT POHOTOS:**



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of use goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers from mercent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer's right to claim against sellers / suppliers for orguneant and/or hidden defects (a) for any special indirect or construct. Let for fick usings or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

UL VS Shanghai Limited Shenzhen Branch 3-4F Qingyi Supermask Photoelectricity Building, No.8 Langshan 2<sup>nd</sup> Road, North High-Tech Industrial Park, Nanshan District, Shenzhen, P.R. China



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### **PRODUCT POHOTOS:**



以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against seliers / suppliers from mercent and/or hidden defects on site and users of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the eanout of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2017-10-12)

UL VS Shanghai Limited Shenzhen Branch 3-4F Qingyi Supermask Photoelectricity Building, No.8 Langshan 2<sup>nd</sup> Road, North High-Tech Industrial Park, Nanshan District, Shenzhen, P.R. China



### **BTL Diffusion**

16, Rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France

Report No.: 1001674018 Date: Sep.1,2022

#### **PRODUCT POHOTOS:**



\*\*\*\*\*\*\*\*\* THE END \*\*\*\*\*\*\*\*

以下条款仅针对中国市场和社会:

——该报告仅向委托人公布、供委托人使用,不具有社会证明的作用。
 This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the quality of useds in delivery nor do they prejudice the Customer's right to claim against seliers / suppliers from mercent and/or hidden defects on site and users of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or obsequential damage of any nature whatsoever, shall be limited to the eanout of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2017-10-12)

UL VS Shanghai Limited Shenzhen Branch 3-4F Qingyi Supermask Photoelectricity Building, No.8 Langshan 2<sup>nd</sup> Road, North High-Tech Industrial Park, Nanshan District, Shenzhen, P.R. China

#### **UL VS Terms and Conditions**

#### All services are governed by the following Terms and Conditions.

- 1. Verification Services. The UL Contracting Party ("we", "us", or "our" as the context requires) will perform commercial testing, verification, audit, assessment, inspection, and/or other services ("Services") in accordance with your instructions as described in this order, scope of work, project proposal, quotation, or order acknowledgment ("Quotation"). The Services will be limited to an assessment of your samples' conformity to requirements, specifications, and/or protocols you have established ("Your Requirements"), and do not express any opinion regarding the bulk from which the samples were drawn. The Services do not involve any assessment or evaluation to independent safety standards, and we and our affiliates have no responsibility to make any independent safety assessment of any samples.
- Retailer Programs. If you request us to test compliance with retailer, carrier or other third party program ("Retailer") by requesting Services under the Retailer's program, you consent to our disclosure of all associated information, materials, and deliverables to such Retailer and acknowledge that, notwithstanding any terms to the contrary in these Terms and Conditions, the ownership of the deliverables for the Services will be in accordance with the Retailer's program.
- 3. Payment Terms. You will pay, without set off, our fees and related expenses in accordance with the Quotation including the cost of all taxes, wire or transfer fees, duties, and other fiscal charges which become due on the quoted pice and will indemnify us from and against liabilities, incurred as a result of failure to pay any such sums when they become due. We may charge interest at 1% per month (12% per year), or the maximum legal rate if less than 1.0% per month, from the due date until paid fulli). You agree to pay reasonable collection costs, including attorneys fees, if necessary, in the event of late or non-payment.
- 4. Your Requirements. You are responsible for establishing or selecting all Your Requirements that we will use in performing the Services. We may provide you with assistance in developing Your Requirements that meet your needs, however, in all cases you must review and approve Your Requirements to be used in performing the Services.
- 5. Estimated Schedule and Price. Any time schedule and pricing terms set forth in this Quotation are estimates only and subject to change upon reasonable notice from us depending upon the specific project.
- 6. On-Site Investigations. If we perform Services on site at your facilities, or at the facilities of other parties as directed by you; you will ensure that our representatives have safe, secure, and free access to the facilities. Our access will not be conditioned upon the execution of any agreement, waiver, or release. If our representatives are prevented from performing or completing any Services for any reason beyond our reasonable control, we will not be responsible for the nonperformance, and you may be charged for any access we incur and fees for Services performed.
- 7. Deliverables. We will provide you with a report outlining: (i) your instructions and request for Services accepted by us, (ii) Your Requirements used in providing the Services, (iii) the Services performed, and (iv) the results of those Services. We are under no obligation to refer to or report on any facts or circumstances which are outside your specific instructions received and accepted by us.
- 8. Our Findings. We do not guarantee that our opinions or findings will be recognized or accepted by third parties.
- 9. Use of Names and Marks. Except as otherwise authorized by us in writing, you will not use our name, abbreviation, symbols, marks, or the name of any of our subsidiaries, affiliates, or parent on any goods or their containers or packaging, or in connection with any advertising, promotions, or otherwise.
- 10. Cancellation Fees. If you cancel or change a Quotation: (i) for an inspection after 3:00 PM of the working day before the scheduled inspection date, we will charge you the Quotation price plus any travel costs incurred before the cancellation; (ii) for testing after we receive the sample(s) at the testing facility, we will charge you cancellation fees according to the amount of actual work performed with a minimum cancellation fee of \$100 USD; or (iii) for a scheduled audit date, you will be responsible for all incurred non-refundable travel costs associate with that audit. Any change or cancellation of an audit that occurs within 7 days of the scheduled audit will be charged a \$600 USD fee in addition to any incurred travel costs.
- 11. No Warranty. NO REPRESENTATION, WARRANTY, OR GUARANTEE, EXPRESS OR IMPLIED, IS INCLUDED IN THESE TERMS AND CONDITIONS, OR IN ANY QUOTATION, REPORT, OR OTHER DOCUMENT PROVIDED UNDER THESE TERMS AND CONDITIONS INCLUDING, BUT NOT LIMITED TO: (i) ANY "IMPLIED WARRANTY OF MERCHANTABILITY" OR "FITNESS FOR A PARTICULAR PURPOSE", (ii) NON-INFRINGEMENT, AND (iii) THAT THE WEB SERVICES (AS DEFINED BELOW) WILL BE UNINTERRUPTED, TIMELY, SECURE, OR ERROR-FREE.
- 12. Your Information. You represent and warrant that all information and data provided to us by you, or on your behalf, is complete and accurate and may be relied upon to provide Services. In addition, you represent and warrant that all of Your Information is owned or licensed by you, and does not infringe on the intellectual property rights of any third party. If any information or data provided to us by you or on your behalf is either incomplete or inaccurate, we will not be liable in any manner for any deficiencies in the Services.
- 13. Ownership of Work Product. You will own the test reports or other materials provided to you pursuant to any Quotation. We may retain a copy of the test reports and other materials for our archives and for creating reports for you and third parties, as required by you.
- 14. Web Services. We may provide you with certain website tools and related services, including the ability to order services online through a website (collectively, the "Web Services"). The Web Services are provided to you as a convenience and are provided on an "as is, as available" basis. By using the Web Services, you acknowledge and agree that no data or content transmitted over our networks, the Internet, or wirelessly, or through or in connection with the Web Services is guaranteed to be secure or free from unauthorized intrusion, and that data stored by us, our affiliates, or our service providers may be deleted, modified, or damaged. You acknowledge that if you wish to protect your transmission of data or files to us, it is our responsibility to use a secure encryted connection to communicate with and use the Web Services. Your use of the Web Services is at your sele risk and is subject to any terms of use applicable to such Web Services are included in the definition of Services above.
- 15. Confidentiality. We will not disclose your information obtained in confidence ("Confidential Information") to third parties, except our subsidiaries, affiliates, or subcontractors, without your prior written authorization. Confidential Information will not include information: (a) already known to us. (b) publicly available, (c) subsequently acquired by us from other sources without a breach of these Terms and Conditions, (d) disclosure that is necessary to perform the Services, (e) required to be produced by law or government order, or accreditation authority, or (f) related to a product bearing a UL Mark that should be disclosed to us or our affiliates pursuant to another agreement with you.
- 16. Samples. If we require sample examination, you will ship samples to us at your expense. Upon completion of testing, the samples will be destroyed, unless other arrangements are made for return of the samples at your expense. You acknowledge that testing and sample preparation may damage or destroy the sample(s), for which we will not be liable.
- 17. LIMITATION OF LIABILITY. OUR LIABILITY FOR ANY CLAIMS FOR LOSS, DAMAGE, OR EXPENSE OF ANY NATURE AND HOWSOEVER ARISING FOR ANY BREACH OF CONTRACT AND/OR ANY FAILURE TO EXERCISE APPROPRIATE SKILL AND CARE BY US WILL UNDER NO CIRCUMSTANCE EXCEED THE FEES RECEIVED FOR THE SPECIFIC SERVICES WHICH GIVE RISE TO SUCH CLAIMS. UNDER NO CIRCUMSTANCE WILL WE HAVE ANY LIABILITY FOR ANY CLAIMS FOR INDRECT, CONSEQUENTIAL, INCIDENTAL, EXEMPLARY, OR PUNITIVE DAMAGES OF ANY NATURE WHATDSEVER, INCILLIDING BUT NOT LIMITED TO: LOSS OF PROFITS, GOODWILL, USE, DATA, FUTURE BUSINESS, OR PRODUCTION; CANCELLATION OF CONTRACTS ENTERED INTO BY YOU; OR OTHER INTANGIBLE LOSSES (EVEN IF WE HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES). UNDER NO CIRCUMSTANCE WILL WE BE LIABLE TO YOU FOR ANY CLAIMS FOR LOSS, DAMAGE, OR EXPENSE UNLESS SUCH CLAIM IS BROUGHT UNDER SECTION 26 (DISPUTES) WITHIN TWELVE MONTHS AFTER THE DATE OF THE PERFORMANCE BY US OF THE SERVICES WHICH GIVE RISE TO THE CLAIM OR, IN THE EVENT OF ANY ALLEGED NON-PERFORMANCE, WITHIN TWELVE MONTHS OF THE DATE WHEN SUCH SERVICES SHOULD HAVE BEEN COMPLETED.
- 18. Indemnification. You will defend, hold harmless, and indemnify us and our officers, directors, trustees, employees, agents, or subcontractors against all claims made by any third party for loss, damage, or expense arising out of these Terms and Conditions, including without limitation, the performance of any Services or the Web Services.
- 19. Waiver. Any failure by a party to insist upon the performance of any section of these Terms and Conditions will not constitute a waiver of any rights under these Terms and Conditions or future performance of that section.
- 20. No Third Party Beneficiaries. The parties intend that no provisions of these Terms and Conditions will in any way bind or benefit any third party or the public at large and that no third party will have any rights or cause of action under these Terms and Conditions. In particular, in the event Singapore law governs these Terms and Conditions pursuant to Section 24 (Governing Law), a person or entity who is not a party to these Terms and Conditions will have no right under the Contracts (Rights of Third Parties) Act (Chapter 53B) to enforce any term of these Terms and Conditions, regardless of whether such person or entity has been identified by name, as a member of a class, or as answering a particular description.
- 21. No Assignment. Neither party may assign any of its rights or obligations under these Terms and Conditions to any other person without the other party's written authorization. However, we may, upon written notice, assign our rights and obligations under these Terms and Conditions to any of our affiliates or subsidiaries.
- 22. Subcontracting. We may use subcontractors for certain testing or other Services. All subcontractors will meet our current qualification requirements and will comply with our requirements for confidentiality, conflicts of interest, and ethical standards.
- 23. Termination and Notice. These Terms and Conditions will continue in effect until terminated by either party upon thirty days written notice or, in the event of your breach of these Terms and Conditions, immediately upon receipt of written notice to you. You will pay those fees and expenses incurred by us prior to termination. Notice to either party may be made by hand delivery, courier service, mail, facsimile, or e-mail transmission at the receiving party's designated principal place of business. Notice to us esent both to: UL Verification Services Pte. Ltd, Attm: President, 1 Maritime Square, Harbour Front Centre, #11-03, Singapore 099253 with a copy to UL LLC, Attm: General Counsel at 333 Pfingsten Road, Northbrook, Illinois 60062. Notice will be effective upon receipt.
- 24. Governing Law: These Terms and Conditions will be governed and interpreted by the laws of the State of Illinois, United States of America, except if: (i) UL Contracting Party's principal place of business is Asia, Australia, or New Zealand, then Singapore law, and (ii) UL Contracting Party's principal place of business is Europe, then Swiss law, without reference to the applicable jurisdiction's choice of law principles.
- 25. Disputes. Any dispute or disagreement, other than nonpayment of fees, relating to these Terms and Conditions or the Services, will be settled by confidential, binding arbitration administered by the International Centre for Dispute Resolution of the American Arbitration Association ("AAA") pursuant to the AAA Commercial Arbitration Rules and the Procedures for Large, Complex Commercial Disputes. The arbitration were will be Chicago. Illinois, except If: (I) UL Contacting Party sprincipal place of business is in Europe, the venue will be Geneva. Switzerland, and (II) UL Contacting Party sprincipal place of business is in Europe, the venue will be Geneva. Switzerland, and (II) UL Contacting Party sprincipal place of business is in Europe, the venue will be Geneva. Switzerland, and (II) UL Contacting Party sprincipal place of business is in Europe, the venue will be Geneva. Switzerland, and (II) UL Contacting Party sprincipal place of business is in the AAA's procedures for Large, Complex Commercial arbitrators (who are experienced in and familiar with the AAA's Procedures for Large, Complex Commercial arbitrators (who are experienced in and familiar with the AAA's Procedures for Large, Complex Commercial Disputes). From this is its, Austratian each choose one arbitrator. Arbitrators will agree on a third arbitrator from the Ist of ten (10), who will be the chair of the panel, and the panel will be final. The decision of the managers (including, but not limitator of lates) the set Ferms and Conditions. The parel's decision will be conduced to profits), or exceed the remedies provided by the limitation of labels these Terms and Conditions. The panel's decision will be being and judgment on the arbitration wany be entered by a court order for injunctive relief (in addition to other remedies) to stop or prevent misuse or misappropriation of its marks, confidential or proprietary information, or infiningement of its intellectual property, in a court of law. All arbitrations will be conduced in English.
- 26. Severability. If any section of these Terms and Conditions is held invalid, void, or unenforceable for any reason that section will be severed, and all other sections of these Terms and Conditions will remain valid to the extent permissible under law.
- 27. Modifications. These Terms and Conditions are the entire and complete agreement between the parties and supersede any other communications, representations, or agreements with respect to its subject matter. Under no circumstances will any preprinted, additional, or different terms and conditions on your requests for quotation, purchase orders, invoices, sales or marketing materials, emails, any acceptance communications, or other business documents apply to any Services or Quotation or thind us in any manner. Modifications that have no the been made by us or that have not been accepted by us in a written or emailed confirmation or more requested by us, and commence will not signify acceptance by us of any such modifications. Any such modifications are excluded from our agreement, and such modifications will not be a binding agreement on us.
- 28. Order of Precedence. Except for conflicts with Section 3 (Payment Terms), Section 5 (Estimated Schedule and Price) and Section 10 (Cancellation Fees), these Terms and Conditions will take precedence over any conflicting terms in any Quotation.
- 29. Electronic Signature. These Terms and Conditions may be executed and delivered by facsimile, PDF, or by means of other electronic signature. Our electronic, digital, or hard copies of these Terms and Conditions, your acceptance, and Quotations as signed, or otherwise accepted, by you will be the true, complete, valid, authentic, and enforceable copies of these documents. You agree that you will not contest the admissibility or enforceability of our copies in a court or any proceeding arising out of such documents.
- 30. Force Majoure. Neither party will be liable for any failure or delay in the performance of its obligations due to fire, flood, earthquake, elements of nature, or acts of God, acts of war, terrorism, riots, civil disorder, rebellions, or other similar cause beyond the reasonable control of the party affected, provided such default or delay. (i) could not have been prevented by reasonable precautions, (ii) cannot reasonably be circumvented; (iii) and the party hindered or delayed immediately notifies the other party describing the circumstance causing delay.