

TEST REPORT

Applicant: EDISON NATION LLC
DBA CLOUD B
150 WEST WALNUT STREET SUITE 165
GARDENA CA 90248
USA
Attn: TRACY SHI

Number: HKGH02698617
Date: May 24, 2021

Submitted samples said to be :
Item Name : **(1) 7423-PR Tranquil Turtle Ocean**
: **(2) 7423-PK Tranquil Turtle-Pink**
: **(3) 7423-AQ Tranquil Turtle-Aqua**
Quantity : 18 pieces
Labelled Age Group : "0+"
Packaging Provided : Yes
Manufacturer : Edison Nation LLC/ 11 W BROAD ST SUITE 1004 BETHLEHEM PA
18018-5779
Buyer : Edison Nation LLC
Country of Origin : China

For and on behalf of :
Intertek Testing Services HK Ltd.



Cindy I.K. Chan
Vice President



TEST REPORT

Number : HKGH02698617

Conclusion:

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

<u>Requirement</u>	<u>Result</u>
(1) EN 71-1:2014 + A1:2018 - Mechanical and physical properties	Pass
(2) EN 71-2:2011 + A1:2014 - Flammability Test	Pass
(3) EN 71-3:2019 - Migration of certain elements	Pass
(4) REACH Regulation (EC) No.1907/2006 , Annex XVII Item 23 & amendment No. 2016/217 - Cadmium content requirement	Pass
(5) REACH Regulation (EC) no. 1907/2006, Annex XVII Items 51 & 52, amendment no. 552/2009 & 2018/2005 - Phthalates content	Pass
(6) RoHS Directive (2011/65/EU) - Restriction of the Use of certain Hazardous Substances in Electrical and Electronic Equipment	Pass
(7) RoHS Directive (2011/65/EU) and amendment Commission Delegated Directive (EU) 2015/863 - Phthalates content	Pass
(8) EN 62115 : 2005 + A12 : 2015 Safety of electric toys	Pass (Subjected to remark enclosed)
(9) EN IEC 62115 : 2020 + A11 : 2020 Safety of electric toys excluding clause 15.5	Pass (Subjected to remark enclosed)
(10) REACH Regulation (EC) no. 1907/2006, Annex XVII Item 43 & amendment (EC) no. 552/2009 and (EU) no. 2096/2020 - Azocolourants content ∞	Pass
(11) U.S. ASTM F963-17 - Physical and Mechanical tests	Pass
(12) U.S. ASTM F963-17 Section 4.25, 5.15 & 6.5 excluding section 4.25.10 for Battery-Powered Ride-on Toys" and section 4.25.11 for "Contain Secondary Cells or Secondary Batteries" - Battery-operated toys	Pass



TEST REPORT

Number : HKGH02698617

<u>Requirement</u>	<u>Result</u>
(13) ASTM F963-17 - Flammability Test of Materials other than textile materials	Pass
(14) ASTM F963-17 - Total Lead content	Pass
(15) ASTM F963-17 - Soluble heavy elements test ∞	Pass
(16) U.S. CFR Title 16 (CPSC Regulations) - Part 1303 - Total Lead content in surface coating	Not Applicable
U.S. Consumer Product Safety Improvement Act 2008 Title I Section 101 - Total Lead content in surface coating	Not Applicable
(17) U.S. Consumer Product Safety Improvement Act 2008 Title I Section 101 - Total Lead content in non-surface coating materials (substrate)	Pass
(18) ASTM F963-17 - Section 4.3.7 Stuffing Cleanliness Test	Pass
(19) US CPSC 16 CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates - Phthalate content	Pass
(20) California Proposition 65 for Toys (designed for or reasonable used by children under six years of age), Consent judgment no. BG-350969 - Phthalate content	Pass
(21) California Proposition 65 for toys, Consent Judgement no. RG-356892 - Lead content	Pass
(22) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019) section 21 - Celluloid or Cellulose nitrate	Pass
(23) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019) - Mechanical and physical test	Pass
(24) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 32 - Flammability test	Pass



TEST REPORT

Number : HKGH02698617

<u>Requirement</u>	<u>Result</u>
(25) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 23 with amendments SOR/2016-195 - Toxic elements test	Not Applicable
(26) Canada Consumer Product Safety Act Toys Regulations (SOR/2011-17) Item 27(3)(a)&(b) and amendment no. SOR/2016-195 - Heavy elements test	Pass
(27) Canada Consumer Product Safety Act Schedule II - Tris(2-chloroethyl) phosphate (TCEP) content	Not applicable
(28) The measured emission level of the apparatus did not exceed the accessible emission limit according to EN IEC 62115: 2020 + A11: 2020, Annex E	

Decision Rule(s):

When a statement of conformity to a specification or standard is provided on test report, the decision rule shall be applied. For details, please refer to Intertek's "Decision Rule Document" and is available on Intertek's website. <https://intertekhk.qrd.by/decision-rule-doc..>
If decision rule already inlined in the requested specification or standard, Intertek's "Decision Rule Document" is not applicable and indication of "∞" was shown as above table.



TEST REPORT

Number : HKGH02698617

(1) Mechanical and Physical Test

Test Standard : European Standard on Safety of toys EN 71-1:2014 + A1:2018

Age group for testing : For All Ages

Clause	Testing Items
8.3	Torque test (0.34 Nm)
8.4.2.1	Tension test (90 N)
8.4.2.2	Seams and materials (70 N)
8.5	Drop test (850 mm x 5)
8.7	Impact test (1 kg)
8.8	Compression test (110 N)

Clause	Requirement	Assessment
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put into mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing non -electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements for toys intended for children under 36 months	P
5.2	Soft-filled toys and soft-filled parts of a toy	P
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA



TEST REPORT

Number : HKGH02698617

Clause	Requirement	Assessment
5.8	Shape and size of certain toys	P
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling (7.24)	NA
6	Packaging	P
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile Toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation : P = Pass NA = Not Applicable



TEST REPORT

Number : HKGH02698617

The submitted samples were undergone the abuse tests for Clause 5.1 and 5.2 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking. After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Absent
Importer's address	Present	Absent
Product identification code	Absent	Present
CE-marking	Present	Present

Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provided instructions on how the toy has to be cleaned.

After checking, the cleaning instruction was found on the submitted samples.

Date sample received : Apr 08, 2021

Test Period : Apr 08, 2021 to Apr 15, 2021



TEST REPORT

Number : HKGH02698617

(2) Flammability Test

Test Standard : European Standard on Safety of Toys EN 71-2:2011 + A1:2014

Clause	Requirement	Assessment
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	P

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Apr 08, 2021
Test Period : Apr 08, 2021 to Apr 15, 2021



TEST REPORT

Number : HKGH02698617

(3) 19 Toxic Element Migration Test

Test Method : EN 71-3:2019. Acid extraction method was used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry and Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry and/or Gas Chromatographic - Mass Spectrometry

Category (III): Scraped-off toy material:

	Result (mg/kg)			Limit (mg/kg)
	(1)	(2)	(3)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



TEST REPORT

Number : HKGH02698617

	Result (mg/kg)			Limit (mg/kg)
	(4)	(5)	(6)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



TEST REPORT

Number : HKGH02698617

	Result (mg/kg)			Limit (mg/kg)
	(7)	(8)	(9)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



TEST REPORT

Number : HKGH02698617

	Result (mg/kg)			Limit (mg/kg)
	(10)	(11)	(12)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



TEST REPORT

Number : HKGH02698617

	Result (mg/kg)			Limit (mg/kg)
	(13)	(14)	(15)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



TEST REPORT

Number : HKGH02698617

	Result (mg/kg)			Limit (mg/kg)
	(16)	(17)	(18)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



TEST REPORT

Number : HKGH02698617

	Result (mg/kg)			Limit (mg/kg)
	(19)	(20)	(21)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



TEST REPORT

Number : HKGH02698617

	Result (mg/kg)	Limit
	(22)	(mg/kg)
Soluble Aluminium (Al)	<300	70000
Soluble Antimony (Sb)	<10	560
Soluble Arsenic (As)	<10	47
Soluble Barium (Ba)	<10	18750
Soluble Boron (B)	<50	15000
Soluble Cadmium (Cd)	<5	17
Soluble Chromium (III) (Cr III)	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	0.053
Soluble Cobalt (Co)	<10	130
Soluble Copper (Cu)	<10	7700
Soluble Lead (Pb)	<10	23
Soluble Manganese (Mn)	<10	15000
Soluble Mercury (Hg)	<10	94
Soluble Nickel (Ni)	<10	930
Soluble Selenium (Se)	<10	460
Soluble Strontium (Sr)	<100	56000
Soluble Tin (Sn)	<10	180000
Soluble Organic tin ++	<2.0	12
Soluble Zinc (Zn)	<100	46000

mg/kg = milligram per kilogram

++ : Unless the test result was marked with "Δ", Organic tin content was not directly determined and was derived from migration result of total tin.

Organic tin test result was expressed as tributyl tin.

Chromium (III) value was calculated as difference between migration results of total Chromium and Chromium (VI) .

The new aluminium migration limit [2250mg/kg for Category (I), 560mg/kg for category (II) and 28130mg/kg for Category (III)] was quoted from directive (EU) 2019/1922 amending 2009/48/EC effective from 20 May 2021.



TEST REPORT

Number : HKGH02698617

Tested Components:

- (1) Transparent pink plastic (shell cover, light cover of pink style).
- (2) Transparent blue plastic (shell cover, light cover of blue style).
- (3) Transparent aqua plastic (shell cover, light cover of aqua style).
- (4) Shiny pink plastic (buttons of pink style).
- (5) Shiny blue plastic (buttons of blue style).
- (6) Shiny aqua plastic (buttons of aqua style).
- (7) Dull pink plastic (on/off switch of pink style).
- (8) Dull blue plastic (on/off switch of blue style).
- (9) Dull aqua plastic (on/off switch of aqua style).
- (10) Black plastic (battery compartment, knob, pulley, holder of all styles).
- (11) Pink hooked velcro (base of pink style).
- (12) Blue hooked velcro (base of blue style).
- (13) Aqua hooked velcro (base of aqua style).
- (14) White satin with black printing (sewn-in labels of all styles).
- (15) White woven with light blue / blue / yellow thread stitching (brand label of all styles).
- (16) Pink brushed knit (cover of pink style).
- (17) Blue brushed knit (cover of blue style).
- (18) Aqua brushed knit (cover of aqua style).
- (19) 3mm pink plush (body of pink style).
- (20) 3mm blue plush with purple printing (body of blue style).
- (21) 3mm aqua plush with dark aqua printing (body of aqua style).
- (22) Black embroidery thread (eyes, mouth of all style).

Date sample received : Apr 08, 2021
Test Period : Apr 08, 2021 to Apr 14, 2021



TEST REPORT

Number : HKGH02698617

(4) Cadmium (Cd) Content

Test Method : Acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in %, w/w	Limit in %, w/w
(1/2/3)	ND	0.01
(4/5/6)	ND	0.01
(7/8)	ND	0.01
(9/10)	ND	0.01
(11/12/13)	ND	0.01
(14)	ND	0.01
(15/16/17)	ND	0.01
(18/19/20)	ND	0.01
(21/22/23)	ND	0.01
(24/25/26)	ND	0.01
(27/28/29)	ND	0.01
(30/31/32)	ND	0.01
(33/34/35)	ND	0.01
(36/37/38)	ND	0.01
(39/40/41)	ND	0.01
(42)	ND	0.01
(43)	ND	0.01

ND : Not detected (< 0.0005%)

The above limit was quoted according to REACH Regulation (EC) No. 1907/2006, Annex XVII Item 23 & amendment No. 2016/217.



TEST REPORT

Number : HKGH02698617

Tested Components:

- (1) Transparent pink plastic (shell cover, light cover of pink style).
- (2) Transparent blue plastic (shell cover, light cover of blue style).
- (3) Transparent aqua plastic (shell cover, light cover of aqua style).
- (4) Shiny pink plastic (buttons of pink style).
- (5) Shiny blue plastic (buttons of blue style).
- (6) Shiny aqua plastic (buttons of aqua style).
- (7) Dull pink plastic (on/off switch of pink style).
- (8) Dull blue plastic (on/off switch of blue style).
- (9) Dull aqua plastic (on/off switch of aqua style).
- (10) Black plastic (battery compartment, knob, pulley, holder of all styles).
- (11) Pink hooked velcro (base of pink style).
- (12) Blue hooked velcro (base of blue style).
- (13) Aqua hooked velcro (base of aqua style).
- (14) Off-white foam (cover of all styles) (internal).
- (15) Transparent plastic (washer) (internal).
- (16) Transparent plastic (LED) (internal).
- (17) Green printed PCB (internal).
- (18) Black foam with adhesive (sealing ring) (internal).
- (19) White foam (contact plate) (internal).
- (20) Translucent white plastic (pulley ring) (internal).
- (21) Translucent/ black plastic (keypad) (internal).
- (22) Grey plastic (wire covering) (internal).
- (23) Light grey plastic (wire covering) (internal).
- (24) Golden brown plastic (wire covering) (internal).
- (25) Pink plastic (wire covering) (internal).
- (26) Green plastic (wire covering) (internal).
- (27) Purple plastic (wire covering) (internal).
- (28) Orange plastic (wire covering) (internal).
- (29) White plastic (wire covering) (internal).
- (30) Dark brown plastic (wire covering) (internal).
- (31) Red plastic (wire covering) (internal).
- (32) Transparent glue (internal).
- (33) Brown plastic sheet with white printing (cover of capacitor) (internal).
- (34) Black plastic (base of capacitor) (internal).
- (35) Bright black plastic (on/off switch) (internal).
- (36) Brown PCB (back of on/off switch) (internal).
- (37) PCB of speaker (internal).
- (38) Transparent plastic sheet with black glue (speaker) (internal).
- (39) Pink plastic (shell of pink style) (internal).
- (40) Blue plastic (shell of blue style) (internal).
- (41) Aqua plastic (shell of aqua style) (internal).
- (42) Plastic parts of motor (internal).
- (43) Paper label with coatings (QC label) (internal).

Date sample received : Apr 08, 2021

Test Period : Apr 08, 2021 to Apr 14, 2021



TEST REPORT

Number : HKGH02698617

(5) Phthalate Content Test

Test Method : ISO 8124-6 : 2018 method A with internal standard calibration, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Seven Phthalates content:

Compound	Result (% w/w)			Limit (% w/w)
	(1/2/3)	(4/5/6)	(7/8)	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Diisobutyl phthalate (DIBP)	<0.01	<0.01	<0.01	--
Sum of DBP, DEHP, BBP & DIBP	<0.01	<0.01	<0.01	0.1
Diisononyl phthalate (DINP)	<0.01	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01	--
Diisodecyl phthalate (DIDP)	<0.01	<0.01	<0.01	--
Sum of DINP, DnOP & DIDP	<0.01	<0.01	<0.01	0.1

Compound	Result (% w/w)		Limit (% w/w)
	(9/10)	(11/12/13)	
Dibutyl phthalate (DBP)	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	--
Diisobutyl phthalate (DIBP)	<0.01	<0.01	--
Sum of DBP, DEHP, BBP & DIBP	<0.01	<0.01	0.1
Diisononyl phthalate (DINP)	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	--
Diisodecyl phthalate (DIDP)	<0.01	<0.01	--
Sum of DINP, DnOP & DIDP	<0.01	<0.01	0.1

Four Phthalates content:

Compound	Result (% w/w)			Limit (% w/w)
	(14)	(15/16/17)	(18/19/20)	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Diisobutyl phthalate (DIBP)	<0.01	<0.01	<0.01	--
Sum of DBP, DEHP, BBP & DIBP	<0.01	<0.01	<0.01	0.1



TEST REPORT

Number : HKGH02698617

Compound	Result (% w/w)			Limit (% w/w)
	(21/22/23)	(24/25/26)	(27/28/29)	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Diisobutyl phthalate (DIBP)	<0.01	<0.01	<0.01	--
Sum of DBP, DEHP, BBP & DIBP	<0.01	<0.01	<0.01	0.1

Compound	Result (% w/w)			Limit (% w/w)
	(30/31/32)	(33/34/35)	(36/37/38)	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Diisobutyl phthalate (DIBP)	<0.01	<0.01	<0.01	--
Sum of DBP, DEHP, BBP & DIBP	<0.01	<0.01	<0.01	0.1

Compound	Result (% w/w)			Limit (% w/w)
	(39/40/41)	(42)	(43)	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Diisobutyl phthalate (DIBP)	<0.01	<0.01	<0.01	--
Sum of DBP, DEHP, BBP & DIBP	<0.01	<0.01	<0.01	0.1

The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) no. 1907/2006, amendment no. 552/2009 taking into account the (EU) regulation 2018/2005 modifying entry 51 for which the DIBP shall not be placed on the market after 7 July 2020 in toys or childcare articles, individually or in any combination with the first three phthalates which already exist in the entry 51, in a concentration equal to or greater than 0,1 % by weight of the plasticised material.



TEST REPORT

Number : HKGH02698617

Tested Components:

- (1) Transparent pink plastic (shell cover, light cover of pink style).
- (2) Transparent blue plastic (shell cover, light cover of blue style).
- (3) Transparent aqua plastic (shell cover, light cover of aqua style).
- (4) Shiny pink plastic (buttons of pink style).
- (5) Shiny blue plastic (buttons of blue style).
- (6) Shiny aqua plastic (buttons of aqua style).
- (7) Dull pink plastic (on/off switch of pink style).
- (8) Dull blue plastic (on/off switch of blue style).
- (9) Dull aqua plastic (on/off switch of aqua style).
- (10) Black plastic (battery compartment, knob, pulley, holder of all styles).
- (11) Pink hooked velcro (base of pink style).
- (12) Blue hooked velcro (base of blue style).
- (13) Aqua hooked velcro (base of aqua style).
- (14) Off-white foam (cover of all styles) (internal).
- (15) Transparent plastic (washer) (internal).
- (16) Transparent plastic (LED) (internal).
- (17) Green printed PCB (internal).
- (18) Black foam with adhesive (sealing ring) (internal).
- (19) White foam (contact plate) (internal).
- (20) Translucent white plastic (pulley ring) (internal).
- (21) Translucent/ black plastic (keypad) (internal).
- (22) Grey plastic (wire covering) (internal).
- (23) Light grey plastic (wire covering) (internal).
- (24) Golden brown plastic (wire covering) (internal).
- (25) Pink plastic (wire covering) (internal).
- (26) Green plastic (wire covering) (internal).
- (27) Purple plastic (wire covering) (internal).
- (28) Orange plastic (wire covering) (internal).
- (29) White plastic (wire covering) (internal).
- (30) Dark brown plastic (wire covering) (internal).
- (31) Red plastic (wire covering) (internal).
- (32) Transparent glue (internal).
- (33) Brown plastic sheet with white printing (cover of capacitor) (internal).
- (34) Black plastic (base of capacitor) (internal).
- (35) Bright black plastic (on/off switch) (internal).
- (36) Brown PCB (back of on/off switch) (internal).
- (37) PCB of speaker (internal).
- (38) Transparent plastic sheet with black glue (speaker) (internal).
- (39) Pink plastic (shell of pink style) (internal).
- (40) Blue plastic (shell of blue style) (internal).
- (41) Aqua plastic (shell of aqua style) (internal).
- (42) Plastic parts of motor (internal).
- (43) Paper label with coatings (QC label) (internal).

Date sample received : Apr 08, 2021

Test Period : Apr 08, 2021 to Apr 15, 2021



TEST REPORT

Number : HKGH02698617

(6) RoHS Test

(A) Result

Screened Components	XRF Results (mg/kg)					Chemical Confirmation Result
	Cd	Pb	Hg	Cr	Br	
(1)	ND	ND	ND	ND	ND	--
(2)	ND	ND	ND	ND	ND	--
(3)	ND	ND	ND	ND	ND	--
(4)	ND	ND	ND	ND	ND	--
(5)	ND	ND	ND	ND	ND	--
(6)	ND	ND	ND	ND	ND	--
(7)	ND	ND	ND	ND	ND	--
(8)	ND	ND	ND	ND	ND	--
(9)	ND	ND	ND	ND	ND	--
(10)	ND	ND	ND	ND	ND	--
(11)	ND	ND	ND	ND	ND	--
(12)	ND	ND	ND	ND	ND	--
(13)	ND	ND	ND	ND	ND	--
(14)	ND	ND	ND	ND	ND	--
(15)	ND	ND	ND	ND	NA	--
(16)	ND	ND	ND	ND	ND	--
(17)	ND	ND	ND	ND	ND	--
(18)	ND	ND	ND	ND	NA	--
(19)	ND	ND	ND	ND	NA	--
(20)	ND	ND	ND	ND	NA	--
(21)	ND	ND	ND	ND	NA	--
(22)	ND	ND	ND	ND	ND	--
(23)	ND	ND	ND	D	NA	--
(24)	ND	ND	ND	ND	NA	--
(25)	ND	ND	ND	ND	ND	--
(26)	ND	ND	ND	ND	ND	--
(27)	ND	ND	ND	ND	ND	--
(28)	ND	ND	ND	ND	ND	--
(29)	ND	D	ND	ND	NA	--
(30)	ND	ND	ND	ND	ND	--
(31)	ND	ND	ND	D	NA	--
(32)	ND	ND	ND	ND	ND	--
(33)	ND	ND	ND	ND	NA	--
(34)	ND	ND	D	ND	NA	--
(35)	ND	ND	ND	ND	ND	--



TEST REPORT

Number : HKGH02698617

Screened Components	XRF Results (mg/kg)					Chemical Confirmation Result
	Cd	Pb	Hg	Cr	Br	
(36)	ND	ND	ND	ND	NA	--
(37)	ND	ND	ND	ND	ND	--
(38)	ND	ND	ND	ND	NA	--
(39)	ND	ND	ND	ND	#	PBBs:ND PBDEs:ND
(40)	ND	ND	ND	ND	NA	--
(41)	ND	ND	ND	ND	NA	--
(42)	ND	ND	ND	ND	ND	--
(43)	ND	ND	ND	ND	ND	--
(44)	ND	ND	ND	ND	ND	--
(45)	ND	ND	ND	ND	NA	--
(46)	ND	ND	ND	ND	ND	--
(47)	ND	ND	ND	ND	ND	--
(48)	ND	ND	ND	ND	ND	--
(49)	ND	ND	ND	ND	ND	--
(50)	ND	ND	ND	ND	NA	--
(51)	ND	ND	ND	ND	ND	--
(52)	ND	ND	ND	ND	ND	--
(53)	ND	ND	ND	ND	ND	--
(54)	ND	ND	ND	ND	ND	--
(55)	ND	ND	ND	ND	NA	--
(56)	ND	ND	ND	ND	ND	--
(57)	ND	ND	ND	ND	ND	--
(58)	ND	ND	ND	ND	NA	--
(59)	ND	ND	ND	ND	ND	--
(60)	ND	ND	ND	ND	ND	--
(61)	ND	ND	ND	ND	ND	--
(62)	ND	ND	ND	ND	ND	--
(63)	ND	ND	ND	ND	ND	--
(64)	ND	ND	ND	ND	ND	--
(65)	ND	ND	ND	ND	ND	--
(66)	ND	ND	ND	ND	ND	--
(67)	ND	ND	ND	ND	ND	--
(68)	ND	ND	ND	ND	ND	--
(69)	ND	ND	ND	ND	ND	--
(70)	ND	ND	ND	ND	ND	--
(71)	ND	ND	ND	ND	ND	--
(72)	ND	ND	ND	ND	NA	--
(73)	ND	ND	ND	#	NA	Cr ⁶⁺ :ND
(74)	ND	ND	ND	ND	NA	--



TEST REPORT

Number : HKGH02698617

Screened Components	XRF Results (mg/kg)					Chemical Confirmation Result
	Cd	Pb	Hg	Cr	Br	
(75)	ND	ND	ND	ND	ND	--
(76)	ND	ND	ND	ND	#	PBBs:ND PBDEs:ND
(77)	ND	ND	ND	ND	NA	--
(78)	ND	ND	ND	ND	ND	--
(79)	ND	ND	ND	ND	ND	--
(80)	ND	ND	ND	ND	NA	--
(81)	ND	ND	ND	ND	NA	--
(82)	ND	ND	ND	ND	ND	--
(83)	ND	ND	ND	ND	NA	--
(84)	ND	ND	ND	ND	ND	--
(85)	ND	ND	ND	ND	ND	--
(86)	ND	D	ND	D	NA	--
(87)	ND	ND	ND	ND	NA	--
(88)	ND	ND	ND	ND	NA	--
(89)	ND	ND	ND	ND	ND	--
(90)	ND	ND	ND	ND	NA	--
(91)	ND	ND	ND	ND	NA	--
(92)	ND	ND	ND	ND	ND	--
(93)	ND	ND	ND	ND	ND	--
(94)	ND	ND	ND	ND	NA	--
(95)	ND	ND	ND	ND	ND	--
(96)	ND	ND	ND	#	ND	Cr ⁶⁺ :ND
(97)	ND	ND	ND	ND	#	PBBs:ND PBDEs:ND
(98)	ND	ND	ND	ND	NA	--
(99)	ND	ND	ND	ND	ND	--
(100)	ND	ND	ND	#	NA	Cr ⁶⁺ :ND
(101)	ND	ND	ND	ND	ND	--
(102)	ND	ND	ND	#	NA	Cr ⁶⁺ :ND
(103)	ND	ND	ND	ND	ND	--
(104)	ND	ND	ND	ND	ND	--
(105)	ND	ND	ND	ND	ND	--
(106)	ND	ND	ND	ND	ND	--
(107)	ND	ND	ND	ND	ND	--
(108)	ND	ND	ND	ND	ND	--
(109)	ND	ND	ND	ND	ND	--
(110)	ND	ND	ND	ND	ND	--
(111)	ND	ND	ND	ND	ND	--
(112)	ND	ND	ND	ND	ND	--



TEST REPORT

Number : HKGH02698617

ND : Not Detected

NA : Not Applicable

D : Detected : Below the lower screening limit of table(B) and pass.

ppm : part per million = mg/kg

: Inconclusive

List of Polybrominated Biphenyls (PBBs) and Polybrominated Diphenyl Ethers (PBDEs) in chemical confirmation test:

PBBs	PBDEs
Monobromobiphenyl (monoBB)	Monobromodiphenyl ether (MonoBDE)
Dibromobiphenyl (DiBB)	Dibromodiphenyl ether (DiBDE)
Tribromobiphenyl (TriBB)	Tribromodiphenyl ether (TriBDE)
Tetrabromobiphenyl (TetraBB)	Tetrabromodiphenyl ether (TetraBDE)
Pentabromobiphenyl (PentaBB)	Pentabromodiphenyl ether (PentaBDE)
Hexabromobiphenyl (HexaBB)	Hexabromodiphenyl ether (HexaBDE)
Heptabromobiphenyl (HeptaBB)	Heptabromodiphenyl ether (HeptaBDE)
Octabromobiphenyl (OctaBB)	Octabromodiphenyl ether (OctaBDE)
Nonabromobiphenyl (NonaBB)	Nonabromodiphenyl ether (NonaBDE)
Decabromobiphenyl (DecaBB)	Decabromodiphenyl ether (DecaBDE)



TEST REPORT

Number : HKGH02698617

(B) XRF screening limits in mg/kg for regulated elements in various matrices

Element	Polymer Materials	Metallic Materials	Composite Materials
Cd	$P \leq 70 < X < 130 \leq F$	$P \leq 70 < X < 130 \leq F$	$P \leq 70 < X < 150 \leq F$
Pb	$P \leq 700 < X < 1300 \leq F$	$P \leq 700 < X < 1300 \leq F$	$P \leq 500 < X < 1500 \leq F$
Hg	$P \leq 700 < X < 1300 \leq F$	$P \leq 700 < X < 1300 \leq F$	$P \leq 500 < X < 1500 \leq F$
Cr	$P \leq 700 < X$	$P \leq 700 < X$	$P \leq 500 < X$
Br	$P \leq 300 < X$	Not applicable	$P \leq 250 < X$

P = Pass
 X = Inconclusive result
 F = Fail
 mg/kg = milligram per kilogram = ppm

(C) Estimated detection limits in mg/kg for regulated elements in various matrices

Element	Polymer Materials	Metallic Materials	Composite Materials
Cd	50	70	70
Pb	100	200	200
Hg	100	200	200
Cr	100	200	200
Br	200	Not Applicable	200

Disclaimers:

This XRF screening report is for reference purposes only. The applicant shall make its/His/Her own judgement as to whether the information provided in this XRF screening report is sufficient for its/His/Her purposes.

The results shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. Plastic, Rubber, Metal, Glass, Ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



TEST REPORT

Number : HKGH02698617

(D) Test Methods

Testing Item	Testing Method	Reporting Limit
XRF screening	With reference to IEC 62321-3-1 edition 1.0 : 2013, by X-ray fluorescence spectrometry	Refer to (C)
Cadmium (Cd) Content	With reference to IEC 62321-5 edition 1.0 : 2013, by acid digestion and determined by ICP-OES	10 mg/kg
Lead (Pb) Content	With reference to IEC 62321-5 edition 1.0 : 2013, by acid digestion and determined by ICP-OES	10 mg/kg
Mercury (Hg) Content	With reference to IEC 62321-4 edition 1.0 : 2013+AMD1:2017, by acid digestion and determined by ICP-OES	10 mg/kg
Chromium (VI) (Cr ⁶⁺) Content (For Non-Metal)	With reference to IEC 62321-7-2 : 2017, by alkaline digestion and determined by UV-VIS spectrophotometer	5 mg/kg
Chromium (VI) (Cr ⁶⁺) Content (For Leather)	With reference to EN ISO17075 : 2007, by phosphate butter extraction and determined by UV-VIS spectrophotometer	1 mg/kg
Chromium (VI) (Cr ⁶⁺) Content (For Metal)	With reference to IEC 62321-7-1 : 2015, by boiling water extraction and determined by UV-VIS spectrophotometer	0.1 µg/cm ²
Polybrominated Biphenyls (PBBs) & Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321-6 : 2015, by solvent extraction and determined by GC/MS.	20 mg/kg

The explanation of Chromium VI (Cr⁶⁺) analysis result (For Metal)

Colorimetric result	Qualitative result	Explanation
< 0.10 µg/cm ²	Negative	The result of sample is negative for Cr (VI). The sample coating is considered a non-Cr(VI) based coating.
≥ 0.10 µg/cm ² and ≤ 0.13 µg/cm ²	Inconclusive	The result of sample is considered to be inconclusive. If addition samples are available, recommend to add trials and get the average result for the final determination.
> 0.13 µg/cm ²	Positive	The result of sample is positive for Cr(VI). The sample coating is considered to contain Cr(VI).A result expresses as positive, while not an actual value, which indicates a visual observation was used.



TEST REPORT

Number : HKGH02698617

(E) RoHS requirements

Restricted substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 ppm)
Polybrominated biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated diphenyl ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from Annex II of 2011/65/EU.

Tested Components:

- (1) Blue/purple printed short pile plush (body of blue turtle).
- (2) Black embroidery thread backed with short pile plush (eyes, mouth of all turtle).
- (3) White satin with black printing (sewn-in label of all turtle).
- (4) White fabric with blue / light blue / lime green thread stitching (sewn-in label of all turtle).
- (5) White felt (binding of all turtle).
- (6) White webbing (binding of all turtle).
- (7) White stuffing material (filling of all turtle).
- (8) Transparent blue plastic (shell of blue turtle).
- (9) Blue plastic (button, inner body of blue turtle).
- (10) Blue brushed knit (battery box cover of blue turtle).
- (11) Pale yellow foam (battery box cover of all turtle).
- (12) White mesh (battery box cover of all turtle).
- (13) Blue hooked velcro with blue thread (velcro of blue turtle).
- (14) Black plastic (battery box, holder, inner body of all turtle).
- (15) Dull silver color metal (screw).
- (16) Transparent plastic (washer).
- (17) Black foam backed with adhesive (cushion on battery door).
- (18) Silver color metal (battery contact plate).
- (19) Silver color metal (battery spring).
- (20) Solder (on contact plate).
- (21) Silver color metal (nut).
- (22) Dull white plastic (nut holder).
- (23) Silver color metal (screw).
- (24) Silver color metal (washer screw).
- (25) Black plastic (ring).
- (26) White foam (pad).
- (27) Translucent glue.
- (28) Translucent white plastic (ring).
- (29) Silver color metal (nail).
- (30) Translucent plastic (washer).



TEST REPORT

Number : HKGH02698617

Tested Components:

- (31) Black plated metal (frame of slide switch).
- (32) Black plastic (switch of slide switch).
- (33) Dull silver color metal (spring of slide switch).
- (34) Silver color metal (contact plate of slide switch).
- (35) Brown fibre board with red printing (PCB of slide switch).
- (36) Silver color metal (lead of slide switch).
- (37) Black plastic (button of variable resistor).
- (38) Silver color metal (contact plate of variable resistor).
- (39) Green fibre board (PCB of variable resistor).
- (40) Silver color metal (base of variable resistor).
- (41) Silver color metal (lead of variable resistor).
- (42) Translucent/black plastic (keypad).
- (43) Green/light brown fibre board (PCB).
- (44) Transparent plastic (LED).
- (45) Silver color metal (lead of LED).
- (46) Dull green/brown fibre board (PCB).
- (47) Brown plastic with white printing (jacket of electrolytic capacitor).
- (48) Silver color body (body of electrolytic capacitor).
- (49) Black plastic (base of electrolytic capacitor).
- (50) Silver color metal (lead of electrolytic capacitor).
- (51) Black body with silver color metal (SMD transistor).
- (52) Brown body with silver color metal (SMD capacitor).
- (53) White body with black printing and silver color metal (SMD resistor).
- (54) Black epoxy with chip (IC on PCB).
- (55) Solder (on PCB).
- (56) Deep green/brown fibre board (PCB).
- (57) Beige body (resistor).
- (58) Silver color metal (lead of resistor).
- (59) Translucent orange plastic (wire insulator).
- (60) Translucent light purple plastic (wire insulator).
- (61) Translucent green plastic (wire insulator).
- (62) Translucent pink plastic (wire insulator).
- (63) Translucent brown plastic (wire insulator).
- (64) Translucent light grey plastic (wire insulator).
- (65) Translucent black plastic (wire insulator).
- (66) Translucent red plastic (wire insulator).
- (67) White plastic (wire insulator).
- (68) Purple plastic (wire insulator).
- (69) Grey plastic (wire insulator).
- (70) Orange plastic (wire insulator).
- (71) Red plastic (wire insulator).
- (72) Copper color metal (wire).
- (73) Blue plated metal (frame of speaker).
- (74) Blue plated metal with black printing (magnet holder of speaker).



TEST REPORT

Number : HKGH02698617

Tested Components:

- (75) Black glue (on speaker).
- (76) Green fibre board (PCB of speaker).
- (77) Solder (on speaker).
- (78) Black plastic (edge of speaker).
- (79) Transparent plastic (diaphragm of speaker).
- (80) Copper color metal (coil of speaker).
- (81) Blue plated metal (magnet cover of speaker).
- (82) Black felt (dust filter of speaker).
- (83) Blue plated metal (magnet of speaker).
- (84) White plastic (gear).
- (85) Ivory plastic (cap of motor).
- (86) Silver color metal (washer on cap of motor).
- (87) Silver color metal (contact plate holder of motor).
- (88) Silver color metal (contact plate of motor).
- (89) White plastic (on contact plate of motor).
- (90) Dull silver color metal (case of motor).
- (91) Dim silver color metal (washer on case of motor).
- (92) Dark grey plastic (magnet of motor).
- (93) White plastic (ring of motor).
- (94) Silver color metal (commutator case of motor).
- (95) Red paper (ring on commutator holder of motor).
- (96) Dark grey body with silver color printing (commutator holder of motor).
- (97) Pale brown plastic (commutator of motor).
- (98) Copper color metal (coil of motor).
- (99) White plastic (rotor cover of motor).
- (100) Silver color metal (rotor of motor).
- (101) Pale grey plastic (tube of motor).
- (102) Silver color metal (axle of motor).
- (103) Pink short pile plush (body of pink turtle).
- (104) Transparent pink plastic (shell of pink turtle).
- (105) Pink plastic (button, inner body of pink turtle).
- (106) Pink brushed knit (battery box cover of pink turtle).
- (107) Pink hooked velcro (velcro of pink turtle).
- (108) Aqua short pile plush (body of aqua turtle).
- (109) Transparent aqua plastic (shell of aqua turtle).
- (110) Aqua plastic (button, inner body of aqua turtle).
- (111) Aqua brushed knit (battery box cover of aqua turtle).
- (112) Aqua hooked velcro (velcro of aqua turtle).

Date sample received : Apr 08, 2021
Test Period : Apr 08, 2021 to Apr 15, 2021



TEST REPORT

Number : HKGH02698617

(7) Phthalate Content Test

Test Method : IEC 62321-8:2017, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Compound	Result (% w/w)			Limit (% w/w)
	(1/2/3)	(4/5/6)	(7/8)	
Diisobutyl phthalate (DIBP)	<0.01	<0.01	<0.01	0.1

Compound	Result (% w/w)			Limit (% w/w)
	(9/10)	(11/12/13)	(14)	
Diisobutyl phthalate (DIBP)	<0.01	<0.01	<0.01	0.1

Compound	Result (% w/w)			Limit (% w/w)
	(15/16/17)	(18/19/20)	(21/22/23)	
Diisobutyl phthalate (DIBP)	<0.01	<0.01	<0.01	0.1

Compound	Result (% w/w)			Limit (% w/w)
	(24/25/26)	(27/28/29)	(30/31/32)	
Diisobutyl phthalate (DIBP)	<0.01	<0.01	<0.01	0.1

Compound	Result (% w/w)			Limit (% w/w)
	(33/34/35)	(36/37/38)	(39/40/41)	
Diisobutyl phthalate (DIBP)	<0.01	<0.01	<0.01	0.1

Compound	Result (% w/w)		Limit (% w/w)
	(42)	(43)	
Diisobutyl phthalate (DIBP)	<0.01	<0.01	0.1

The above limit was quoted according to Commission Delegated Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

The restriction of DEHP, BBP and DBP shall not apply to toys which are already subject to the restriction of DEHP, BBP and DBP through entry 51 of Annex XVII to Regulation (EC) No 1907/2006.



TEST REPORT

Number : HKGH02698617

Tested Components:

- (1) Transparent pink plastic (shell cover, light cover of pink style).
- (2) Transparent blue plastic (shell cover, light cover of blue style).
- (3) Transparent aqua plastic (shell cover, light cover of aqua style).
- (4) Shiny pink plastic (buttons of pink style).
- (5) Shiny blue plastic (buttons of blue style).
- (6) Shiny aqua plastic (buttons of aqua style).
- (7) Dull pink plastic (on/off switch of pink style).
- (8) Dull blue plastic (on/off switch of blue style).
- (9) Dull aqua plastic (on/off switch of aqua style).
- (10) Black plastic (battery compartment, knob, pulley, holder of all styles).
- (11) Pink hooked velcro (base of pink style).
- (12) Blue hooked velcro (base of blue style).
- (13) Aqua hooked velcro (base of aqua style).
- (14) Off-white foam (cover of all styles) (internal).
- (15) Transparent plastic (washer) (internal).
- (16) Transparent plastic (LED) (internal).
- (17) Green printed PCB (internal).
- (18) Black foam with adhesive (sealing ring) (internal).
- (19) White foam (contact plate) (internal).
- (20) Translucent white plastic (pulley ring) (internal).
- (21) Translucent/ black plastic (keypad) (internal).
- (22) Grey plastic (wire covering) (internal).
- (23) Light grey plastic (wire covering) (internal).
- (24) Golden brown plastic (wire covering) (internal).
- (25) Pink plastic (wire covering) (internal).
- (26) Green plastic (wire covering) (internal).
- (27) Purple plastic (wire covering) (internal).
- (28) Orange plastic (wire covering) (internal).
- (29) White plastic (wire covering) (internal).
- (30) Dark brown plastic (wire covering) (internal).
- (31) Red plastic (wire covering) (internal).
- (32) Transparent glue (internal).
- (33) Brown plastic sheet with white printing (cover of capacitor) (internal).
- (34) Black plastic (base of capacitor) (internal).
- (35) Bright black plastic (on/off switch) (internal).
- (36) Brown PCB (back of on/off switch) (internal).
- (37) PCB of speaker (internal).
- (38) Transparent plastic sheet with black glue (speaker) (internal).
- (39) Pink plastic (shell of pink style) (internal).
- (40) Blue plastic (shell of blue style) (internal).
- (41) Aqua plastic (shell of aqua style) (internal).
- (42) Plastic parts of motor (internal).
- (43) Paper label with coatings (QC label) (internal).

Date sample received : Apr 08, 2021

Test Period : Apr 08, 2021 to Apr 15, 2021



TEST REPORT

Number : HKGH02698617

(8) Safety of Electric Toys

Test Standard : European Standard EN 62115 : 2005 + A12 : 2015 on Safety of electric toys.

Age group for testing : For All Ages

Power source: 4.5V, LR6 size x 3 pcs

Included battery: Yes (LR6 size x 3 pcs)

Operated function : Battery powered light, sound and motion

Clause	Requirement	Assessment
1	Scope	--
2	Normative reference	--
3	Definitions	--
4	General requirement	--
5.13	Battery polarity reversed test	P
6	Criteria for reduced testing	--
7	Marking and instructions	P#1
8	Power input	NA
9	Heating and abnormal operation	P
10	Electric strength at operating temperature	P
11	Moisture resistance	P
12	Electric strength at room temperature	P
13	Mechanical strength	P
14	Construction	P
15	Protection of cords and wires	P
16	Components	P
17	Screws and connections	P
18	Clearances and creepage distances	P
19	Resistance to heat and fire	P
20	Toxicity and similar hazards	#2
	Radiation hazard - Annex E Toys incorporating laser / light-emitting diodes (LED)	#3
	Toys with an integrated field source - Annex ZC Toys generating Electromagnetic Fields (EMF)	NA
Annex A	Experimental sets	NA
Annex B	Needle flame test	NA
Annex C	Automatic controls and switches	NA
Annex D	Sequence of the tests of Clause 19	--



TEST REPORT

Number : HKGH02698617

Clause	Requirement	Assessment
Annex ZB	Toys with protective electronic circuit influence from electromagnetic phenomena (EMP).	NA

Abbreviation : P = Pass NA = Not Applicable

Remark(s):

#1 = Only the English version of the marking and instructions were assessed. According to the standard, instruction sheets and other texts required by the standard shall be written in the official language of the country in which the product is to be sold.

#2 = This report does not include test result of toxicity and similar hazard.

#3 = This report does not include test result of IEC 60825-1 class 1 for the lasers / light emitting diodes (LEDs).

Date sample received : Apr 08, 2021

Test Period : Apr 08, 2021 to Apr 29, 2021

(9) Safety of Electric Toys

Test Standard : European Standard EN IEC 62115 : 2020 + A11 : 2020 on Safety of electric toys

Age group for testing : For All Ages

Power source: 4.5V, LR6 size x 3 pcs

Included battery: Yes (LR6 size x 3 pcs)

Operated function : Battery powered light, sound and motion

Clause	Requirement	Assessment
1	Scope	--
2	Normative reference	--
3	Term and definitions	--
4	General requirement	--
5	General conditions for test	P
5.1	General Ambient temperature: 20°C ± 5°C	--
5.2	Preconditioning	A
5.3	Assembly	NA
5.4	Movable parts	A
5.5	Detachable parts	NA
5.6	Settings	A
5.7	Selection of power supplies	A



TEST REPORT

Number : HKGH02698617

Clause	Requirement	Assessment
	Carried out with one or more batteries reversed	P
5.8	Accessories and parts	NA
6	Criteria for reduced testing	NA
6.1	General	--
6.2	Short-circuit resistance	NA
6.3	Low power electric toys	NA
6.4	Battery circuits	NA
7	Marking and instructions	P
7.1	General	P#1
7.2	Markings on electric toys	P#2
7.3	Instructions and markings on packaging	P
7.4	Instructions for electric toys that can be connected to class I equipment	NA
7.5	Instructions for ride-on electric toys	NA
7.6	Temperature warnings	NA
8	Power input	NA
9	Heating and abnormal operation	P
9.1	General	P
9.2	Testing condition	--
9.3	Normal operation	P
9.4	Normal operation with insulation short-circuited	P
9.5	Abnormal operation with temperature controls made inoperable	NA
9.6	Electric toys with accessible moving parts locked	NA
9.7	Additional transformers and power supplies	NA
9.8	Abnormal supply to electric toys via a USB connection	NA
9.9	Fault condition in electronic circuits	P
9.10	Compliance criteria	P
10	Electric strength	P
10.1	Electric strength at operating temperature	P
10.2	Electric strength under humid conditions	P
11	Electric toys used in water, electric toys used with liquid and electric toys cleaned with liquid	NA
	To be used with liquid and electric toys intended to filled from a tap	NA
	To be cleaned with liquid	NA
	To be used in water	NA
12	Mechanical strength	P
12.1	Enclosures	P
12.2	Attachment strength	NA
13	Construction	P
13.1	Nominal supply voltage	P
13.2	Transformers, power supplies and battery chargers	NA
13.3	Thermal cut-outs	NA



TEST REPORT

Number : HKGH02698617

Clause	Requirement	Assessment
13.4	Batteries	P
13.5	Plug and sockets	NA
13.6	Charging batteries	NA
13.7	Series motors	NA
13.8	Working voltage	NA
13.9	Electric toys connecting to other equipment	NA
13.10	Speed limitation of ride-on electric toys	NA
14	Protection of cords and wires	P
14.1	Edges and moving parts	P
14.2	Fixed parts	NA
15	Components	P
15.1.1	General	P
15.1.2	Switches and automatic controls	NA
15.1.3	Other components	P
15.2	Prohibited components	P
15.3	Transformers and power supplies	NA
15.4	Battery chargers	NA
15.5	Batteries	NC#3
	Supplied primary batteries comply with the relevant parts of the IEC 60086 series	NC
	Supplied secondary batteries comply with IEC 62133	NA
16	Screws and connections	P
16.1	Fixings	P
16.2	Connections	NA
17	Clearances and creepage distances	P
18	Resistance to heat and fire	P
18.1	Resistance to heat	NA
18.2	Resistance to fire	P
19	Radiation and similar hazards	--
19.1	General	--
19.2	Optical radiation (In Annex E)	--
19.3	Other electromagnetic radiation (In Annex I)	--
Annex A	Experimental sets	NA
Annex B	Needle flame test	NA
Annex C	Automatic controls and switches	NA
C.1	Automatic controls	NA
C.2	Switches	NA
Annex D	Electric toys with protective electronic circuits	NA
D.1	General	NA
D.2	Dangerous malfunction	NA
D.2.1	General	NA



TEST REPORT

Number : HKGH02698617

Clause	Requirement	Assessment
D.2.2	Electrostatic discharges	NA
D.2.3	Radiated fields	NA
D.2.4	Transient bursts	NA
D.2.5	Voltage surges	NA
D.2.6	Injected current	NA
D.2.7	Voltage dips and interruptions	NA
D.2.8	Mains signals	NA
Annex E	Safety of electric toys incorporating optical radiation sources	--
	19.E.2 - 19.E.4 Radiation Hazard	#4
	19.E.5 Modulated accessible emission warning	NA
Annex F	Flowcharts showing the assessment of optical radiation safety of LEDs in electric toys	--
Annex G	Examples of calculations on LEDs	--
Annex H	Explanation of the principles used for the requirements of Annex E	--
Annex I	Electric toys generating electromagnetic fields (EMF)	NA
Annex J	Safety of remote controls for electric ride-on toys	NA
Annex K	Flow charts showing the application of Clause 9	--

Abbreviation : P = Pass NA = Not Applicable NC = Not Conducted A = Applicable



TEST REPORT

Number : HKGH02698617

Remark(s):

#1 = Only the English version of the marking and instructions were assessed. According to the standard, instruction sheets and other texts required by the standard shall be written in the official language of the country in which the product is to be sold.

#2 = Clause 7.2.1 Below are additional information according to the requirement in Toy Safety Directive 2009/48/EC relating to marking of toys and do not constitute requirements of this European Standard:
The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Absent
Importer's address	Present	Absent
Product identification code	Present	Present

#3 = As requested by the applicant, the Clause 15.5 was not assessed.
Primary batteries supplied with electric toys shall comply with the relevant parts of the IEC 60086 series latest version.

#4 = As requested by the applicant, the Annex E Clauses 19.E.2 -19.E.4 were not assessed.

Date sample received : Apr 08, 2021
Test Period : Apr 08, 2021 to Apr 29, 2021



TEST REPORT

Number : HKGH02698617

(10) Detection Of Amines Derived From Azocolourants and Azodyes

Test Method : By extraction on cut sample according to the below listed test method(s), followed by Gas Chromatographic - Mass Spectrometric (GC-MS) analysis and confirmed by High-Performance Liquid Chromatography / Diode Array Detector (HPLC/DAD) analysis.

EN ISO 14362-1 : 2017 for Textile Material

Method T:

No.	Forbidden Amine	CAS No.	Result (ppm)		
			(1/2/3)	(4)	(5)
1	4-Aminodiphenyl	92-67-1	N	N	N
2	Benzidine	92-87-5	N	N	N
3	4-Chloro-o-toluidine	95-69-2	N	N	N
4	2-Naphthylamine	91-59-8	N	N	N
5	o-Aminoazotoluene	97-56-3	N	N	N
6	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7	p-Chloroaniline	106-47-8	N	N	N
8	2,4-Diaminoanisole	615-05-4	N	N	N
9	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	N	N	N
14	p-Cresidine	120-71-8	N	N	N
15	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16	4,4'-Oxydianiline	101-80-4	N	N	N
17	4,4'-Thiodianiline	139-65-1	N	N	N
18	o-Toluidine	95-53-4	N	N	N
19	2,4-Toluylenediamine	95-80-7	N	N	N
20	2,4,5-Trimethylaniline	137-17-7	N	N	N
21	o-Anisidine	90-04-0	N	N	N
22	p-Aminoazobenzene	60-09-3	N	N	N



TEST REPORT

Number : HKGH02698617

No.	Forbidden Amine	CAS No.	Result (ppm)		
			(6/7/8)	(9)	(10)
1	4-Aminodiphenyl	92-67-1	N	N	N
2	Benzidine	92-87-5	N	N	N
3	4-Chloro-o-toluidine	95-69-2	N	N	N
4	2-Naphthylamine	91-59-8	N	N	N
5	o-Aminoazotoluene	97-56-3	N	N	N
6	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7	p-Chloroaniline	106-47-8	N	N	N
8	2,4-Diaminoanisole	615-05-4	N	N	N
9	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	N	N	N
14	p-Cresidine	120-71-8	N	N	N
15	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16	4,4'-Oxydianiline	101-80-4	N	N	N
17	4,4'-Thiodianiline	139-65-1	N	N	N
18	o-Toluidine	95-53-4	N	N	N
19	2,4-Toluylenediamine	95-80-7	N	N	N
20	2,4,5-Trimethylaniline	137-17-7	N	N	N
21	o-Anisidine	90-04-0	N	N	N
22	p-Aminoazobenzene	60-09-3	N	N	N



TEST REPORT

Number : HKGH02698617

No.	Forbidden Amine	CAS No.	Result (ppm)	
			(11)	(12)
1	4-Aminodiphenyl	92-67-1	N	N
2	Benzidine	92-87-5	N	N
3	4-Chloro-o-toluidine	95-69-2	N	N
4	2-Naphthylamine	91-59-8	N	N
5	o-Aminoazotoluene	97-56-3	N	N
6	2-Amino-4-nitrotoluene	99-55-8	N	N
7	p-Chloroaniline	106-47-8	N	N
8	2,4-Diaminoanisole	615-05-4	N	N
9	4,4'-Diaminodiphenylmethane	101-77-9	N	N
10	3,3'-Dichlorobenzidine	91-94-1	N	N
11	3,3'-Dimethoxybenzidine	119-90-4	N	N
12	3,3'-Dimethylbenzidine	119-93-7	N	N
13	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	N	N
14	p-Cresidine	120-71-8	N	N
15	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N
16	4,4'-Oxydianiline	101-80-4	N	N
17	4,4'-Thiodianiline	139-65-1	N	N
18	o-Toluidine	95-53-4	N	N
19	2,4-Toluylenediamine	95-80-7	N	N
20	2,4,5-Trimethylaniline	137-17-7	N	N
21	o-Anisidine	90-04-0	N	N
22	p-Aminoazobenzene	60-09-3	N	N



TEST REPORT

Number : HKGH02698617

Method D:

No.	Forbidden Amine	CAS No.	Result (ppm)		
			(1/2/3)	(4)	(5)
1	4-Aminodiphenyl	92-67-1	N	N	N
2	Benzidine	92-87-5	N	N	N
3	4-Chloro-o-toluidine	95-69-2	N	N	N
4	2-Naphthylamine	91-59-8	N	N	N
5	o-Aminoazotoluene	97-56-3	N	N	N
6	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7	p-Chloroaniline	106-47-8	N	N	N
8	2,4-Diaminoanisole	615-05-4	N	N	N
9	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	N	N	N
14	p-Cresidine	120-71-8	N	N	N
15	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16	4,4'-Oxydianiline	101-80-4	N	N	N
17	4,4'-Thiodianiline	139-65-1	N	N	N
18	o-Toluidine	95-53-4	N	N	N
19	2,4-Toluylenediamine	95-80-7	N	N	N
20	2,4,5-Trimethylaniline	137-17-7	N	N	N
21	o-Anisidine	90-04-0	N	N	N
22	p-Aminoazobenzene	60-09-3	N	N	N



TEST REPORT

Number : HKGH02698617

No.	Forbidden Amine	CAS No.	Result (ppm)		
			(6/7/8)	(9)	(10)
1	4-Aminodiphenyl	92-67-1	N	N	N
2	Benzidine	92-87-5	N	N	N
3	4-Chloro-o-toluidine	95-69-2	N	N	N
4	2-Naphthylamine	91-59-8	N	N	N
5	o-Aminoazotoluene	97-56-3	N	N	N
6	2-Amino-4-nitrotoluene	99-55-8	N	N	N
7	p-Chloroaniline	106-47-8	N	N	N
8	2,4-Diaminoanisole	615-05-4	N	N	N
9	4,4'-Diaminodiphenylmethane	101-77-9	N	N	N
10	3,3'-Dichlorobenzidine	91-94-1	N	N	N
11	3,3'-Dimethoxybenzidine	119-90-4	N	N	N
12	3,3'-Dimethylbenzidine	119-93-7	N	N	N
13	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	N	N	N
14	p-Cresidine	120-71-8	N	N	N
15	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N	N
16	4,4'-Oxydianiline	101-80-4	N	N	N
17	4,4'-Thiodianiline	139-65-1	N	N	N
18	o-Toluidine	95-53-4	N	N	N
19	2,4-Toluylenediamine	95-80-7	N	N	N
20	2,4,5-Trimethylaniline	137-17-7	N	N	N
21	o-Anisidine	90-04-0	N	N	N
22	p-Aminoazobenzene	60-09-3	N	N	N



TEST REPORT

Number : HKGH02698617

No.	Forbidden Amine	CAS No.	Result (ppm)	
			(11)	(12)
1	4-Aminodiphenyl	92-67-1	N	N
2	Benzidine	92-87-5	N	N
3	4-Chloro-o-toluidine	95-69-2	N	N
4	2-Naphthylamine	91-59-8	N	N
5	o-Aminoazotoluene	97-56-3	N	N
6	2-Amino-4-nitrotoluene	99-55-8	N	N
7	p-Chloroaniline	106-47-8	N	N
8	2,4-Diaminoanisole	615-05-4	N	N
9	4,4'-Diaminodiphenylmethane	101-77-9	N	N
10	3,3'-Dichlorobenzidine	91-94-1	N	N
11	3,3'-Dimethoxybenzidine	119-90-4	N	N
12	3,3'-Dimethylbenzidine	119-93-7	N	N
13	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	N	N
14	p-Cresidine	120-71-8	N	N
15	4,4'-Methylene-bis(2-chloroaniline)	101-14-4	N	N
16	4,4'-Oxydianiline	101-80-4	N	N
17	4,4'-Thiodianiline	139-65-1	N	N
18	o-Toluidine	95-53-4	N	N
19	2,4-Toluylenediamine	95-80-7	N	N
20	2,4,5-Trimethylaniline	137-17-7	N	N
21	o-Anisidine	90-04-0	N	N
22	p-Aminoazobenzene	60-09-3	N	N

N = Not detected
 Detection limit = 5 ppm
 Requirement = 30 ppm (max.)

ppm = parts per million = mg/kg

- High Performance Liquid Chromatographic (HPLC) analysis was used to confirm any detected amines.
- The test component with p-aminoazobenzene less than detection limit was tested by EN ISO 14362-1 : 2017 for textile material / EN ISO 17234-1: 2015 for leather material.

Method T : Direct buffer extraction as per EN ISO 14362-1 : 2017 Section 10.2
 Method D : Colourant extraction with Xylene as per EN ISO 14362-1 : 2017 Section 10.1

If both methods T and D conducted, final conclusion was based on the highest value of each amine.



TEST REPORT

Number : HKGH02698617

Tested Components:

- (1) Pink hooked velcro (base of pink style).
- (2) Blue hooked velcro (base of blue style).
- (3) Aqua hooked velcro (base of aqua style).
- (4) White satin with black printing (sewn-in labels of all styles).
- (5) White woven with light blue / blue / yellow thread stitching (brand label of all styles).
- (6) Pink brushed knit (cover of pink style).
- (7) Blue brushed knit (cover of blue style).
- (8) Aqua brushed knit (cover of aqua style).
- (9) 3mm pink plush (body of pink style).
- (10) 3mm blue plush with purple printing (body of blue style).
- (11) 3mm aqua plush with dark aqua printing (body of aqua style).
- (12) Black embroidery thread backed with pink/ blue/ aqua plush (eyes, mouth of all style).

Decision Rule:

∞ : In the case of levels per amine component is equal or smaller than 30 ppm:
 According to the analysis as carried out, azo colorants which can release one or more of certain listed amines by cleavage of their azo group/s were not detected. The tested sample/component were in compliance with requirement.

In the case of levels per amine component is greater than 30 ppm:
 The analytical result suggests that the commodity submitted has been manufactured or treated using azo colorant/s which can release one or more of certain listed amines by cleavage of their azo group/s at levels greater than 30 ppm. The tested sample/component did not comply the requirement.

Date sample received : Apr 08, 2021
 Test Period : Apr 08, 2021 to Apr 19, 2021



TEST REPORT

Number : HKGH02698617

(11) Physical and Mechanical Tests

Test Standard : ASTM Standard Consumer Safety Specification for Toy Safety F963-17

Age group for testing : For All Ages

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : -		
<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Compression test	Section 1500.53(g)	30 lbf
Drop Test	Section 1500.51(b)	10 x 4.5 ft
Tension test	Section 1500.53(f)	15 lbf
Torque test	Section 1500.53(e)	4 in-lbf

<u>Clause</u>	<u>Requirement</u>	<u>Assessment</u>
4.1	Material quality	P
4.5	Sound producing toys	P
4.6.1	Toys intended for children under 36 months of age	P
4.6.2	Mouth actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months - Small part warning	NA
4.7	Accessible edges	P
4.8	Projection	NA
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	P
4.12	Plastic film	P
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and overload requirement	NA
4.16	Confined spaces	NA
4.17	Wheels, tires, and axles (96 months of age or less)	NA
4.18	Holes, clearance, and accessibility of mechanisms	P
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery operated toys	P
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag type toys	NA



TEST REPORT

Number : HKGH02698617

Clause	Requirement	Assessment
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispherical shaped objects	NA
4.37	Yo Yo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labeling requirements	P
6	Instructional literature	P
7	Producer's marking	
	- Name of producer / distributor	Yes
	- Address	Yes

Abbreviation : P = Pass NA = Not Applicable

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Date sample received : Apr 08, 2021
 Test Period : Apr 08, 2021 to Apr 15, 2021



TEST REPORT

Number : HKGH02698617

(12) Battery-Operated Toys

Test Standard : Section 4.25, 5.15 & 6.5 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Age group for testing : For All Ages

Clause	Requirement	Assessment
4.25.1	Battery marking	P
4.25.2	Maximum allowable direct current potential	P
4.25.3	Protection against charging non-rechargeable battery	P
4.25.4	Accessible batteries	P
4.25.5	Accessible batteries that can fit completely within small part cylinder	P
4.25.6	Isolation of batteries of different types or capacities	NA
4.25.7	Temperature of battery surface	P
4.25.8	Temperature of battery surface or combustion hazard after normal use and abuse test	P
4.25.9	Instruction requirement in section 6.5	P
4.25.10	Battery-powered of ride on toys	NA
5.15	Non-replaceable batteries	NA
5.15.2	Instruction for button or coin cell batteries	NA
6.5	Instruction on safe battery usage	P

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Apr 08, 2021
Test Period : Apr 08, 2021 to Apr 15, 2021



TEST REPORT

Number : HKGH02698617

(13) Flammability Tests

Test Standard : Section 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

<u>Sample</u>	<u>Ignition point</u>	<u>Burn length</u> (inch)	<u>Time (sec)</u>	<u>Burn Rate</u> (inch/sec)	<u>Limit (inch/sec)</u>
Leg	Edger	2.0	60	0.03	0.10

The above result only showed the most severe burn rate of the samples and components.

Date sample received : Apr 08, 2021
Test Period : Apr 08, 2021 to Apr 15, 2021

(14) Total Lead (Pb) Content

Test Method : CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3 or/and CPSC-CH-E1003-09.1, analysed by Inductively Coupled Argon Plasma Spectrometry.

Substrate:

Tested Component	Result in ppm	Limit in ppm
(1/2/3)	<20	100
(4/5/6)	<20	100
(7/8)	<20	100
(9/10)	<20	100
(11/12/13)	<20	100
(14)	<20	100
(15/16)	<20	100
(17)	<20	100

The above limit was quoted according to Section 4.3.5.1 (1) and 4.3.5.2 (2)(a) of the ASTM standard Consumer Safety Specification for Toy Safety F963-17.

ppm = parts per million = mg/kg



TEST REPORT

Number : HKGH02698617

Tested Components:

- (1) Transparent pink plastic (shell cover, light cover of pink style).
- (2) Transparent blue plastic (shell cover, light cover of blue style).
- (3) Transparent aqua plastic (shell cover, light cover of aqua style).
- (4) Shiny pink plastic (buttons of pink style).
- (5) Shiny blue plastic (buttons of blue style).
- (6) Shiny aqua plastic (buttons of aqua style).
- (7) Dull pink plastic (on/off switch of pink style).
- (8) Dull blue plastic (on/off switch of blue style).
- (9) Dull aqua plastic (on/off switch of aqua style).
- (10) Black plastic (battery compartment, knob, pulley, holder of all styles).
- (11) Pink hooked velcro (base of pink style).
- (12) Blue hooked velcro (base of blue style).
- (13) Aqua hooked velcro (base of aqua style).
- (14) White satin with black printing (sewn-in labels of all styles).
- (15) 3mm blue plush with purple printing (body of blue style).
- (16) 3mm aqua plush with dark aqua printing (body of aqua style).
- (17) Off-white foam (cover of all styles) (internal).

Date sample received : Apr 08, 2021
 Test Period : Apr 08, 2021 to Apr 14, 2021

(15) Heavy Elements Analysis

Test Method : Acid extraction and analysed by Inductively Coupled Argon Plasma Spectrometry.

Materials other than modelling clay:

	Result (ppm)			Limit (ppm)
	(1)	(2)	(3)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25



TEST REPORT

Number : HKGH02698617

	Result (ppm)			Limit (ppm)
	(4)	(5)	(6)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25

	Result (ppm)			Limit (ppm)
	(7)	(8)	(9)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25

	Result (ppm)			Limit (ppm)
	(10)	(11)	(12)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25



TEST REPORT

Number : HKGH02698617

	Result (ppm)			Limit (ppm)
	(13)	(14)	(15)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25

	Result (ppm)			Limit (ppm)
	(16)	(17)	(18)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25

	Result (ppm)			Limit (ppm)
	(19)	(20)	(21)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25



TEST REPORT

Number : HKGH02698617

	Result (ppm)			Limit (ppm)
	(22)	(23)	(24)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25

	Result (ppm)		Limit (ppm)
	(25)	(26)	
Soluble Barium (Ba)	<5	<5	1000
Soluble Lead (Pb)	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	75
Soluble Antimony (Sb)	<5	<5	60
Soluble Selenium (Se)	<5	<5	500
Soluble Chromium (Cr)	<5	<5	60
Soluble Mercury (Hg)	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	25

The above limit was quoted according to Section 8.3.2, 8.3.3, 8.3.4 and 8.3.5 of the ASTM standard Consumer Safety Specification for Toy Safety F963-17.

ppm = parts per million = mg/kg



TEST REPORT

Number : HKGH02698617

Tested Components:

- (1) Transparent pink plastic (shell cover, light cover of pink style).
- (2) Transparent blue plastic (shell cover, light cover of blue style).
- (3) Transparent aqua plastic (shell cover, light cover of aqua style).
- (4) Shiny pink plastic (buttons of pink style).
- (5) Shiny blue plastic (buttons of blue style).
- (6) Shiny aqua plastic (buttons of aqua style).
- (7) Dull pink plastic (on/off switch of pink style).
- (8) Dull blue plastic (on/off switch of blue style).
- (9) Dull aqua plastic (on/off switch of aqua style).
- (10) Black plastic (battery compartment, knob, pulley, holder of all styles).
- (11) Pink hooked velcro (base of pink style).
- (12) Blue hooked velcro (base of blue style).
- (13) Aqua hooked velcro (base of aqua style).
- (14) White satin with black printing (sewn-in labels of all styles).
- (15) White woven with light blue / blue / yellow thread stitching (brand label of all styles).
- (16) Pink brushed knit (cover of pink style).
- (17) Blue brushed knit (cover of blue style).
- (18) Aqua brushed knit (cover of aqua style).
- (19) 3mm pink plush (body of pink style).
- (20) 3mm blue plush with purple printing (body of blue style).
- (21) 3mm aqua plush with dark aqua printing (body of aqua style).
- (22) Black embroidery thread (eyes, mouth of all style).
- (23) White stuffing material (body of all styles).
- (24) White webbing (seaming of all styles).
- (25) White mesh (cover of all styles).
- (26) Off-white foam (cover of all styles) (internal).

Decision Rule:

∞ : Materials are deemed to comply with the requirements if the adjusted analytical result is less than or equal to the limit of this table.

The analytical result of materials shall be adjusted by subtracting the analytical correction in below table to obtain an adjusted analytical of result.

Elements	Sb	As	Ba	Cd	Cr	Pb	Hg	Se
Analytical Correction(%)	60	60	30	30	30	30	50	60

Date sample received : Apr 08, 2021
Test Period : Apr 08, 2021 to Apr 14, 2021



TEST REPORT

Number : HKGH02698617

(16) Total Lead (Pb) Content in Surface Coating

Test Method : Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, test method CPSC-CH-E1003-09.1, analysed by Inductively Coupled Argon Plasma Spectrometry.

Assessment : Since no scrapable surface coating was found on the submitted samples, the testing scope of CPSIA for total Lead content test was not applicable to the submitted samples.

Date sample received : Apr 08, 2021
Test Period : Apr 08, 2021 to Apr 14, 2021

(17) Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

Test Method : Standard Operating Procedures for Determining Total Lead (Pb) in Children's Products, test methods CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3, analysed by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in ppm	Limit in ppm
(1/2/3)	<20	100
(4/5/6)	<20	100
(7/8)	<20	100
(9/10)	<20	100
(11/12/13)	<20	100
(14)	<20	100
(15/16)	<20	100
(17)	<20	100

The above limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101.

ppm = parts per million = mg/kg



TEST REPORT

Number : HKGH02698617

Tested Components:

- (1) Transparent pink plastic (shell cover, light cover of pink style).
- (2) Transparent blue plastic (shell cover, light cover of blue style).
- (3) Transparent aqua plastic (shell cover, light cover of aqua style).
- (4) Shiny pink plastic (buttons of pink style).
- (5) Shiny blue plastic (buttons of blue style).
- (6) Shiny aqua plastic (buttons of aqua style).
- (7) Dull pink plastic (on/off switch of pink style).
- (8) Dull blue plastic (on/off switch of blue style).
- (9) Dull aqua plastic (on/off switch of aqua style).
- (10) Black plastic (battery compartment, knob, pulley, holder of all styles).
- (11) Pink hooked velcro (base of pink style).
- (12) Blue hooked velcro (base of blue style).
- (13) Aqua hooked velcro (base of aqua style).
- (14) White satin with black printing (sewn-in labels of all styles).
- (15) 3mm blue plush with purple printing (body of blue style).
- (16) 3mm aqua plush with dark aqua printing (body of aqua style).
- (17) Off-white foam (cover of all styles) (internal).

Date sample received : Apr 08, 2021
Test Period : Apr 08, 2021 to Apr 14, 2021

(18) Stuffing Cleanliness Test

Test Standard : Section 4.3.7 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17.

Observation: After the stuffing cleanliness evaluation, no contaminant was found in stuffing materials of the submitted sample.

Date sample received : Apr 08, 2021
Test Period : Apr 08, 2021 to Apr 15, 2021



TEST REPORT

Number : HKGH02698617

(19) Phthalate Content Test

Test Method : Standard Operating Procedure for Determining Phthalates, test method CPSC-CH-C1001-09.4 was used and phthalate content was determined by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Compound	Result (% w/w)			Limit (% w/w)
	(1/2/3)	(4/5/6)	(7/8)	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	0.1
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	0.1
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	0.1
Diisononyl phthalate (DINP)	<0.015	<0.015	<0.015	0.1
Diisobutyl phthalate (DIBP)	<0.01	<0.01	<0.01	0.1
Di-n-pentyl phthalate (DPP) / (DPENP)	<0.01	<0.01	<0.01	0.1
Di-n-hexyl phthalate (DNHP) / (DHEXP)	<0.01	<0.01	<0.01	0.1
Dicyclohexyl phthalate (DCHP)	<0.01	<0.01	<0.01	0.1

Compound	Result (% w/w)			Limit (% w/w)
	(9/10)	(11/12/13)	(14)	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	0.1
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	0.1
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	0.1
Diisononyl phthalate (DINP)	<0.015	<0.015	<0.015	0.1
Diisobutyl phthalate (DIBP)	<0.01	<0.01	<0.01	0.1
Di-n-pentyl phthalate (DPP) / (DPENP)	<0.01	<0.01	<0.01	0.1
Di-n-hexyl phthalate (DNHP) / (DHEXP)	<0.01	<0.01	<0.01	0.1
Dicyclohexyl phthalate (DCHP)	<0.01	<0.01	<0.01	0.1



TEST REPORT

Number : HKGH02698617

The above limits are quoted from Federal Register, Vol. 82, No. 207, October 27, 2017, Rules and Regulations, Final rule for 16 CFR Part 1307 "Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates" effective from April 25, 2018.

Tested Components:

- (1) Transparent pink plastic (shell cover, light cover of pink style).
- (2) Transparent blue plastic (shell cover, light cover of blue style).
- (3) Transparent aqua plastic (shell cover, light cover of aqua style).
- (4) Shiny pink plastic (buttons of pink style).
- (5) Shiny blue plastic (buttons of blue style).
- (6) Shiny aqua plastic (buttons of aqua style).
- (7) Dull pink plastic (on/off switch of pink style).
- (8) Dull blue plastic (on/off switch of blue style).
- (9) Dull aqua plastic (on/off switch of aqua style).
- (10) Black plastic (battery compartment, knob, pulley, holder of all styles).
- (11) Pink hooked velcro (base of pink style).
- (12) Blue hooked velcro (base of blue style).
- (13) Aqua hooked velcro (base of aqua style).
- (14) Off-white foam (cover of all styles) (internal).

Date sample received : Apr 08, 2021
 Test Period : Apr 08, 2021 to Apr 15, 2021

(20) Phthalate Content Test

Test Method : Solvent extraction and Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Compound	Result (% w/w)			Limit (% w/w)
	(1/2/3)	(4/5/6)	(7/8)	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	0.1
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	0.1
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	0.1
Diisodecyl phthalate (DIDP)	<0.01	<0.01	<0.01	0.1
Di-n-hexyl phthalate (DNHP)	<0.01	<0.01	<0.01	0.1
Diisononyl phthalate (DINP)	<0.01	<0.01	<0.01	--



TEST REPORT

Number : HKGH02698617

Compound	Result (% w/w)			Limit (% w/w)
	(9/10)	(11/12/13)	(14)	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	0.1
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	0.1
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	0.1
Diisodecyl phthalate (DIDP)	<0.01	<0.01	<0.01	0.1
Di-n-hexyl phthalate (DNHP)	<0.01	<0.01	<0.01	0.1
Diisononyl phthalate (DINP)	<0.01	<0.01	<0.01	--

The above limit was quoted from the Consent Judgment no. BG-350969 settled by superior court of the state of California for the county of Alameda, for Toys (designed for or reasonable used by children under six years of age) set based on the California Proposition 65.

Tested Components:

- (1) Transparent pink plastic (shell cover, light cover of pink style).
- (2) Transparent blue plastic (shell cover, light cover of blue style).
- (3) Transparent aqua plastic (shell cover, light cover of aqua style).
- (4) Shiny pink plastic (buttons of pink style).
- (5) Shiny blue plastic (buttons of blue style).
- (6) Shiny aqua plastic (buttons of aqua style).
- (7) Dull pink plastic (on/off switch of pink style).
- (8) Dull blue plastic (on/off switch of blue style).
- (9) Dull aqua plastic (on/off switch of aqua style).
- (10) Black plastic (battery compartment, knob, pulley, holder of all styles).
- (11) Pink hooked velcro (base of pink style).
- (12) Blue hooked velcro (base of blue style).
- (13) Aqua hooked velcro (base of aqua style).
- (14) Off-white foam (cover of all styles) (internal).

Date sample received : Apr 08, 2021

Test Period : Apr 08, 2021 to Apr 15, 2021



TEST REPORT

Number : HKGH02698617

(21) Total Lead (Pb) content

Test Method : Acid digestion and analysed by Inductively Coupled Argon Plasma Spectrometry.

Substrate:

Tested Component	Result in %, w/w	Limit in %, w/w
(1/2/3)	<0.0020	0.010
(4/5/6)	<0.0020	0.010
(7/8)	<0.0020	0.010
(9/10)	<0.0020	0.010
(11/12/13)	<0.0020	0.010
(14)	<0.0020	0.010
(15/16)	<0.0020	0.010
(17)	<0.0020	0.010

The above limit was quoted from the Consent Judgement no. RG-356892 settled by Superior Court of the State of California for the County of Alameda, for toys based on the California Proposition 65.

Tested Components:

- (1) Transparent pink plastic (shell cover, light cover of pink style).
- (2) Transparent blue plastic (shell cover, light cover of blue style).
- (3) Transparent aqua plastic (shell cover, light cover of aqua style).
- (4) Shiny pink plastic (buttons of pink style).
- (5) Shiny blue plastic (buttons of blue style).
- (6) Shiny aqua plastic (buttons of aqua style).
- (7) Dull pink plastic (on/off switch of pink style).
- (8) Dull blue plastic (on/off switch of blue style).
- (9) Dull aqua plastic (on/off switch of aqua style).
- (10) Black plastic (battery compartment, knob, pulley, holder of all styles).
- (11) Pink hooked velcro (base of pink style).
- (12) Blue hooked velcro (base of blue style).
- (13) Aqua hooked velcro (base of aqua style).
- (14) White satin with black printing (sewn-in labels of all styles).
- (15) 3mm blue plush with purple printing (body of blue style).
- (16) 3mm aqua plush with dark aqua printing (body of aqua style).
- (17) Off-white foam (cover of all styles) (internal).

Date sample received : Apr 08, 2021
 Test Period : Apr 08, 2021 to Apr 14, 2021



TEST REPORT

Number : HKGH02698617

(22) Celluloid or Cellulose Nitrate

Test Standard : Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019) section 21

	<u>Assessment</u>	<u>Requirements</u>
Cellulose Nitrate / Celluloid	Absent	Absent

Date sample received : Apr 08, 2021
 Test Period : Apr 08, 2021 to Apr 15, 2021

(23) Physical and Mechanical Tests

Test Standard : Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019)

Age group for testing : For All Ages

The submitted samples were undergone the use and abuse tests in accordance with the Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019):	
<u>Test</u>	<u>Parameter</u>
Drop test	4 x (1.367 +/- 0.005) m
Pull test	42.5 +/- 2 N
Push test	42.5 +/- 2 N

<u>Clause</u>	<u>Requirement</u>	<u>Assessment</u>
3	General - English and French Bilingual Statement	NA
4	Packaging	P
5	Electrically operated toys	NA
6	Electrically heated toys	NA
7	Small parts	P
8	Metal edges	P
9	Wire Frames	P
10	Plastic Edges	P
11	Wooden Surfaces, Edges and Corners	NA
12	Glass	NA
13	Fasteners	P
14	Folding Mechanisms, Bracket or Bracing	NA
15	Spring-Wound Driving Mechanism	NA
16	Projectile Components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA



TEST REPORT

Number : HKGH02698617

Clause	Requirement	Assessment
19	Noise limit	P
20	Heated surfaces, parts or substances	P
28	Fastening to attach parts, Clothing or Ornamentation	P
29	Stuffing Materials	P
	(a) Clean and free from vermin	P
	(b) Free from Hard and Sharp Foreign Matter	P
30	Small parts - Squeaker, Reed, Valve or other similar device	NA
31	Eyes or nose	NA
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	P
37	Pull and Push Toys that has a shaft-like handle	NA
38	Toy Steam Engines Boilers	NA
39	Finger Paints	NA
40	Rattle	NA
41	Elastic	NA
42	Yo-Yo Type Balls	NA
	(a) Stretchable cord	NA
	(b) Similar product	NA
43	Magnetic toys	NA
44	Warning of magnetic toys	NA

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Apr 08, 2021
Test Period : Apr 08, 2021 to Apr 15, 2021

(24) Flammability Test

Test Standard : Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 Section 32

All samples were tested and passed the requirements.

Tested Components:

- (1) 3mm plush.
- (2) Brushed knit.

Date sample received : Apr 08, 2021
Test Period : Apr 08, 2021 to Apr 14, 2021



TEST REPORT

Number : HKGH02698617

(25) Toxic Elements Analysis

Test Method : In house method(TC003.TP), microwave digestion and total Pb content determined by ICP-OES.(TC003.TP) and Health Canada Product Safety Laboratory Reference Manual Book 5-Laboratory Policies and Procedures Part B:Test Methods Section, Method C03. (with modifications by direct analysis using ICP-OES after filtration of leachate), determination of leachable As, Se, Cd, Sb and Ba in applied coating (2014-02-20). In house method(TC066.TP), microwave digestion and total Hg content determined by ICP-MS.

Assessment : Since no scrapable surface coating was found on the submitted samples, the testing scope was not applicable to the submitted samples

Date sample received : Apr 08, 2021
 Test Period : Apr 08, 2021 to Apr 14, 2021

(26) Heavy Elements Analysis in plastic

Test Method : Acid extraction method was used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Soluble Elements Content:

	Result (ppm)			Limit (ppm)
	(1)	(2)	(3)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25



TEST REPORT

Number : HKGH02698617

	Result (ppm)			Limit (ppm)
	(4)	(5)	(6)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25

	Result (ppm)			Limit (ppm)
	(7)	(8)	(9)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25

	Result (ppm)			Limit (ppm)
	(10)	(11)	(12)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25



TEST REPORT

Number : HKGH02698617

	Result (ppm)	Limit (ppm)
	(13)	
Soluble Barium (Ba)	<5	1000
Soluble Selenium (Se)	<5	500
Soluble Cadmium (Cd)	<5	75
Soluble Antimony (Sb)	<5	60
Soluble Chromium (Cr)	<5	60
Soluble Mercury (Hg)	<5	60
Soluble Arsenic (As)	<2.5	25

The above limit was quoted according to Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195 and SOR/2016-302.

ppm = parts per million = mg/kg

Tested Components:

- (1) Transparent pink plastic (shell cover, light cover of pink style).
- (2) Transparent blue plastic (shell cover, light cover of blue style).
- (3) Transparent aqua plastic (shell cover, light cover of aqua style).
- (4) Shiny pink plastic (buttons of pink style).
- (5) Shiny blue plastic (buttons of blue style).
- (6) Shiny aqua plastic (buttons of aqua style).
- (7) Dull pink plastic (on/off switch of pink style).
- (8) Dull blue plastic (on/off switch of blue style).
- (9) Dull aqua plastic (on/off switch of aqua style).
- (10) Black plastic (battery compartment, knob, pulley, holder of all styles).
- (11) Pink hooked velcro (base of pink style).
- (12) Blue hooked velcro (base of blue style).
- (13) Aqua hooked velcro (base of aqua style).

Date sample received : Apr 08, 2021
Test Period : Apr 08, 2021 to Apr 14, 2021

(27) Tris(2-chloroethyl) phosphate (TCEP) Content

Test method : Solvent extraction and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Assessment : Not Applicable

Date sample received : Apr 08, 2021
Testing period : Apr 08, 2021 to Apr 09, 2021



TEST REPORT

Number : HKGH02698617

(28) Optical Radiation

Test Standard : European Standard EN IEC 62115: 2020 + A11: 2020 on Safety of electric toys, Annex E

Clause	Title/Description	Result
19.E.2	Light-emitting diodes (LEDs)	Pass
19.E.3	Lasers (IEC 60825-1: 2014)	Not Applicable
19.E.4	UV-emitting lamps	Not Applicable

Table of measuring data

For Blue LED (water clear)					
Condition	Measured Wavelength	Spectral Emission Bandwidth	Measuring Distance	Measured Radiant Intensity	Limit
Normal	462nm	21.6nm	200mm	3.32mW/sr	0.06W/sr
Fault	462nm	21.6nm	200mm	3.44mW/sr	0.06W/sr

Remark:

1. When determining the test conclusion, the Measurement Uncertainty of test has been considered. The decision rules are based on IEC Guide 115 with complying the relevant requirements of environment and equipment.
2. The test was conducted by operating the apparatus at rated voltage 4.5VDC.
3. 3 pcs. 4.8mm round type water clear Blue LEDs used in the apparatus are identical to each other.

Date sample received : Apr 08, 2021
 Testing period : Apr 08, 2021 to May 07, 2021



TEST REPORT

Number : HKGH02698617

HKGH02698617-1






TEST REPORT


Number : HKGH02698617

TESTED COMPONENTS PHOTOS OF HJ02698617



TEST REPORT

Number : HKGH02698617






TEST REPORT

Number : HKGH02698617



TEST REPORT

Number : HKGH02698617



TEST REPORT


Number : HKGH02698617





TEST REPORT

Number : HKGH02698617



End of report

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Intertek is responsible for all the information provided in the reports, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.

The observations and test results in this report are relevant to the sample(s) tested and submitted by client. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person. Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

