

Applicant: SARL BTL DIFFUSION Number: HKGH02976720

16, RUE ANATOLE MOUSSU ZA MERE NORD EST

78490 MERE FRANCE

Attn: **RAFI**

Sample and Information provided by customer:

Item Name Tranquil Turtle - Aqua

Tranquil Turtle - Ocean Tranquil Turtle - Green

Date:

Mar 20, 2023

Item No. 7423-AQ 7423-PR

7902-GR

Quantity 2 pieces per style

0÷

Labelled Age Group Packaging Provided Country of Origin Yes (artwork) Chinà

For and on behalf of: Intertek Testing Services HK Ltd.









Number: HKGH02976720

Conclusion:

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details:

Requirement Result (1) BS EN 71-1:2014 + A1:2018 **Pass**

- Mechanical and physical properties

(2) EN 71-1:2014 + A1:2018 Pass

Mechanical and physical properties

(3) EN IEC 62115: 2020 + A11:2020 clause 13.4.1, 13.4.2, 13.4.6 and 16.1 See detail enclosed

The measured emission level of the apparatus did not exceed the accessible emission limit according to EN IEC 62115: 2020 + A11: 2020, Annex E

(5) U.S. ASTM F963-17 **Pass**

- Physical and Mechanical tests

(6) U.S. ASTM F963-17 Section 4.25, 5.15 & 6.5 **Pass**

- Battery-operated toys

(7) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on Pass 11 January 2019)

- Mechanical and physical test

(8) Consumer Product Safety Standard: Toys for children up to and including 36 months of age Pass (in force under section 65E(1) of the Trade Practices Act 1974) as commenced by Consumer Protection Notice No. 14 of 2003 and as amended by Consumer Protection No. 1 of 2005.

(9) Australian / New Zealand standard AS/NZS ISO 8124-1:2019 + Amd 1:2020 + Amd 2:2020 Pass

- Safety aspects related to mechanical and physical properties

Decision Rule(s):

When a statement of conformity to a specification or standard is provided on test report, the decision rule shall be applied. For details, please refer to Intertek's "Decision Rule Document" and is available on Intertek's website. https://intertekhk.grd.by/decision-rule-doc If decision rule already inhered in the requested specification or standard, Intertek's "Decision Rule Document" is not applicable and indication of "..." was shown as above table.



Number: HKGH02976720

(1) Physical and Mechanical Tests

Test Standard : Safety of toys BS EN 71-1:2014 + A1:2018

Age group for testing : For All Ages

The submitted samples were undergone the following abuse tests:			
<u>Clause</u>	<u>Testing Items</u>		
8.3	Torque test (0.34 Nm)		
8.4.2.1	Tension test (90 N)		
8.4.2.2	Seams and meterials (70 N)		
8.5	Drop Test (850 mm x 5)		
8.7	Impact test (1 kg)		
8.8	Compression test (110 N)		

Clause	Requirement	Assessment
4	General requirements	
4.1	Material cleanliness	Р
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	Р
4.8	Points and Metallic wires	Р
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put into mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using	NA
	percussion caps	
4.20	Acoustics	Р
4.21	Toys containing non -electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-vo balls	NA
4.25	Toy's attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements for toys intended for children under 36 months	Р
5.2	Soft-filled toys and soft-filled parts of a toy	Р
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	Р





Page 3 of 20



Number: HKGH02976720

Clause	Requirement	<u>Assessment</u>
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling (7.24)	NA
6 7	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	Р
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile Toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or	NA
	perambulator	
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but	NA
	under 36 months	
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation: P = Pass NA = Not Applicable







Number: HKGH02976720

The submitted samples were undergone the abuse tests for Clause 5.1 and 5.2 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.

Below is additional information checking according to the UK Toy (Safety) Regulations requirement. These information also appears as a note within BS EN71 but the checking is not within accreditation scope.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that

	Toy	Packaging
Name of authorised representative in Great Britain	Absent	Absent
Address of authorised representative in Great Britain	Absent	Absent
Product identification code	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business. Energy and Industrial Strategy published on 1 September 2020, toys or packagings shall also bear the UKCA marking. However, as per the official publishment on 14 November 2022, CE marking is continued to be recognised for 2 more years in UK market until 31 December, 2024.

After checking, it was found that

	Toy	Packaging
UKCA marking	Present	Present

Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provided instructions on how the toy has to be cleaned.

After checking, the cleaning instruction was found on the submitted samples.







Number: HKGH02976720

(2)Mechanical and Physical Test

Test Standard : European Standard on Safety of toys EN 71-1:2014 + A1:2018

Age group for testing : For All Ages

The submitted samples were undergone the following abuse tests: Clause **Testing Items** 8.3 Torque test (0.34 Nm) 8.4.2.1 Tension test (90 N) 8.4.2.2 Seams and materials (70 N) 8.5 Drop test (850 mm x 5) 8.7 Impact test (1 kg) 8.8 Compression test (110 N)

<u>Clause</u>	Requirement	<u>Assessment</u>
4	General requirements	
4.1	Material cleanliness	Р
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	Р
4.8	Points and Metallic wires	Р
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put into mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using	NA
	percussion caps	
4.20	Acoustics	Р
4.21	Toys containing non -electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA







Number: HKGH02976720

<u>Clause</u>	Requirement	Assessment
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements for toys intended for children under 36 months	Р
5.2	Soft-filled toys and soft-filled parts of a toy	Р
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	Р
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling (7.24)	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	Р
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile Toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA







Number: HKGH02976720

<u>Clause</u>	Requirement	<u>Assessment</u>
7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but	NA
	under 36 months	
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation: P = Pass NA = Not Applicable

The submitted samples were undergone the abuse tests for Clause 5.1 and 5.2 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking. After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
EU Importer's name	Present	Present
EU Importer's address	Present	Present
Product identification code	Present	Present
CE-marking	Present	Present

Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provided instructions on how the toy has to be cleaned.

After checking, the cleaning instruction was found on the submitted samples.







Number: HKGH02976720

(3) Safety of Electric Toys

Test requirement: European Standard EN IEC 62115 : 2020 + A11 : 2020 on Safety of electric toys clause

13.4.1, 13.4.2, 13.4.6 and 16.1

Age group for testing: For All Ages

Power source: 4.5V, LR6 size X 3 pcs

Included battery: No

<u>Clause</u>	Testing Items	<u>Assessment</u>
13.4.1	Small batteries	NA
	Batteries that fit wholly within the small parts cylinder shall not be removable without the aid of a tool.	
13.4.2	Other batteries Batteries shall not be removable without the aid of a tool unless the security of the battery compartment cover is adequate.	Р
13.4.6	Battery compartment fasteners	Р
	A force of 20 N is applied to the screw or similar fastener without jerks for a duration of 10 s in any direction. The screw or similar fastener shall not become separated from the door, cover or equipment.	
16.1	Fixing	Р
	No damage impairing compliance with this standard shall occur after tightened and loosened test	

Abbreviation : P= Pass NA=Not applicable

Date sample received: Mar 01, 2023 Test Period: Mar 01, 2023 to Mar 06, 2023





2/F Garment Centre 576 Castle Peak Road



Number: HKGH02976720

(4) **Optical Radiation**

Test Standard: European Standard EN IEC 62115: 2020 + A11: 2020 on Safety of electric toys, Annex E

Clause	Title/Description	Result
19.E.2	Light-emitting diodes (LEDs)	Pass
19.E.3	Lasers (IEC 60825-1: 2014)	Not Applicable
19.E.4	UV-emitting lamps	Not Applicable

Table of measuring data

For Blue LE (water clear)					
Condition	Measured Wavelength	Spectral Emission Bandwidth	Measuring Distance	Measured Radiant Intensity	Limit
Normal (without cover)	461nm	17.6nm	200mm	2.93mW/sr	0.05W/sr
Fault (without cover)	461nm	17.6nm	200mm	3.07mW/sr	0.05W/sr

For Combination of group of Blue LEDs (water clear)

Condition	Total Ratio	Limit
Normal (without cover)	0.176	1.0
Fault (without cover)	0.184	1.0







Number: HKGH02976720

Remark:

- 1. When determining the test conclusion, the Measurement Uncertainty of test has been considered. The decision rules are based on IEC Guide 115 with complying the relevant requirements of environment and equipment.
- 2. The test was conducted by operating the apparatus at rated voltage 4.5VDC.
- 3. 3 pcs. 4.8mm round type water clear Blue LEDs used in the apparatus are identical to each other.







Number: HKGH02976720

(5)Physical and Mechanical Tests

Test Standard : ASTM Standard Consumer Safety Specification for Toy Safety F963-17

Age group for testing : For All Ages

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : -Test **FHSA** Compression test Section 1500.53(g) 30 lbf Drop Test Section 1500.51(b) 10 x 4.5 ft Tension test Section 1500.53(f) 15 lbf

Torque test Section 1500.53(e) 4 in-lbf

Clause	Requirement	Assessment
4.1	Material quality	Р
4.5	Sound producing toys	Р
4.6.1	Toys intended for children under 36 months of age	Р
4.6.2	Mouth actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months - Small part warning	NA
4.7	Accessible edges	Р
4.8	Projection	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	Р
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and overload requirement	NA
4.16	Confined spaces	NA
4.17	Wheels, tires, and axles (96 months of age or less)	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery operated toys	Р
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag type toys	Р





2/F Garment Centre 576 Castle Peak Road



Number: HKGH02976720

<u>Clause</u>	Requirement	<u>Assessment</u>
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispherical shaped objects	NA
4.37	Yo Yo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labeling requirements	P
6	Instructional literature	Р
7	Producer's marking	
	- Name of producer / distributor	Yes
	- Address	Yes

Abbreviation: P = Pass NA = Not Applicable

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Date sample received: Mar 01, 2023 Test Period: Mar 01, 2023 to Mar 06, 2023





2/F Garment Centre

576 Castle Peak Road



Number: HKGH02976720

(6)**Battery-Operated Toys**

Test Standard : Section 4.25, 5.15 & 6.5 of the ASTM Standard Consumer Safety Specification for

Toy Safety F963-17.

Age group for testing : For All Ages

<u>Clause</u>	Requirement	Assessment
4.25.1	Battery marking	Р
4.25.2	Maximum allowable direct current potential	Р
4.25.3	Protection against charging non-rechargeable battery	Р
4.25.4	Accessible batteries	Р
4.25.5	Accessible batteries that can fit completely within small part cylinder	NA
4.25.6	Isolation of batteries of different types or capacities	NA
4.25.7	Temperature of battery surface	Р
4.25.8	Temperature of battery surface or combustion hazard after normal use and abuse test	Р
4.25.9	Instruction requirement in section 6.5	Р
4.25.10	Battery-powered of ride on toys	NA
5.15	Non-replaceable batteries	NA
5.15.2	Instruction for button or coin cell batteries	NA
6.5	Instruction on safe battery usage	Р

Abbreviation: P = Pass NA = Not Applicable







Number: HKGH02976720

(7) Physical and Mechanical Tests

Test Standard : Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last

amended on 11 January 2019)

Age group for testing : For All Ages

The submitted samples were undergone the use and abuse tests in accordance with the Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019):

Test <u>Parameter</u>

Drop test 4 x (1.367 +/- 0.005) m

Pull test 42.5 +/- 2 N 42.5 +/- 2 N Push test

<u>Clause</u>	Requirement	Assessment
3	General - English and French Bilingual Statement	NA
4	Packaging	NA
5	Electrically operated toys	NA
6	Electrically heated toys	NA
7	Small parts	Р
8	Metal edges	Р
9	Wire Frames	Р
10	Plastic Edges	Р
11	Wooden Surfaces, Edges and Corners	NA
12	Glass	NA
13	Fasteners	Р
14	Folding Mechanisms, Bracket or Bracing	NA
15	Spring-Wound Driving Mechanism	NA
16	Projectile Components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
19	Noise limit	Р
20	Heated surfaces, parts or substances	Р
28	Fastening to attach parts, Clothing or Ornamentation	Р
29	Stuffing Materials	Р
	(a) Clean and free from vermin	Р
	(b) Free from Hard and Sharp Foreign Matter	Р
30	Small parts - Squeaker, Reed, Valve or other similar device	NA
31	Eyes or nose	NA
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	Р







Number: HKGH02976720

<u>Clause</u>	Requirement	<u>Assessment</u>
37	Pull and Push Toys that has a shaft-like handle	NA
38	Toy Steam Engines Boilers	NA
39	Finger Paints	NA
40	Rattle	NA
41	Elastic	NA
42	Yo-Yo Type Balls	NA
	(a) Strechable cord	NA
	(b) Similar product	NA
43	Magnetic toys	NA
44	Warning of magnetic toys	NA

Abbreviation: P = Pass NA = Not Applicable





Number: HKGH02976720

Physical and Mechanical Test (8)

Test Standard : Consumer Product Safety Standard: Toys for children up to and including 36 months

of age (in force under section 65E(1) of the Trade Practices Act 1974) as

commenced by Consumer Protection Notice No. 14 of 2003 and as amended by

Consumer Protection No. 1 of 2005.

Age group for testing : For All Ages

The submitted samples were undergone the normal use and the following reasonable foreseeable abuse tests in accordance with the Clause 5.24 OF AS/NZS ISO 8124.1 : 2002 before the assessment of the relevant requirement in Clause 4 and Annex A:

<u>Section</u>	Testing Items	<u>Parameter</u>
5.24.2	Drop Test	10x138 +/- 5cm
5.24.5	Torque test	0.45 +/- 0.02Nm
5.24.6	Tension test	70 +/- 2N
5.24.7	Compression test	114 +/- 2N

<u>Clause</u>	Requirement	<u>Assessment</u>
4.1	Normal use	Р
4.2	Reasonably foreseeable abuse	Р
4.4	Small Parts	
4.4.1	Small parts for children under 36 months	Р
4.5	Shape, size and strength of certain toys	NA
4.5.1	Squeeze toys, rattles and certain other toys	NA
4.5.2	Small balls	NA
4.5.3	Pompoms	NA
4.5.4	Preschool play figures	NA
4.5.5	Toy pacifiers	NA
4.25	Mouth-actuated toys	
4.25.a	Mouth-actuated toys and removable mouthpieces of mouth-actuated toys	NA
4.25.b	Non-detachable mouthpieces of mouth-actuated toys	NA
4.25.c	Mouth-actuated toys which contain loose components	NA
A.2.3	Battery-operated toy	Р

Abbreviation: P = PassNA = Not Applicable







Number: HKGH02976720

(9) Physical and Mechanical Tests

Test Standard : Australian / New Zealand standard AS/NZS ISO 8124-1:2019 + Amd 1:2020 + Amd

2:2020 - safety aspects related to mechanical and physical properties.

Age group for testing : For All Ages

The submitted samples were undergone the normal use and the following reasonable foreseeable abuse tests in accordance with the Clause 5.24 of AS/NZS ISO 8124-1:2019+Amd 1:2020+Amd 2:2020 before the assessment of the relevant requirement in Clause 4:

<u>Clause</u>	<u>Test</u>	<u>Parameter</u>
5.24.2	Drop test	10x138±5cm
5.24.5	Torque test	0.45±0.02Nm
5.24.6.1	Tension test	70±2N
5.24.6.2	Seam tension test	70±2N
5.24.7	Compression test	136±2N

<u>Clause</u>	Requirement Property of the Re	<u>Assessment</u>
4.1	Normal use	Р
4.2	Reasonably foreseeable abuse	Р
4.3	Material	Р
4.4.1	Small parts	Р
4.4.2	Small part warning	NA
4.5	Shape, size and strength of certain toys	NA
4.6	Edges	Р
4.7	Points	Р
4.8	Projections	NA
4.9	Metal wires and rods	NA
4.10	Plastic film or plastic bags in packaging and in toys	NA
4.11	Cords and elastic	NA
4.12	Folding mechanisms	NA
4.13	Holes, clearances and accessibility of mechanisms	NA
4.14	Springs	NA
4.15	Stability and overload requirement	NA
4.16	Enclosures	NA
4.17	Simulated protective equipment, such as helmets, hats and goggles	NA
4.18	Projectile toys	NA
4.19	Flying toys	NA
4.20	Aquatic toys	NA
4.21.	Braking	NA
4.22	Toy bicycles	NA







Number: HKGH02976720

<u>Clause</u>	Requirement	Assessment
4.23.	Speed limitation of electrically driven ride-on toys	NA
4.24.	Toys containing a heat source	NA
4.25	Liquid-filled toys	NA
4.26	Mouth-actuated toys	NA
4.27	Toy roller skates and toy skateboards	NA
4.28	Percussion caps	NA
4.29.	Acoustic requirements	Р
4.30.	Toy scooters	NA
4.31.	Magnets and magnetic components	NA
4.32	Yo-yo balls	NA
4.33	Straps intended to be worn fully or partially around the neck	NA
4.34	Sledges and toboggans with cords for pulling	NA
4.35	Jaw entrapment in handles and steering wheels	NA
4.36	Assembly	NA
ANNEX B	Safety labelling guidelines and manufacturer's markings	Р
ANNEX D	Toy gun marking	NA

Abbreviation: P = Pass NA = Not Applicable







Number: HKGH02976720



End of report

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: https://www.intertek.com/terms/. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Intertek is responsible for all the information provided in the reports, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.

The observations and test results in this report are relevant to the sample(s) tested and submitted by client. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person. Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



