



Test Report

No.: T52310290957TY

Date: NOV 09, 2023

Page 1 of 32

DONGGUAN ASIWO TECHNOLOGY CO., LTD

NO.1 MALI INDUSTRIAL ROAD,ZHONGTANG TOWN,DONGGUAN CITY,GUANGDONG PROVINCE

The following samples were submitted and identified by/on behalf of the client as:

12 INCH ELECTRIC MINI BIKE

Item No. : EL-MB03A EL-MB03P , EL-MB03C , CRUISER 12, CRUISER 12 PLUS, DENVER SCK-12100

Labeled Age Grading : 7+

Requested Age Grading : NOT STATED

Age Group Assessed by SGS As Per Age Guideline : OVER 6 YEARS

Age Group Applied in Testing : OVER 6 YEARS

Sample Receiving Date : JUN 15, 2023

Last Submission Sample Date : NOV 06, 2023

Further Information Date : NOV 09, 2023

Testing Period : JUN 15, 2023 TO NOV 09, 2023



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Shenzhen Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Requested		Conclusion
1.	For compliance with the European standard on Safety of toys:- (Except tools & charger)	--
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS
	EN 71-2: 2020 – Safety of toys – Part 2: Flammability	PASS
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 + A1:2021 – Migration of certain elements	PASS
2.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendment (EU) 2018/2005 – Phthalates content	PASS
3.	Article 11 of European Directive 94/62/EC and its amendments – Total Lead, Cadmium, Mercury and Hexavalent Chromium content	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
 SGS-CSTC Standards Technical
 Services Co., Ltd. Shenzhen Branch Testing Center




Scan to see the report



T52310290957TY
 Verification:
 check.sgsonline.com.cn

Jia Fengjuan, Shelly
 Dept. Manager

Sun Enxu, Aaron
 Dept. Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch Testing Center Hardlines

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
 中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Results:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	General Requirements	
4.1	Materials cleanliness	PASS
4.2	Assembly	PASS
4.5	Glass	PASS
4.7	Edges	PASS
4.8	Points and Metallic Wires	PASS
4.9	Protruding Parts	PASS
4.10	Parts moving against each other:	
4.10.4	Springs	PASS
4.15	Toys intended to bear the mass of a child	
4.15.1	Toys propelled by the child or by other means	PASS
4.20	Acoustics	PASS
4.23	Magnets	PASS
6	Packaging	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

<u>Clause</u>	<u>Description</u>	<u>Result</u>
7	Warnings, markings and instructions for use Only English warnings were checked for the clause 7.	
7.1	General Note: Please note that for assessing the visibility and legibility of warnings, CEN has introduced good practice in the informative Annex A.33 by addressing the following aspects: a) Emphasising the warning b) Contrast, background and colours c) Reflecting surfaces and obscuring material d) Font type e) Font size f) Logical direction of text For more details, see EN 71-1.	PASS
7.2	Toys not intended for children under 36 months Remark: The toy is manifestly unsuitable for children under 36 months.	N/A (See Remark)
7.10	Roller skates, inline skates and toy skateboards and certain other ride-on toys According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.	PASS

EN 71-2: 2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2: 2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Type of gas: Butane gas used in the test burner

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4.1	General requirements	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

LABELING REQUIREMENT (WASHING/CLEANING LABEL, CE MARK, IMPORTER / MANUFACTURER MARK (NAME, ADDRESS), PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC-SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not Applicable	----
CE mark	Present	Toy & Packaging
Importer's Name & Address	Absent. See note 3	----
Manufacturer's Name & Address	Absent. See note 3	----
Product ID	Present	Toy & Packaging

Note:

1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019+A1:2021 – Migration of certain elements

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019+A1:2021. Analysis of general elements was performed by ICP-OES / Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis or LC-ICP-MS / organic tin was analyzed by GC-MS.

Test Item(s)	Result(s)			MDL	Permissible Limit
	1	2	3		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC (China) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	4	5	6		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	7	8	9		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	10	11	12		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	13	14	15		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	74	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	16	17	18		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	19	20	21		
Specimen No.				--	--
Mass of trace amount (mg)	68.5	84.7	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	93	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)		MDL	Permissible Limit
Specimen No.	22	23	--	--
Mass of trace amount (mg)	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	64	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)		MDL	Permissible Limit
Specimen No.	24	25	--	--
Mass of trace amount (mg)	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	26	27	28		
Specimen No.	26	27	28	--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)		MDL	Permissible Limit
	29	30		
Specimen No.			--	--
Mass of trace amount (mg)	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	81	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	417	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	2	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	2	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	62	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	122	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	31	32	33		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	9542	ND	7631	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)	MDL	Permissible Limit
Specimen No.	34	--	--
Mass of trace amount (mg)	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	50	46000

Specimen Description:

1. Transparent plastic (Light)
2. Black plastic (Light, body)
3. Matt-black plastic (Escape-pipe, body)
4. Matt-black plastic (Handle, controller)
5. Bright black plastic (Fender)
6. Black plastic (Wheel, seat)
7. Black plastic (Tie)
8. Black plastic sheet (Holder)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

9. Light orange plastic (Button)
10. Transparent black plastic (Screen)
11. Bright green plastic (Fender)
12. Bright orange plastic (Fender)
13. Green plastic (Body)
14. Orange plastic (Body)
15. Black plastic (Lid)
16. Translucent white plastic (Tie)
17. Cyan plastic (Body)
18. Grey plastic (Tie)
19. Transparent plastic label w/ white printing (Sticker)
20. Laminated plastic label w/ black printing (Sticker)
21. Laminated white paper label w/ red, black printing (Sticker)
22. Laminated off-white paper label w/ multi-color printing (Sticker)
23. Black soft plastic (Handle, button)
24. Black plastic (Cable jacket)
25. Black foam sheet w/ white fabric backing (Seat)
26. Black soft plastic (Connector)
27. Black heat shrinkable plastic tube (Body)
28. Black rubber w/ cream fabric thread (Tire)
29. Matt-black rubber (Lid)
30. Black coating on metal (Body)
31. Shiny silvery coating (Body)
32. Black soft plastic (Connector, lid) (Submitted on Sep 05, 2023)
33. Transparent lacquer w/ silvery, black coating on metal (Body) (Submitted on Sep 05, 2023)
34. Red soft plastic (Lid) (Submitted on Sep 13, 2023)



- Note:
- mg/kg = milligram per kilogram
 - mg = milligram
 - ND = Not Detected (lower than MDL) (
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm
 - + Soluble Chromium is not restricted by EN 71-3:2019+A1:2021, results shown only for reference

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- * = Exceeds Permissible Limit

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for migration of certain elements, as specified in EN 71-3:2019+A1:2021.

Dark grey coating on metal (Lid)

White coating (Lettering)

Black coating (Lettering)



European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendment (EU) 2018/2005 – Phthalate content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Materials can be placed in the mouth for toys & childcare articles

Test Item(s)	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
Alias No.	--	8	8	8		
Tracing No.	--	1	2	3		
Specimen No.	--	1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	ND	0.003	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	ND	--	0.1



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
		8	8	8		
Alias No.	--	8	8	8	MDL (%)	Permissible Limit (%)
Tracing No.	--	4	5	6		
Specimen No.	--	4	5	6		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	ND	0.003	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	ND	--	0.1

Test Item(s)	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
		8	8		
Alias No.	--	8	8	MDL (%)	Permissible Limit (%)
Tracing No.	--	7	9		
Specimen No.	--	7	8		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.003	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	--	0.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
Alias No.	--	8	8	8		
Tracing No.	--	10	11	13		
Specimen No.	--	9	10	11		
Dibutyl Phthalate (DBP)	84-74-2	0.008	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	0.008	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	ND	0.003	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		0.016	ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	ND	--	0.1

Test Item(s)	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
Alias No.	--	8	8		
Tracing No.	--	25	27		
Specimen No.	--	12	13		
Dibutyl Phthalate (DBP)	84-74-2	0.017	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	0.013	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.003	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		0.030	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	--	0.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
Alias No.	--	01T-1	01T-1		
Tracing No.	--	1	3		
Specimen No.	--	14	15		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.003	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	--	0.1

Test Item(s)	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
Alias No.	--	02T-4			
Tracing No.	--	1			
Specimen No.	--	16			
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.003	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	--	0.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

1. Transparent plastic (Light) + Black plastic (Light, body) + Matt-black plastic (Escape-pipe, body)
2. Matt-black plastic (Handle, controller) + Bright black plastic (Fender) + Black plastic (Wheel, seat)
3. Black plastic (Tie) + Black plastic sheet (Holder) + Light orange plastic (Button)
4. Bright green plastic (Fender) + Bright orange plastic (Fender) + Transparent black plastic (Screen)
5. Green plastic (Body) + Orange plastic (Body) + Black plastic (Lid)
6. Translucent white plastic (Tie) + Cyan plastic (Body) + Grey plastic (Tie)
7. Transparent plastic label w/ white printing (Sticker) + Laminated plastic label w/ black printing (Sticker) + Laminated white paper label w/ red, black printing (Sticker)
8. Black foam sheet w/ white fabric backing (Seat) w/ Silvery metal piece w/ adhesive backing (Body)
9. Laminated off-white paper label w/ multi-color printing (Sticker) + Black soft plastic (Connector) + Black heat shrinkable plastic tube (Body)
10. Black rubber w/ cream fabric thread (Tire) + Matt-black rubber (Lid)
11. Black coating on metal (Body) + Shiny silvery coating (Body) w/ Dark grey coating on metal (Lid) w/ White coating (Lettering) w/ Black coating (Lettering)
12. Black soft plastic (Handle, button)
13. Black plastic (Cable jacket)
14. Black soft plastic (Lid) (Submitted on Sep 05, 2023)
15. Transparent lacquer w/ silvery, black coating on metal (Body) (Submitted on Sep 05, 2023)
16. Red soft plastic (Lid) (Submitted on Sep 13, 2023)



Materials can not be placed in the mouth for toys & childcare articles or plasticized material in the other article.

Test Item(s)	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
Alias No.	--	8	8	8		
Tracing No.	--	12	14	15		
Specimen No.	--	1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	0.016	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	0.016	ND	--	0.1

Test Item(s)	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
Alias No.	--	8	8	8		
Tracing No.	--	16	17	18		
Specimen No.	--	4	5	6		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	ND	--	0.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
Alias No.	--	8	8	8		
Tracing No.	--	19	20	21		
Specimen No.	--	7	8	9		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	ND	--	0.1

Test Item(s)	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
Alias No.	--	8	8	8		
Tracing No.	--	22	23	24		
Specimen No.	--	10	11	12		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	ND	--	0.1

Specimen Description:

1. Transparent rubber ring (Inner) + Translucent white rubber (Inner) + Matt-black w/ green rubber (Inner tire)
2. Black plastic (Connector) w/ White w/ yellow plastic (Chip LED) w/ White w/ transparent plastic (Chip LED)
3. White plastic (Connector) + Dark yellow plastic (Connector) w/ Light yellow plastic (Chip LED)
4. Black plastic (Electronic component) + Pale cyan plastic (Tie) + Transparent plastic (LED)
5. Off-white plastic (Inner) + Off-white plastic sheet (Inner) w/ Coffee plastic (Button)
6. White foam (Inner) w/ Yellow dry glue (Inner) + Rose-red plastic (Wire jacket)
7. Black plastic (Wire jacket) w/ Cream-white dry glue (Inner) w/ Black plastic tube (Electrolytic capacitor) + Black rubber (Electrolytic capacitor)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

8. Red plastic (Wire jacket) w/ Blue plastic tube w/ white printing (Electrolytic capacitor) + Green plastic (Wire jacket)
9. Blue plastic (Wire jacket) w/ Purple plastic tube w/ white printing (Electrolytic capacitor) + Transparent plastic tube w/ white fiber inside (Inner) + Light blue plastic (Wire jacket)
10. Dull yellow plastic (Wire jacket) + Yellow plastic (Wire jacket) + White plastic (Wire jacket)
11. Matt-black soft plastic (Plug) + Black adhesive foam (Inner) + Blue plastic sheet (Battery)
12. Purple plastic (Wire jacket) + White dry glue (Inner) + Laminated plastic sheet w/ black printing (Inner)

- Note:
- ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - % = percentage by weight

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Permissible Limit



Article 11 of European Directive 94/62/EC and its amendments – Total Lead, Cadmium, Mercury and Hexavalent Chromium Content

Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC62321-7-1:2015

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Ultraviolet Visible Spectrophotometer (UV-Vis)

Test Item(s)			Pb	Cd	Hg	Cr(VI)	Total (Pb + Cd + Cr(VI)+ Hg)
MDL (mg/kg)			5	5	5	8	--
Permissible Limit (mg/kg)			--	--	--	--	100
Specimen No.	Alias No.	Tracing No.					
1	1	1	ND	ND	ND	ND#	ND
2	2	1	ND	ND	ND	ND	ND
3	2	2	ND	ND	ND	ND	ND
4	2	3	ND	ND	ND	ND	ND
5	4	1	15	ND	ND	ND	15
6	4	2	ND	ND	ND	ND#	ND
7	4	3	ND	ND	ND	ND#	ND
8	4	4	ND	ND	ND	ND#	ND
9	4	5	ND	ND	ND	ND#	ND
10	4	6	ND	ND	ND	ND#	ND
11	5	1	ND	ND	ND	ND#	ND

Specimen Description:

- Multi-color coating on paper (Instruction)
- Silvery metal wire (Tie)
- Coppery metal staple
- Silvery metal staple
- Brown corrugated paper board w/ black printing (Box, pad) + Light brown corrugated paper board (Box) w/ White paper label w/ green, black coating (Sticker)
- Transparent bubble bag + Transparent plastic film (Package) + Off-white foam sheet (Package)
- Cream adhesive paper tape + White plastic sheet (Tie) + Black plastic (Tie)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

8. Transparent plastic sheet (Bag) + Translucent plastic w/ black, red printing (Bag) + White foam (Package)
9. Bright black plastic (Tie) + Translucent cream plastic (Tie) + Transparent plastic film w/ black printing (Bag)
10. Laminated paper label w/ multi-color printing (Sticker) + Transparent adhesive plastic tape w/ white fiber inside (Package) + White paper sheet (Instruction) w/ Cream dry glue (Instruction)
11. Red rubber (Package)

- Note:
- mg/kg = milligram per kilogram
 - 1% = 10000 mg/kg = 10000 ppm
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- # = The result of Hexavalent chromium (Cr(VI)) is considered as “Not Detected” since the total chromium content determined by acid digestion is “Not Detected”.
- * Exceeds Permissible Limit
- + Composite test has been performed as per client’s request and the results are calculated using the minimum specimen weight
- Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component

N.B. : - Only applicable clauses were shown.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Note:

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A = Not Applicable

** = Visual Examination

DNI = Did Not Ignite

SE = Self-Extinguishing

IBE = Ignite But Self-Extinguished

SE within 50mm = Self-extinguished within 50 mm of flame application

Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability($k=2$), $w = U_{95}$. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (T_U):Pass - when the measurement result is below $T_U - U_{95}$ Fail - when the measurement result is above $T_U + U_{95}$ Inconclusive - when the measurement result is falling in guard band [$T_U - U_{95}$, $T_U + U_{95}$]For Lower Tolerance Limit (T_L):Pass - when the measurement result is above $T_L + U_{95}$ Fail - when the measurement result is below $T_L - U_{95}$ Inconclusive - when the measurement result is falling in guard band [$T_L - U_{95}$, $T_L + U_{95}$]

Sample Picture (As received)

Pic.1



Pic.2



Pic.3



Pic.4



SGS authenticate the photo on original report only

*** End of Report ***

