



BTL DIFFUSION

Technical Report: (8822)069-0012

Mar 11, 2022

Date Received: Mar 10, 2022

Page 1 of 14

BTL DIFFUSION
16, RUE ANATOLE MOUSSU – ZA MÉRÉ NORD EST
78490 MÉRÉ, FRANCE

Sample Description:	WOODEN ACTIVITY GYM	Sample Size:	7
Vendor:	N/A	Style No(s):	302832,302849,303952
Manufacturer:	N/A	SKN/SKU No.:	NOT PROVIDE
Labeled Age Grade:	0M+	PO No.:	NOT PROVIDE
Appropriate Age Grade:	NOT REQUESTED	Ref #:	NOT PROVIDE
Client Specified Age	0+		
Grade:			
Tested Age Grade:	ALL AGES	Country of Origin:	CHINA
UPC Code:	N/A	Assortment No.:	NOT PROVIDE
Resubmitted Sample	MAR 11, 2022	Further Information	MAR 1, 2022
Date:		Date:	
Test Starting Date:	MAR 10, 2022	Test Finished Date:	MAR 11, 2022

EXECUTIVE SUMMARY:

Test Requested	Conclusion
The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2014+A1:2018 clauses 1-7(before and after washing)	PASS
Labeling requirements of "CE marking, manufacturer/ Importer name and address, and product identification" under "Directive 2009/48/EC Safety of Toy".	PASS

To be continued.

BUREAU VERITAS SHENZHEN CO.,LTD
DONGGUAN BRANCH

Harvey Xue
Manager, Analytical Lab



BUREAU VERITAS SHENZHEN CO.,LTD
DONGGUAN BRANCH

Xuechao Li
Supervisor, Toys Lab

RT/ Min Chen

REMARK

If there are questions or concerns on this report, please contact the following persons:

Report Enquiry: (86) 0769 89952999 Ext. 8175 CPSAnalytical.DG@bureauveritas.com

Business Contact: (86) 0769 85893595

This report shall not be reproduced except in full, without the written approval of our laboratory.

EXECUTIVE SUMMARY:

Test Requested	Conclusion
The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2020(before and washing).	PASS
Migration of Certain Elements in Category III - Scraped off toy material requirements of the European Standard, "Safety of toys", EN 71-3:2019+A1:2021.	PASS
The BBP, DBP ,DEHP and DIBP content requirements of the European Regulation (EC) No. 1907/2006 of the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex XVII concerning the Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles, Item no. 51(amended up to EU No.2018/2005).	PASS
The DNOP, DINP and DIDP content requirements of the European Regulation (EC) No. 1907/2006 of the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex XVII concerning the Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles, Item no. 52.	PASS

Note: At the request of the client, the sample(s) was evaluated for use by children 0+.

Note: According to the Toy Safety Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. The sample was labeled with



Note: According to the Toy Safety Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. The sample was labeled with



Note: At the request of client, test(s) was conducted on the certain component(s) of the submitted samples(s) / submitted component(s).



Tested Component(s) Description List:

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	White coating	Pole	-
I002	Brown coating	Shell	-
I003	Light blue fabric	Fabric	-
I004	Dark blue fabric	Fabric	-
I005	Blue leather	Whale	-
I006	White leather	Whale	-
I007	Beige string	Rope	-
I008	White plastic	Connect	-
I009	Black plastic	Eye	-
I010	Beige wood	Ring	-



RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

<p>The Appropriate Age Grade is determined with reference to the EN71 : Part 1 : 2014+A1:2018, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age determination guidelines prepared by Technical Committee CEN/TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).</p>	
Note :	The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.
Note :	If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6

Symbol	Explanation				
NM	The sample(s) DOES NOT MEET the requirement of this Subclause				
M	The sample(s) MEET the requirement of this Subclause				
N/A	Not Applicable				
NR	Not Requested				
NE	Not Evaluated				
NP	None Present				
NT	Not Tested				
P	Present				
R	Refer to Comment Section of this report				
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		

RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1 – 2014+A1 – 2018)**

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	M
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	M
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Cord of toy kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.1.7	Toys propelled by child – insertion mark	NA
4.15.1.8	Electrically-driven ride-on toys	NA
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	NA
4.15.2.3	Toy bicycles – Braking	NA
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.18	Toy scooters	NA



RESULTS:

Subclause	Requirement	Result
4.16	Heavy immobile toys	NA
4.17.2	All projectiles	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA
4.17.4 & 7.26	Certain projectile toys without stored energy	NA
4.18 & 7.4	Aquatic toys and inflatable toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA
4.20.2.1- 4.20.2.4, 4.20.2.6-4.20.2.12 & 7.14	Acoustics	M
*4.20.2.5	Acoustics– Toys using headphones or earphones	NA
4.21	Toys containing a non-electrical heat source	NA
4.22 & 7.2	Small balls	NA
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	NA
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo ball	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27.1	Flying toys – General	NA
4.27.2 & 7.25.1	Rotors and propellers on flying toys	NA
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	NA
FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS		
5.1	General	M
5.1a	Small parts – as received	M
5.1b	Small parts, sharp points, sharp edges – after tests	M
5.1c	Cross section <2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Casing of toys	M
5.2	Fillings, coverings and seams	M
5.3	Adhesion of plastic sheeting	NA
5.4.2	Cords and chains in toys intended for children under 18 months	M



RESULTS:

Subclause	Requirement	Result
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	M
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6 & 7.21	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	M
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15 & 7.24	Sledges with cords for pulling	NA
6	Packaging	M
WARNINGS, INSTRUCTIONS FOR USE		
7.1	General	NA
7.2	Toys not intended for children under 36 months	NA
7.5	Functional toys	NA

2009/48/EC General Labeling Requirement

Requirement	Result
CE Mark	M
Manufacturer/ Importer name and address	M
Product Identification	M

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section NT=Not Test

RESULTS:

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.3	8.25.1	4.15.1.5	8.26.1	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.4.5	8.40
4.5	8.5, 8.7, 8.11, 8.12	4.15.1.8	8.29	4.23	8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.6, 8.7, 8.8, 8.34, 8.35	5.4.6	8.40
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.2.4	8.26.2	4.24	8.37	5.4.7	8.20
4.7	8.11	4.15.3	8.21, 8.23.1	4.25	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32.1	5.7.8	8.39
4.8	8.12, 8.13	4.15.4	8.21, 8.23.1	4.26	8.38	5.5	8.15
4.9	8.4.2.3, 8.11, 8.12	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	4.27.1	8.43	5.6	8.29
4.10.1	8.18.2, 8.18.3	4.16	8.23.2	4.27.2	8.4.2.6	5.8	8.16
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.17.1	8.3, 8.4.2.1, 8.7, 8.8, 8.42	4.27.3	8.4.2.6	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.17.2	8.3, 8.4.2.4, 8.7, 8.8, 8.32.1, 8.43, 8.44	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12	5.11	8.33
4.13	8.19	4.17.3	8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42	5.3	8.4.2.1, 8.25	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9,
4.14.1	8.31.1, 8.31.2	4.17.4	8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42	5.4.1	8.40	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.18	8.2, 8.3, 8.4.2.1	5.4.2	8.38, 8.40, 8.41	5.14	8.38
4.15.1.3	8.11, 8.12, 8.21, 8.22	4.20	8.28	5.4.3	8.38, 8.40, 8.41	6	8.3, 8.4.2.1, 8.25.1, 8.32.1
4.15.1.4	8.23.1	4.21	8.30	5.4.4	8.36, 8.38		

RESULTS:

FLAMMABILITY (EN 71 PART 2: 2020)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	M
*4.1	Flammable gases	NA
*4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by child	NA
4.4	warning on product and packaging (10 – 30 mm/s)	NA
4.5	Soft-filled toys	M

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

* Note: Subclause indicated with * are not accredited.

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section
P = Present NP = Not Present



RESULTS:

Migration of Certain Elements, EN 71-3:2019+A1:2021

Test Method: European Standard EN 71-3:2019+A1:2021 Section 8.

Class: Category III - Scraped off toy material

Analyte	Requirement (mg/kg)	Result (mg/kg)				
		Test Item(s)				
	Category III	I001	I002	I003	I004	I005
Aluminium (Al)	28130	48	10	9	5	23
Arsenic (As)	47	ND	ND	ND	ND	ND
Boron (B)	15000	8	ND	4	3	3
Barium (Ba)	18750	3	18	ND	ND	ND
Cadmium (Cd)	17	ND	ND	ND	ND	ND
Cobalt (Co)	130	ND	ND	ND	ND	ND
Chromium III (Cr III)	460	ND	ND	ND	0.32	0.18
Chromium VI (Cr VI)	0.053	ND#	ND#	ND#	ND#	ND#
Copper (Cu)	7700	ND	ND	ND	ND	ND
Mercury (Hg)	94	ND	ND	ND	ND	ND
Manganese (Mn)	15000	4	3	ND	ND	5
Nickel (Ni)	930	ND	ND	ND	ND	ND
Lead (Pb)	23	ND	ND	ND	ND	ND
Antimony (Sb)	560	ND	ND	ND	10	3
Selenium (Se)	460	ND	ND	ND	ND	ND
Tin (Sn)	180000	ND	ND	ND	ND	ND
Organic tin	12	ND	ND	ND	ND	ND
Strontium (Sr)	56000	5	3	ND	ND	26
Zinc (Zn)	46000	340	510	4	4	4
Mass of trace amount (gram)		0.0192	0.0128	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS



RESULTS:

Analyte	Requirement (mg/kg)	Result (mg/kg)				
		Test Item(s)				
	Category III	I006	I007	I008	I009	I010
Aluminium (Al)	28130	21	12	4	4	6
Arsenic (As)	47	ND	ND	ND	ND	ND
Boron (B)	15000	3	10	3	ND	5
Barium (Ba)	18750	ND	2	ND	ND	11
Cadmium (Cd)	17	ND	ND	ND	ND	ND
Cobalt (Co)	130	ND	ND	ND	ND	ND
Chromium III (Cr III)	460	0.28	0.54	ND	ND	ND
Chromium VI (Cr VI)	0.053	ND#	ND#	ND	ND	ND
Copper (Cu)	7700	ND	ND	ND	ND	ND
Mercury (Hg)	94	ND	ND	ND	ND	ND
Manganese (Mn)	15000	7	4	ND	ND	6
Nickel (Ni)	930	ND	ND	ND	ND	ND
Lead (Pb)	23	ND	ND	ND	ND	ND
Antimony (Sb)	560	ND	ND	ND	ND	ND
Selenium (Se)	460	ND	ND	ND	ND	ND
Tin (Sn)	180000	ND	ND	ND	ND	ND
Organic tin	12	ND	ND	ND	ND	ND
Strontium (Sr)	56000	23	7	ND	ND	10
Zinc (Zn)	46000	5	10	ND	ND	2
Mass of trace amount (gram)		-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS

mg/kg = milligrams per kilogram (ppm=parts per million)

Organic tin = migration of total organic tin is expressed as tributyltin cation content in mg/kg

= Verified results (see note)

ND = Not detected

Detection Limit (mg/kg) :

Category III - Al : 2 ; Sb : 2 ; As : 2 ; Ba : 2 ; B : 2 ; Cd : 2 ; Cr III : 0.15 ; Cr VI : 0.025 ; Co : 2 ; Cu : 2 ; Pb : 2 ; Mn : 2 ; Hg : 2 ; Ni : 2 ; Se : 2 ; Sr : 2 ; Sn : 2 ; Organic tin : 2 ; Zn : 2

Remark:

- Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.

Note:

If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method

- Chromium VI: EN 71-3:2019+A1:2021, Annex F by Ion-chromatography with ICP-MS detector analysis.
- Organic tin: EN 71-3:2019+A1:2021, Annex G by Gas Chromatography-Mass Spectroscopy analysis.



RESULTS:

BBP/DBP/DEHP/DIBP Contents in Toys and Childcare Articles – European Regulation (EC) No. 1907/2006 REACH Annex XVII, Item no. 51

Test Method : With referenced to EN 14372:2004 Section 6.3.2, sample was extracted with organic solvent and then analyzed by Gas Chromatograph Mass Spectrometer

Test Parameter:	BBP	DBP	DEHP	DIBP	SUM	-
Limit (%):	0.1 (Sum of Four phthalates)					-
Test Item(s)	Result (%)					Conclusion
I001	ND	ND	ND	ND	ND	PASS

Note / key:

BBP = Butyl benzyl phthalate

DEHP = Di(2-ethylhexyl) phthalate

ND = Not detected

mg/kg = milligram(s) per kilogram

Detection Limit (%) : Each 0.005

DBP = Dibutyl phthalate

DIBP= Diisobutyl phthalate

% = percent

10000 mg/kg = 1 %



RESULTS:

DNOP/DINP/DIDP Contents in Toys and Childcare Articles which can be placed in the Mouth by the Children – European Regulation (EC) No. 1907/2006 REACH Annex XVII, Item no. 52

Test Method : With referenced to EN 14372:2004 Section 6.3.2, sample was extracted with organic solvent and then analyzed by Gas Chromatograph Mass Spectrometer

Test Parameter:	DIDP	DINP	DNOP	SUM	-
Limit (%):	0.1 (Sum of three phthalates)				-
Test Item(s)	Result (%)				Conclusion
I001	ND	ND	ND	ND	PASS

Note / key:

DNOP = Di-n-octyl phthalate DINP = Di-iso-nonyl phthalate DIDP = Di-iso-decyl phthalate
ND = Not detected % = percent 10000 mg/kg = 1 %
mg/kg = milligram(s) per kilogram
Detection Limit (%) : Each 0.005



**BUREAU
VERITAS**

BTL DIFFUSION
Technical Report: **(8822)069-0012**
Mar 11, 2022
Page 14 of 14

RESULTS:



END OF REPORT