

Test Report

No.: 68.452.22.0504.01

Date: 2022-05-17



Greater China

Applicant: BTL Diffusion
Address: 16, rue Anatole Moussu - ZA Méré Nord Est 78490 Méré, France
Product Name: ACTIVITY SPIRAL – Jungle
ACTIVITY SPIRAL – Farm
Style No.: 302856
302863
Country of Origin: CHINA

Washing instruction:



Receipt Date of Sample: 2022-03-22, 2022-03-31, 2022-05-05
Date of Testing: From 2022-03-30 to 2022-05-12, Shenzhen
Sample Submitted: The sample(s) was (were) submitted by applicant and identified.
Test Result: Refer to the data listed in following pages

Test Item	Conclusion
1. EN 71-1:2014+A1:2018 Mechanical and Physical Properties	Pass
2. EN 71-2:2011+A1:2014 Flammability	Pass
3. EN 71-2:2020 Flammability	Pass
4. BS EN 71-1:2014+A1:2018 Mechanical and Physical Properties	Pass
5. BS EN 71-2:2011+A1:2014 Flammability	Pass
6. BS EN 71-2:2020 Flammability	Pass
7. BPA according to Directive 2009/48/EC of the European Parliament and of the Council on the safety of toys and Amendment Commission Directive (EU) 2017/898	Pass
8. Flame Retardants (TCEP, TCPP, TDCP) Content according to Directive 2009/48/EC of the European Parliament and of the Council on the safety of toys and Amendment Commission Directive 2014/79/EU	Pass
9. Commission Directive EU 2019/1929 amending Appendix C of Annex II to Directive 2009/48/EC- Formaldehyde migration content	Pass
10. Total Cadmium Content Requirement in Annex XVII, Item 23 of the REACH Regulation (EC) No 1907/2006 with its Amendments	Pass
11. Phthalates Content in Annex XVII Items 51 and 52 of the REACH Regulation (EC) No 1907/2006 with its Amendments	Pass
12. Polycyclic Aromatic Hydrocarbons (PAHs) Content in Annex XVII item 50 of the REACH Regulation (EC) No 1907/2006 with its Amendments	Pass
13. Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCPs) Content - European Parliament and Council Regulation (EU) 2019/1021 on Persistent Organic Pollutants (POPs)	Pass
14. Content of 15 PAHs (Polycyclic Aromatic Hydrocarbons)	Pass
15. ASTM F963-17 Standard Consumer Safety Specification for Toy Safety - Physical and Mechanical	Pass

Laboratory:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuvsud.com
Web : http://www.tuvsud.cn

Regd. Office:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch, TÜV SÜD Group
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Test Report

No.: 68.452.22.0504.01

Date: 2022-05-17



Greater China

Test Item	Conclusion
16. ASTM F963-17 Standard Consumer Safety Specification for Toy Safety - Flammability Test of Materials Other Than Textile Materials	Pass
17. Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 Tracking labels for children's products	Pass
18. ASTM F963-17 Section 4.3.5.1(1) - Total Lead Content Test (Paint and Similar Surface Coating Materials)	Pass
19. ASTM F963-17 Section 4.3.5.2 - Total Lead Content Test (Substrate Materials)	Pass
20. Total Lead Content -16 CFR Part 1303, Lead of Paint	Pass
21. Total Lead Content Test in paint/similar surface coating material in accordance with Consumer Product Safety Improvement Act of 2008 Section 101	Pass
22. Total Lead Content Test in accessible substrate materials in accordance with Consumer Product Safety Improvement Act of 2008 Section 101	Pass
23. 16 CFR Part 1307 amending CPSIA section 108, Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass
24. US California Proposition 65 – Lead Content (Alameda County Superior Court RG-07-356892)	Pass
25. US California Proposition 65-Phthalates Content (Alameda BG07350969)	Pass
26. Lead Content in Public Act 097-0612 of the US State of Illinois, the Lead Poisoning Prevention Act (surface coating)	Pass
27. Heavy Metals Content in Packaging or Packaging Materials - United States Toxics in Packaging Clearinghouse (TPCH), Model Toxics in Packaging Legislation with Revisions up to July 2012(formerly CONEG)	Pass
28. Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 + SOR/2018-138 - Physical & Mechanical	Pass
29. Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 + SOR/2018-138 - Flammability Section 21	Pass
30. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Regulations (SOR/2018-83)- Total Lead Content	Pass
31. Canadian Environmental Protection Act, 1999 (S.C. 1999, c. 33), Regulations (SOR/2014-254) - Total Mercury Content	Pass
32. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Phthalates Regulations (SOR/2016-188)- Phthalates Content	Pass
33. Test of the Heavy Metals Content in Packaging Material as per Directive 94/62/EC with its Amendments	Pass
34. Phthalates Content	Pass*
35. Fiber Composition	Report as is
36. US State's Stuff Toy Labelling Requirement	Pass
37. Canada Stuff Article Labelling Requirement	Pass
38. Quebec Stuffed articles Labe review (Canada)	Pass

Remarks: 1. MDL = Method Detection Limit
2. ND = Not Detected (<MDL)

Laboratory:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuvsud.com
Web : http://www.tuvsud.cn

Regd. Office:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Test Report

No.: 68.452.22.0504.01

Date: 2022-05-17



Greater China

3. \leq Less than
4. 1 mg/kg = 1 ppm = 0.0001%
5. NA=Not Applicable
6. The test item and sample were specified by the client.
7. "*" denotes the conclusion was drawn according to the client's specification.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch
Testing Center

Prepared by:

Authorized by:



Eva Liang
Project Manager

Marlon Zeng
Section Manager

Note:




- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied.
Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.
For further details, please see "Testing and certification regulation", chapter A-3.4
For full version, please visit: EN : <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en> ; SCN: <https://www.tuvsud.cn/zh-cn/terms-and-conditions> ; TCN: <https://www.tuvsud.com/zh-tw/terms-and-conditions>
- (2) The results relate only to the items tested.
- (3) The test report shall not be reproduced except in full without the written approval of the laboratory
- (4) If relevant standards do not specify decision rule(s), follow decision rule as below:
 - "Pass" means that the measured result is within the limits, even when extended by expanded uncertainty at a level of confidence of 95%.
 - "Fail" means that the measured result is beyond the limit, even when extended by expanded uncertainty at a level of confidence of 95%.




Laboratory:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuvsud.com
Web : <http://www.tuvsud.cn>



Regd. Office:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Description of Tested Subject:

Sample	Description	Photo
001	ACTIVITY SPIRAL – Jungle (Finished product)	
002	ACTIVITY SPIRAL – Farm (Finished product)	
003	Yellow synthetic leather w/ white fabric backing (Head of lion)	
004	Light yellow synthetic leather w/ white fabric backing (Body of lion)	
005	Green soft plastic (Leaf of lion)	
006	Light brown synthetic leather w/ khaki fabric backing (Bird)	
007	Clear plastic w/ silvery printing w/ plastic sticker backing (Mirror)	
008	Multicolor printed beige fabric (Body of lion)	

Sample	Description	Photo
009	Light green plush (Body of lion)	
010	Orange synthetic leather w/ khaki fabric backing (Fox)	
011	White synthetic leather w/ white fabric backing (Fox)	
012	Multicolor printed beige fabric (Body of fox)	
013	Off white plush (Body of fox)	
014	Red synthetic leather w/ white fabric backing (Comb of chicken)	
015	Orange soft plastic (Carrot)	
016	Black synthetic leather w/ matt black fabric backing (Lion & bird)	
017	Multicolor coating (Sewn label)	

Sample	Description	Photo
018	White soft plastic (Elastic band inner body)	
019	Translucent / clear / white plastic (Whistle inner body)	
020	White plastic (Inner chicken)	
021	Translucent plastic (Beads inner chicken)	
022	Black printed clear plastic (Polybag) (Packaging)	
023	Clear adhesive tape (On polybag) (Packaging)	
024	White thread (Elastic band) (Packaging)	

Sample	Description	Photo
025	White soft plastic (Elastic band) (Packaging)	
026	Clear plastic (On board) (Packaging)	
027	Clear laminated multicolor printed white paper w/ grey paper board (Board) (Packaging)	

T. No	Sample	Description
T1	001	ACTIVITY SPIRAL – Jungle (Finished product)
T2	002	ACTIVITY SPIRAL – Farm (Finished product)
T3	003	Yellow synthetic leather w/ white fabric backing (Head of lion)
T4	004	Light yellow synthetic leather w/ white fabric backing (Body of lion)
T5	005	Green soft plastic (Leaf of lion)
T6	006	Light brown synthetic leather w/ khaki fabric backing (Bird)
T7	007	Clear plastic w/ silvery printing w/ plastic sticker backing (Mirror)
T8	008	Multicolor printed beige fabric (Body of lion)
T9	009	Light green plush (Body of lion)
T10	010	Orange synthetic leather w/ khaki fabric backing (Fox)
T11	011	White synthetic leather w/ white fabric backing (Fox)
T12	012	Multicolor printed beige fabric (Body of fox)
T13	013	Off white plush (Body of fox)
T14	014	Red synthetic leather w/ white fabric backing (Comb of chicken)
T15	015	Orange soft plastic (Carrot)
T16	016	Black synthetic leather w/ matt black fabric backing (Lion & bird)
T17	017	Multicolor coating (Sewn label)
T18	018	White soft plastic (Elastic band inner body)
T19	019	Translucent / clear / white plastic (Whistle inner body)

Test Report

No.: 68.452.22.0504.01

Date: 2022-05-17



Greater China

T. No	Sample	Description
T20	020	White plastic (Inner chicken)
T21	021	Translucent plastic (Beads inner chicken)
T22	022	Black printed clear plastic (Polybag) (Packaging)
T23	023	Clear adhesive tape (On polybag) (Packaging)
T24	024	White thread (Elastic band) (Packaging)
T25	025	White soft plastic (Elastic band) (Packaging)
T26	026	Clear plastic (On board) (Packaging)
T27	027	Clear laminated muticolor printed white paper w/ grey paper board (Board) (Packaging)



Laboratory:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuvsud.com
Web : <http://www.tuvsud.cn>

Regd. Office:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China



Test Result(s):

1. EN 71-1:2014+A1:2018 Mechanical and Physical Properties

Sample	001, 002
Labelled age range	0m+
Requested age range	All ages
Age range in testing	All ages
Age Group Assessed As per Age Guideline	All ages

Clause	Requirement	Evaluation
4	General Requirements	--
4.1	Material cleanliness	P
4.7	Edges	P
4.8	Points and metallic wires	P
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	P
4.20	Acoustics	P
5	Toys intended for children under 36 months	--
5.1	General requirements	P
5.2	Soft-filled toys and soft-filled parts of a toy	P
5.4	Cords, chains and electrical cables in toys	P
5.8	Shape and size of certain toys	P
6	Packaging	P
7	Warnings markings and instructions for use	#1
7.1	General	P

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Note:

Only applicable clauses were shown.

Remark:

#1 Labelling requirement (Washing/Cleaning instruction, CE marking, Importer / Manufacturer name and address, Product identification) according to the Directive 2009/48/EC-Safety of toys.

	Result (On Package)	Result (On Product)
CE Marking	Present	Present
Manufacturer's Name and Address	Present	Present
Importer's Name and Address	Present	Present
Product Identification	Present	Present

The following marking shall be fulfilled.

- The CE marking is subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking shall be affixed visibly, legibly and indelibly to the toy, to an affixed label to the packaging, or to the counter display.
- The manufacturer's name and address, importer's name and address in the EU shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- The toys shall bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

	Result (On Package)	Result (On Product)
Washing/Cleaning instruction	Absent	Absent
A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soaked. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.		

2. EN 71-2:2011+A1:2014 Flammability

Sample		001, 002
Clause	Requirement	Evaluation
4.1	General Requirement	P
4.5	Soft-filled toys	P

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Note:

Only applicable clauses were shown.

3. EN 71-2:2020 Flammability

Sample		001, 002
Clause	Requirement	Evaluation
4.1	General Requirement	P
4.5	Soft-filled toys	P

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Note:

Only applicable clauses were shown.

4. BS EN 71-1:2014+A1:2018 Mechanical and Physical Properties

Sample		001, 002
Labelled age range		0m+
Requested age range		All ages
Age range in testing		All ages
Age Group Assessed As per Age Guideline		All ages
Clause	Requirement	Evaluation
4	General Requirements	--
4.1	Material cleanliness	P
4.7	Edges	P
4.8	Points and metallic wires	P
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	P

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : <http://www.tuvsud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Clause	Requirement	Evaluation
4.20	Acoustics	P
5	Toys intended for children under 36 months	--
5.1	General requirements	P
5.2	Soft-filled toys and soft-filled parts of a toy	P
5.4	Cords, chains and electrical cables in toys	P
5.8	Shape and size of certain toys	P
6	Packaging	P
7	Warnings markings and instructions for use	#1
7.1	General	P

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Note:

Only applicable clauses were shown.

Remark:

#1= The UKCA marking shall be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging, in counter display which shall be subject to the general principles set out in Toys (Safety) Regulations 2011, as amended by the Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations. -The manufacturer's name and address, importer's name and address in UK shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. -The toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

5. BS EN 71-2:2011+A1:2014 Flammability

Sample	001, 002	
Clause	Requirement	Evaluation
4.1	General Requirement	P
4.5	Soft-filled toys	P

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Note:

Only applicable clauses were shown.

6. BS EN 71-2:2020 Flammability

Sample	001, 002	
Clause	Requirement	Evaluation
4.1	General Requirement	P
4.5	Soft-filled toys	P

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Note:

Only applicable clauses were shown.

7. BPA according to Directive 2009/48/EC of the European Parliament and of the Council on the safety of toys and Amendment Commission Directive (EU) 2017/898

Test with reference to EN 71-10:2005 & EN 71-11:2005

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					005+007+015	010+011+014
Bisphenol A	80-05-7	mg/L	0.01	0.04	<0.01	<0.01
Conclusion					Pass	Pass

8. Flame Retardants (TCEP, TCPP, TDCP) Content according to Directive 2009/48/EC of the European Parliament and of the Council on the safety of toys and Amendment Commission Directive 2014/79/EU

Test with reference to in house method, determination by LC-MS.

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					008+012	009+013
Tris (2-chloroethyl) phosphate (TCEP)	115-96-8	mg/kg	1	5	<1	<1
Tris-Chlorpropylphosphate(TCPP)	13674-84-5	mg/kg	1	5	<1	<1
Tris-dichlorpropylphosphate (TDCP/TDCPP)	13674-87-8	mg/kg	1	5	<1	<1
Conclusion					Pass	Pass

9. Commission Directive EU 2019/1929 amending Appendix C of Annex II to Directive 2009/48/EC- Formaldehyde content

Test with reference to EN ISO 14184-1:2011, determination by UV-Vis.

Sample	Unit	MDL	Limit	Result(s)	Conclusion
009	mg/kg	16	30	<16	Pass
012	mg/kg	16	30	<16	Pass

10. Total Cadmium Content Requirement in Annex XVII, Item 23 of the REACH Regulation(EC) No 1907/2006 with its Amendments

Test with reference to EPA 3052:1996, determination by ICP-OES

Sample	Unit	MDL	Limit	Result(s)	Conclusion
003+004+006	mg/kg	10	100	<10.0	Pass
005+007+015	mg/kg	10	100	<10.0	Pass
010+011+014	mg/kg	10	100	<10.0	Pass

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : http://www.tuvsud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

11. Phthalates Content in Annex XVII Items 51 and 52 of the REACH Regulation (EC) No 1907/2006 with its Amendments

Test with reference to in house method, solvent extraction and determination by GC-MS.

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					005	007
Bis (2-ethylhexyl) phthalate, DEHP	117-81-7	%	0.005	-	0.019	<0.005
Dibutyl phthalate, DBP	84-74-2	%	0.005	-	0.015	<0.005
Benzyl butyl phthalate, BBP	85-68-7	%	0.005	-	<0.005	<0.005
Diisobutylphthalate, DIBP	84-69-5	%	0.005	-	<0.005	<0.005
Sum of DBP, BBP, DEHP, DIBP	-	%	0.005	0.1	0.034	<0.005
Di-isononyl phthalate, DINP	28553-12-0 , 68515-48-0	%	0.005	-	<0.005	<0.005
Di-isodecyl phthalate, DIDP	26761-40-0 , 68515-49-1	%	0.005	-	<0.005	<0.005
Di-n-octyl phthalate, DNOP	117-84-0	%	0.005	-	<0.005	<0.005
Sum of DINP, DIDP, DNOP	-	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					010+011+014	015
Bis (2-ethylhexyl) phthalate, DEHP	117-81-7	%	0.005	-	<0.005	<0.005
Dibutyl phthalate, DBP	84-74-2	%	0.005	-	<0.005	<0.005
Benzyl butyl phthalate, BBP	85-68-7	%	0.005	-	<0.005	<0.005
Diisobutylphthalate, DIBP	84-69-5	%	0.005	-	<0.005	<0.005
Sum of DBP, BBP, DEHP, DIBP	-	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, DINP	28553-12-0 , 68515-48-0	%	0.005	-	<0.005	<0.005
Di-isodecyl phthalate, DIDP	26761-40-0 , 68515-49-1	%	0.005	-	<0.005	<0.005
Di-n-octyl phthalate, DNOP	117-84-0	%	0.005	-	<0.005	<0.005
Sum of DINP, DIDP, DNOP	-	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

12. Polycyclic Aromatic Hydrocarbons (PAHs) Content in Annex XVII item 50 of the REACH Regulation (EC) No 1907/2006 with its Amendments

Test with reference to AfPS GS 2019:01PAK, determination by GC-MS.

Parameter	CAS No.	Unit	MDL	Limit	Result(s)	
					005+014	007+015
Benzo[b]fluoranthene (BbFA)	205-99-2	mg/kg	0.1	0.5	<0.1	<0.1
Benzo[a]anthracene (BaA)	56-55-3	mg/kg	0.1	0.5	<0.1	<0.1
Benzo[a]pyrene (BaP)	50-32-8	mg/kg	0.1	0.5	<0.1	<0.1
Benzo[e]pyrene (BeP)	192-97-2	mg/kg	0.1	0.5	<0.1	<0.1
Benzo[j]fluoranthene (BjFA)	205-82-3	mg/kg	0.1	0.5	<0.1	<0.1
Benzo[k]fluoranthene (BkFA)	207-08-9	mg/kg	0.1	0.5	<0.1	<0.1
Chrysene (CHR)	218-01-9	mg/kg	0.1	0.5	<0.1	<0.1
Dibenzo[a,h]anthracene (DBAhA)	53-70-3	mg/kg	0.1	0.5	<0.1	<0.1
Conclusion					Pass	Pass

Parameter	CAS No.	Unit	MDL	Limit	Result(s)
					010+011
Benzo[b]fluoranthene (BbFA)	205-99-2	mg/kg	0.1	0.5	<0.1
Benzo[a]anthracene (BaA)	56-55-3	mg/kg	0.1	0.5	<0.1
Benzo[a]pyrene (BaP)	50-32-8	mg/kg	0.1	0.5	<0.1
Benzo[e]pyrene (BeP)	192-97-2	mg/kg	0.1	0.5	<0.1
Benzo[j]fluoranthene (BjFA)	205-82-3	mg/kg	0.1	0.5	<0.1
Benzo[k]fluoranthene (BkFA)	207-08-9	mg/kg	0.1	0.5	<0.1
Chrysene (CHR)	218-01-9	mg/kg	0.1	0.5	<0.1
Dibenzo[a,h]anthracene (DBAhA)	53-70-3	mg/kg	0.1	0.5	<0.1
Conclusion					Pass

13. Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCPs) Content - European Parliament and Council Regulation (EU) 2019/1021 on Persistent Organic Pollutants (POPs)

Test with reference to in house method, determination by GC-MS-NCI.

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					005+007+015	010+011+014
SCCP	85535-84-8	mg/kg	100	1500	<100	<100
Conclusion					Pass	Pass

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : <http://www.tuvsud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Test Report

No.: 68.452.22.0504.01

Date: 2022-05-17



Greater China

14. Content of 15 PAHs (Polycyclic Aromatic Hydrocarbons)

Test with reference to AfPS GS 2019:01PAK, determination by GC-MS.

Parameter	CAS No.	Unit	MDL	Limit	Result(s)	
					005+014	007+015
Naphthalene	91-20-3	mg/kg	0.1	1	0.2	0.1
Phenanthrene	85-01-8	mg/kg	0.1	-	0.1	<0.1
Anthracene	120-12-7	mg/kg	0.1	-	<0.1	<0.1
Fluoranthene	206-44-0	mg/kg	0.1	-	<0.1	<0.1
Pyrene	129-00-0	mg/kg	0.1	-	<0.1	<0.1
Benzo[a]anthracene	56-55-3	mg/kg	0.1	0.2	<0.1	<0.1
Chrysene	218-01-9	mg/kg	0.1	0.2	<0.1	<0.1
Benzo[b]fluoranthene	205-99-2	mg/kg	0.1	0.2	<0.1	<0.1
Benzo[j]fluoranthene	205-82-3	mg/kg	0.1	0.2	<0.1	<0.1
Benzo[k]fluoranthene	207-08-9	mg/kg	0.1	0.2	<0.1	<0.1
Benzo[a]pyrene	50-32-8	mg/kg	0.1	0.2	<0.1	<0.1
Benzo[e]pyrene	192-97-2	mg/kg	0.1	0.2	<0.1	<0.1
Benzo[ghi]perylene	191-24-2	mg/kg	0.1	0.2	<0.1	<0.1
dibenzo[ah]anthracene	53-70-3	mg/kg	0.1	0.2	<0.1	<0.1
Indeno[1,2,3-cd]pyrene	193-39-5	mg/kg	0.1	0.2	<0.1	<0.1
Sum of detected 15 PAHs	-	mg/kg	0.1	1	0.3	0.1
Conclusion					Pass	Pass

Parameter	CAS No.	Unit	MDL	Limit	Result(s)
					010+011
Naphthalene	91-20-3	mg/kg	0.1	1	0.2
Phenanthrene	85-01-8	mg/kg	0.1	-	0.1
Anthracene	120-12-7	mg/kg	0.1	-	<0.1
Fluoranthene	206-44-0	mg/kg	0.1	-	<0.1
Pyrene	129-00-0	mg/kg	0.1	-	<0.1
Benzo[a]anthracene	56-55-3	mg/kg	0.1	0.2	<0.1
Chrysene	218-01-9	mg/kg	0.1	0.2	<0.1
Benzo[b]fluoranthene	205-99-2	mg/kg	0.1	0.2	<0.1
Benzo[j]fluoranthene	205-82-3	mg/kg	0.1	0.2	<0.1
Benzo[k]fluoranthene	207-08-9	mg/kg	0.1	0.2	<0.1
Benzo[a]pyrene	50-32-8	mg/kg	0.1	0.2	<0.1
Benzo[e]pyrene	192-97-2	mg/kg	0.1	0.2	<0.1
Benzo[ghi]perylene	191-24-2	mg/kg	0.1	0.2	<0.1
dibenzo[ah]anthracene	53-70-3	mg/kg	0.1	0.2	<0.1
Indeno[1,2,3-cd]pyrene	193-39-5	mg/kg	0.1	0.2	<0.1
Sum of detected 15 PAHs	-	mg/kg	0.1	1	0.3
Conclusion					Pass

Remark: 1. Category was specified by client
2. Limit according to AfPS GS 2019:01PAK :

Parameter	Category 1	Category 2	Category 3
-----------	------------	------------	------------

Laboratory:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuv sud.com
Web : http://www.tuv sud.cn

Regd. Office:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

	Materials intended to be taken into the mouth, or materials in toys according to Directive 2009/48/EC or materials in articles intended for the use by children up to 3 years of age having long-term skin contact (more than 30s) within intended use	Materials that do not fall into category 1, with long-term skin contact (more than 30s) or repeated short-term skin contact within intended or foreseeable use		Materials that do neither fall into category 1 nor 2, with short-term skin contact (up to 30s) within foreseeable use	
		Used by children (mg/kg)	Other consumer products (mg/kg)	Used by children (mg/kg)	Other consumer products (mg/kg)
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoroanthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoroanthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoroanthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Phenanthrene, Pyrene, Anthracene, Fluoranthene	Sum < 1	Sum < 5	Sum < 10	Sum < 20	Sum < 50
Naphthalene	< 1	< 2		< 10	
Sum 15 PAH	< 1	< 5	< 10	< 20	< 50

15. ASTM F963-17 Standard Consumer Safety Specification for Toy Safety - Physical and Mechanical

Sample	001, 002
Labelled age range	0m+
Requested age range	All ages
Age range in testing	All ages
Age Group Assessed As per Age Guideline	All ages

Clause	Requirement	Evaluation
4	Safety Requirements	--
4.1	Material quality	P
4.3.7	Stuffing materials	P
4.5	Sound-Producing toys	P
4.6	Small Objects	P
4.7	Accessible Edges	P
4.9	Accessible Points	P
4.11	Nails and Fasteners	P



Clause	Requirement	Evaluation
4.12	Plastic Film	P
4.14	Cords, Straps, and Elastics	P
4.22	Teethers and Teething Toys	P
4.26	Toys Intended to be Attached to a Crib or Playpen	P
4.27	Stuffed and Beanbag-Type Toys	P
5	Labeling Requirements	--
5.2	Age Grading Labeling	P
5.16	Promotional Materials	P
6	Instructional Literature	--
6.1	Definition and Description	P
7	Producer's Markings	--
7.1	Name and Address of the Producer or Distributor	P

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Note:

Only applicable sections were shown.

16. ASTM F963-17 Standard Consumer Safety Specification for Toy Safety - Flammability Test of Materials Other Than Textile Materials

As per Section 4.2 of ASTM F963-17 Standard Consumer Safety Specification for Toy Safety

Sample: 001,002

Result: Average burn rate < 0.1 inch/sec.

17. Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 Tracking labels for children's products

Sample		001,002
Section	Requirement	Evaluation
Tracking labels for children's product	Tracking labels for children's products Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008	P

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Note:

- The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

18. ASTM F963-17 Section 4.3.5.1(1) - Total Lead Content Test (Paint and Similar Surface Coating Materials)

Test with reference to CPSC-CH-E1003-09.1, determination by ICP-OES

Sample	Unit	MDL	Limit	Result(s)	Conclusion
017	mg/kg	10	90	<10.0	Pass

19. ASTM F963-17 Section 4.3.5.2 - Total Lead Content Test (Substrate Materials)

Test with reference to CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3, determination by ICP-OES

Sample	Unit	MDL	Limit	Result(s)	Conclusion
003+004+006	mg/kg	10	100	<10.0	Pass
005+007+018	mg/kg	10	100	<10.0	Pass
008	mg/kg	10	100	<10.0	Pass
010+011+014	mg/kg	10	100	<10.0	Pass
012	mg/kg	10	100	<10.0	Pass
015+016	mg/kg	10	100	<10.0	Pass
019	mg/kg	10	100	<10.0	Pass
020+021	mg/kg	10	100	<10.0	Pass

20. Total Lead Content -16 CFR Part 1303, Lead of Paint

Test with reference to CPSC-CH-E1003-09.1 and determination by ICP-OES/ICP-MS.

Sample	Unit	MDL	Limit	Result(s)	Conclusion
017	mg/kg	10	90	<10.0	Pass

21. Total Lead Content Test in paint/similar surface coating material in accordance with Consumer Product Safety Improvement Act of 2008 Section 101

Test with reference to CPSC-CH-E1003-09.1 and determination by ICP-OES/ICP-MS.

Sample	Unit	MDL	Limit	Result(s)	Conclusion
017	mg/kg	10	90	<10.0	Pass

22. Total Lead Content Test in accessible substrate materials in accordance with Consumer Product Safety Improvement Act of 2008 Section 101

Test with reference to CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3, determination by ICP-OES/ICP-MS.

Sample	Unit	MDL	Limit	Result(s)	Conclusion
003+004+006	mg/kg	10	100	<10.0	Pass
005+007+018	mg/kg	10	100	<10.0	Pass
008	mg/kg	10	100	<10.0	Pass
010+011+014	mg/kg	10	100	<10.0	Pass
012	mg/kg	10	100	<10.0	Pass

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : http://www.tuvsud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Test Report

No.: 68.452.22.0504.01

Date: 2022-05-17



Greater China

015+016	mg/kg	10	100	<10.0	Pass
019	mg/kg	10	100	<10.0	Pass
020+021	mg/kg	10	100	<10.0	Pass

23. 16 CFR Part 1307 amending CPSIA section 108, Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates

Test with reference to in-house method, determination by GC-MS.

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					005	007
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	0.015	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	0.019	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					010+011+014	015
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Diisobutylphthalate, (DIBP)	84-69-5	%	0.005	0.1	<0.005	<0.005
Dipentyl phthalate (DPP)	131-18-0	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Laboratory:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuvsud.com
Web : http://www.tuvsud.cn

Regd. Office:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Test Report

No.: 68.452.22.0504.01

Date: 2022-05-17



Greater China

24. US California Proposition 65 - Lead Content (Alameda County Superior Court RG-07-356892)

Test with reference to CPSC-CH-E1003-09.1, CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3, determination by ICP-OES

Sample	Unit	MDL	Limit	Result(s)	Conclusion
003+004+006	mg/kg	10	100	<10.0	Pass
005+007+018	mg/kg	10	100	<10.0	Pass
008	mg/kg	10	100	<10.0	Pass
010+011+014	mg/kg	10	100	<10.0	Pass
012	mg/kg	10	100	<10.0	Pass
015+016	mg/kg	10	100	<10.0	Pass
017	mg/kg	10	90	<10.0	Pass
019	mg/kg	10	100	<10.0	Pass
020+021	mg/kg	10	100	<10.0	Pass

25. US California Proposition 65-Phthalates Content (Alameda BG07350969)

Test with reference to in-house method, determination by GC-MS.

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					005	007
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	0.019	<0.005
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	0.015	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					010+011+014	015
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
Di-n-hexyl phthalate (DHP)	84-75-3	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Laboratory:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuvsud.com
Web : http://www.tuvsud.cn

Regd. Office:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

26. Lead Content in Public Act 097-0612 of the US State of Illinois, the Lead Poisoning Prevention Act(surface coating)

Test with reference to CPSC-CH-E1003-09.1, determination by ICP-OES

Sample	Unit	MDL	Limit	Result(s)	Conclusion
017	mg/kg	10	40	<10.0	Pass

27. Heavy Metals Content in Packaging or Packaging Materials - United States Toxics in Packaging Clearinghouse (TPCH), Model Toxics in Packaging Legislation with Revisions up to July 2012(formerly CONEG)

Test with reference to acid digestion, determination by ICP-OES and UV-VIS.

Parameter	Unit	MDL	Limit	Result(s)	
				022	023
Cadmium As (Cd)	ppm	2.0	-	<2.0	<2.0
Hexavalent Chromium As (Cr(VI))^	ppm	10.0	-	<10.0	<10.0
Lead As (Pb)	ppm	10.0	-	<10.0	<10.0
Mercury As (Hg)	ppm	10.0	-	<10.0	<10.0
Sum of Cd + Cr(VI) + Pb+ Hg	ppm	32.0	100.0	<32	<32
Conclusion				Pass	Pass

Parameter	Unit	MDL	Limit	Result(s)	
				024	025
Cadmium As (Cd)	ppm	2.0	-	<2.0	<2.0
Hexavalent Chromium As (Cr(VI))^	ppm	10.0	-	<10.0	<10.0
Lead As (Pb)	ppm	10.0	-	<10.0	<10.0
Mercury As (Hg)	ppm	10.0	-	<10.0	<10.0
Sum of Cd + Cr(VI) + Pb+ Hg	ppm	32.0	100.0	<32	<32
Conclusion				Pass	Pass

Parameter	Unit	MDL	Limit	Result(s)	
				026	027
Cadmium As (Cd)	ppm	2.0	-	<2.0	<2.0
Hexavalent Chromium As (Cr(VI))^	ppm	10.0	-	<10.0	<10.0
Lead As (Pb)	ppm	10.0	-	<10.0	<10.0
Mercury As (Hg)	ppm	10.0	-	<10.0	<10.0
Sum of Cd + Cr(VI) + Pb+ Hg	ppm	32.0	100.0	<32	<32
Conclusion				Pass	Pass

28. Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 + SOR/2018-138 - Physical & Mechanical

Sample	001, 002
Labelled age range	0m+
Requested age range	All ages
Age range in testing	All ages
Age Group Assessed As per Age Guideline	All ages

Section	Requirement	Evaluation
3	General	P
4	Packaging	P
	<u>Mechanical Hazards</u>	
7	Small parts	P
10	Plastic edges	P
13	Fasteners	P
	<u>Auditory Hazards</u>	
19	Decibel limit	P
	<u>Dolls, Plush Toys and Soft Toys</u>	
28	Fastenings	P
29	Stuffing	P
31	Eyes and Noses	P
	<u>Plant Seeds</u>	
35	Plant seeds – Noise	P
36	Plant seeds – stuffing material	P

29. Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 + SOR/2018-138 - Flammability Section 21

Sample	001, 002	
Section	Requirement	Evaluation
21	Celluloid or cellulose nitrate	P
	<u>Dolls, Plush Toys and Soft Toys</u>	
32	Flammability of outer covering	P

Abbreviation:

P = Pass, F = Fail, NA = Not Applicable, NR = Not Requested.

Note:

Only applicable sections were shown.

30. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Regulations (SOR/2018-83)-Total Lead Content

With reference to Health Canada, Product Safety Reference Manual Book 5 -Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-02.2, C-02.3&C-02.4, determination by ICP-OES

Sample	Unit	MDL	Limit	Result(s)	Conclusion
003+004+006	mg/kg	10	90	<10.0	Pass
005+007+018	mg/kg	10	90	<10.0	Pass
008	mg/kg	10	90	<10.0	Pass
010+011+014	mg/kg	10	90	<10.0	Pass
012	mg/kg	10	90	<10.0	Pass
015+016	mg/kg	10	90	<10.0	Pass
017	mg/kg	10	90	<10.0	Pass
019	mg/kg	10	90	<10.0	Pass
020+021	mg/kg	10	90	<10.0	Pass

31. Canadian Environmental Protection Act, 1999 (S.C. 1999, c. 33), Regulations (SOR/2014-254) - Total Mercury Content

Test with reference to Health Canada, Product Safety Reference Manual Book 5 - Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-07, determination by ICP-OES

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					003+004+006	005+007+015
Total Mercury	-	mg/kg	10.0	1000	<10.0	<10.0
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)
					010+011+014
Total Mercury	-	mg/kg	10.0	1000	<10.0
Conclusion					Pass

32. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Phthalates Regulations (SOR/2016-188)-Phthalates Content

Test with reference to in house method, determination by GC-MS.

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					005	007
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	0.015	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	0.019	<0.005
Di-n-octyl phthalate, (DNOP)	117-84-0	%	0.005	0.1	<0.005	<0.005

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuv sud.com

Web : http://www.tuv sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

Compound	CAS No.	Unit	MDL	Limit	Result(s)	
					010+011+014	015
Dibutyl phthalate, (DBP)	84-74-2	%	0.005	0.1	<0.005	<0.005
Benzyl butyl phthalate, (BBP)	85-68-7	%	0.005	0.1	<0.005	<0.005
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	%	0.005	0.1	<0.005	<0.005
Di-n-octyl phthalate, (DNOP)	117-84-0	%	0.005	0.1	<0.005	<0.005
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	%	0.005	0.1	<0.005	<0.005
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	%	0.005	0.1	<0.005	<0.005
Conclusion					Pass	Pass

33. Test of the Heavy Metals Content in Packaging Material as per Directive 94/62/EC with its Amendments

Test with reference to acid digestion, determination by ICP-OES and UV-Vis.

Parameter	Unit	MDL	Limit	Result(s)	
				022	023
Cadmium As (Cd)	ppm	2.0	-	<2.0	<2.0
Hexavalent Chromium As (Cr(VI))^	ppm	10.0	-	<10.0	<10.0
Lead As (Pb)	ppm	10.0	-	<10.0	<10.0
Mercury As (Hg)	ppm	10.0	-	<10.0	<10.0
Sum of Cd + Cr(VI) + Pb+ Hg	ppm	32.0	100.0	<32	<32
Conclusion				Pass	Pass

Parameter	Unit	MDL	Limit	Result(s)	
				024	025
Cadmium As (Cd)	ppm	2.0	-	<2.0	<2.0
Hexavalent Chromium As (Cr(VI))^	ppm	10.0	-	<10.0	<10.0
Lead As (Pb)	ppm	10.0	-	<10.0	<10.0
Mercury As (Hg)	ppm	10.0	-	<10.0	<10.0
Sum of Cd + Cr(VI) + Pb+ Hg	ppm	32.0	100.0	<32	<32
Conclusion				Pass	Pass

Parameter	Unit	MDL	Limit	Result(s)	
				026	027
Cadmium As (Cd)	ppm	2.0	-	<2.0	<2.0
Hexavalent Chromium As (Cr(VI))^	ppm	10.0	-	<10.0	<10.0
Lead As (Pb)	ppm	10.0	-	<10.0	<10.0
Mercury As (Hg)	ppm	10.0	-	<10.0	<10.0
Sum of Cd + Cr(VI) + Pb+ Hg	ppm	32.0	100.0	<32	<32
Conclusion				Pass	Pass

34. Phthalates Content

Test with reference to in house method, determination by GC-MS.

Test Items	CAS No.	Results [%]			Client's Specification [%]
		Sample 005	Sample 007	Sample 010+011+014	
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	0.019	<0.005	<0.005	<0.1
Dibutyl phthalate, (DBP)	84-74-2	0.015	<0.005	<0.005	<0.1
Diethyl phthalate(DEP)	84-66-2	<0.005	<0.005	<0.005	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	<0.005	<0.005	<0.005	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	<0.005	<0.005	<0.005	<0.1
Di-n-octyl phthalate, (DNOP)	117-84-0	<0.005	<0.005	<0.005	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	<0.005	<0.005	<0.005	<0.1
Bis(2-methoxyethyl)phthalate (DMEP)	117-82-8	<0.005	<0.005	<0.005	<0.1
Di-n-pentyl phthalates (DnPP)(131-18-0)	131-18-0	<0.005	<0.005	<0.005	<0.1
Diisopentyl phthalate (DiPP)	605-50-5	<0.005	<0.005	<0.005	<0.1
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear (CAS 84777-06-0)	84777-06-0	<0.005	<0.005	<0.005	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	<0.005	<0.005	<0.005	<0.1
Dicyclohexyl phthalate (DCHP)(84-61-7)	84-61-7	<0.005	<0.005	<0.005	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	<0.005	<0.005	<0.005	<0.1
n-Pentyl-isopentylphthalate (nPiPP)	776297-69-9	<0.005	<0.005	<0.005	<0.1
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear(68515-50-4)	68515-50-4	<0.005	<0.005	<0.005	<0.1
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	<0.005	<0.005	<0.005	<0.1
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUPI)	68515-42-4	<0.005	<0.005	<0.005	<0.1
1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters, Di(C6-C10)alkyl phthalate	68515-51-5 68648-93-1	<0.005	<0.005	<0.005	<0.1
Conclusion		Pass	Pass	Pass	-

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: info@tuvsud.com

Web : http://www.tuvsud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Test Items	CAS No.	Results [%]	Client's Specification [%]
		Sample 015	
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	<0.005	<0.1
Dibutyl phthalate, (DBP)	84-74-2	<0.005	<0.1
Diethyl phthalate(DEP)	84-66-2	<0.005	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	<0.005	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	<0.005	<0.1
Di-n-octyl phthalate, (DNOP)	117-84-0	<0.005	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	<0.005	<0.1
Bis(2-methoxyethyl)phthalate (DMEP)	117-82-8	<0.005	<0.1
Di-n-pentyl phthalates (DnPP)(131-18-0)	131-18-0	<0.005	<0.1
Diisopentyl phthalate (DiPP)	605-50-5	<0.005	<0.1
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear (CAS 84777-06-0)	84777-06-0	<0.005	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	<0.005	<0.1
Dicyclohexyl phthalate (DCHP)(84-61-7)	84-61-7	<0.005	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	<0.005	<0.1
n-Pentyl-isopentylphthalate (nPiPP)	776297-69-9	<0.005	<0.1
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear(68515-50-4)	68515-50-4	<0.005	<0.1
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	<0.005	<0.1
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	<0.005	<0.1
1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters, Di(C6-C10)alkyl phthalate	68515-51-5 68648-93-1	<0.005	<0.1
Conclusion		Pass	-

35. Fiber Composition

AATCC TM20-2021& AATCC TM20A-2021

Test Sample	Content [%]
Sample 001	Woven: 90.8% Polyester, 9.2% Nylon Knit: 100% Polyester Filling: 100% Polyester
Sample 002	Woven: 90.1% Polyester, 9.9% Nylon Knit: 100% Polyester Filling: 100% Polyester

Note: 1. “%” denotes percent by weight



36. US State's Stuff Toy Labelling Requirement

Sample 001,002				
Stuff toy sells in Pennsylvania, Massachusetts and Ohio must meet stuff label requirement as described in states law. Pennsylvania: PA Stuffed Toy Law (47.315) Labelling Massachusetts: MA 105 CMR 620.006 Stuffed toys labelling Ohio: OH RC 4101:6-1-05 Stuffed toy labelling				
PA	MA	OH	Requirement	Remark*
47.315 (a) √	620.006(B) √	4101:6-1-05B (1) √	Shall bear a label clearly legible and in sufficient size type so that it may be readily discerned	C
47.315(b)(1) √	620.006(A)(1) √	4101:6-1-05B (2)(b) √	Shall bear a statement that "ALL NEW MATERIAL" or "ALL NEW (type) MATERIAL"	C
47.315(b)(2) √			PA: Registration number of PA (REG. NO. PA) is mandatory.	C
	620.006(A)(2) √		MA: Name and address, or REG NO	C
		4101:6-1-05B (2)(a) √	OH: Name and address, or state's REG NO.	C
47.316 √			PA: Material type/content is not mandatory in PA, but if it's designed on label it shall be in its generic name as in section 47.311 check table 1.	C
	620.006(A)(1) √	4101:6-1-05B (2)(b) √	MA&OH: Material type/content is mandatory in MA and OH.	C

* Abbreviation:
C = Complied

37. Canada Stuff Article Labelling Requirement

Sample 001,002		
Stuff article sells in Quebec must meet stuff label requirement as described in province regulations. Quebec: Quebec Regulation respecting stuffing and upholstered and stuffed articles		
	Requirement	Remark*
Schedule II (3.1)	Materials for labels	C
Schedule II (3.2)	Color and size	C
Schedule II (3.3)	Inscriptions on labels	C
Schedule II (3.4)	Inscription of composition	NA
Schedule II 4	Models of labels	C

Laboratory:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: info@tuv sud.com
Web : http://www.tuvsud.cn

Regd. Office:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shenzhen Branch
Building 12&13, Zhiheng Wisdomland Business Park,
Guankou Erlu, Nantou, Nanshan District, Shenzhen,
Guangdong, China



Schedule II 5	Attachment of labels	C
---------------	----------------------	---

* Abbreviation:

C = Complied, NA = Not Applicable

38. Quebec Stuffed articles Labe review (Canada)

Sample 001,002		
Stuff article sells in Quebec must meet stuff label requirement as described in province regulations.		
Quebec: Quebec Regulation respecting stuffing and upholstered and stuffed articles		
	Requirement	Remark*
Schedule II (3.1)	Materials for labels	C
Schedule II (3.2)	Color and size	C
Schedule II (3.3)	Inscriptions on labels	C
Schedule II (3.4)	Inscription of composition	NA
Schedule II 4	Models of labels	C
Schedule II 5	Attachment of labels	C

* Abbreviation:

C = Complied, NA = Not Applicable

-End of Test Report-