

TEST REPORT

Applicant: SARL BTL DIFFUSION
16, RUE ANATOLE MOUSSU
ZA MERE NORD EST
78490 MERE FRANCE

Number: HKGH03035717

Date: Sep 14, 2023

Attn: RAFI

Sample and Information provided by customer :
Item Name : **Dino Friends - Hector the Brachiosaurus,
Dino Friends - Penelop the Triceratops,
Dino Friends - Steffy the Stegosaurus,
Dino Friends - Dimitri the Dimetrodon,
Dino Friends - Rex the Tyrannosaurus**

Item No. : **304621,
304638,
304645,
304652,
304669**

Quantity : 3 pieces per style
Labelled Age Group : 0+
Packaging Provided : No
Country of Origin : China

For and on behalf of :
Intertek Testing Services HK Ltd.



Cindy I.K. Chan
Vice President



TEST REPORT

Number : HKGH03035717

Conclusion:

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

| <u>Requirement</u> | <u>Result</u> |
|---|---------------|
| (1) BS EN 71-1:2014 + A1:2018 - Mechanical and physical properties | Pass |
| (2) BS EN 71-2:2020 - Flammability Test | Pass |
| (3) EN 71-1:2014 + A1:2018 - Mechanical and physical properties | Pass |
| (4) EN 71-2:2020 - Flammability Test | Pass |
| (5) U.S. ASTM F963-17 - Physical and Mechanical tests | Pass |
| (6) ASTM F963-17 - Flammability Test of Materials other than textile materials | Pass |
| (7) ASTM F963-17 - Section 4.3.7 Stuffing Cleanliness Test | Pass |
| (8) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019) - Mechanical and physical test | Pass |
| (9) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019) section 21 Cellulose Nitrate and Celluloid | Pass |

Decision Rule(s):

When a statement of conformity to a specification or standard is provided on test report, the decision rule shall be applied. For details, please refer to Intertek's "Decision Rule Document" and is available on Intertek's website. <https://intertekhk.grd.by/decision-rule-doc>.
If decision rule already inhaled in the requested specification or standard, Intertek's "Decision Rule Document" is not applicable and indication of "∞" was shown as above table.



TEST REPORT

Number : HKGH03035717

(1) Physical and Mechanical Tests

Test Standard : Safety of toys BS EN 71-1:2014 + A1:2018

Age group for testing : For All Ages

| Clause | Testing Items |
|---------|------------------------------|
| 8.3 | Torque test (0.34 Nm) |
| 8.4.2.1 | Tension test (90 N) |
| 8.4.2.2 | Seams and materials (70 N) |
| 8.5 | Drop Test (850 mm x 5) |
| 8.7 | Impact test (1 kg) |
| 8.8 | Compression test (110 N) |

| Clause | Requirement | Assessment |
|--------|--|------------|
| 4 | General requirements | |
| 4.1 | Material cleanliness | P |
| 4.2 | Assembly | NA |
| 4.3 | Flexible plastic sheeting | NA |
| 4.4 | Toy bags | NA |
| 4.5 | Glass | NA |
| 4.6 | Expanding Materials | NA |
| 4.7 | Edges | P |
| 4.8 | Points and Metallic wires | P |
| 4.9 | Protruding parts | NA |
| 4.10 | Parts moving against each other | NA |
| 4.11 | Mouth actuated toys and other toys intended to be put into mouth | NA |
| 4.12 | Balloons | NA |
| 4.13 | Cords of toy kites and other flying toys | NA |
| 4.14 | Enclosures | NA |
| 4.15 | Toys intended to bear the mass of a child | NA |
| 4.16 | Heavy immobile toys | NA |
| 4.17 | Projectiles | NA |
| 4.18 | Aquatic toys and inflatable toys | NA |
| 4.19 | Percussion caps specifically designed for use in toys and toys using percussion caps | NA |
| 4.20 | Acoustics | P |
| 4.21 | Toys containing non -electrical heat source | NA |
| 4.22 | Small balls | NA |
| 4.23 | Magnets | NA |
| 4.24 | Yo-yo balls | NA |
| 4.25 | Toys attached to food | NA |
| 4.26 | Toy Disguise Costumes | NA |
| 4.27 | Flying toys | NA |
| 5 | Toys intended for children under 36 months | |
| 5.1 | General requirements for toys intended for children under 36 months | P |
| 5.2 | Soft-filled toys and soft-filled parts of a toy | P |
| 5.3 | Plastic sheeting | NA |
| 5.4 | Cords, chains and electrical cables in toys | NA |
| 5.5 | Liquid filled toys | NA |
| 5.6 | Speed limitation of electrically driven ride-on toys | NA |
| 5.7 | Glass and porcelain | NA |
| 5.8 | Shape and size of certain toys | P |



TEST REPORT

Number : HKGH03035717

| Clause | Requirement | Assessment |
|--------|---|------------|
| 5.9 | Toys comprising monofilament fibres | NA |
| 5.10 | Small balls | NA |
| 5.11 | Play figures | NA |
| 5.12 | Hemispheric-shaped toys | NA |
| 5.13 | Suction cups | NA |
| 5.14 | Straps intended to be worn fully or partially around the neck | NA |
| 5.15 | Sledges with cords for pulling (7.24) | NA |
| 6 | Packaging | NA |
| 7 | Warnings, markings and instructions for use | |
| 7.1 | General | P |
| 7.2 | Toys not intended for children under 36 months | NA |
| 7.3 | Latex balloons | NA |
| 7.4 | Aquatic toys | NA |
| 7.5 | Functional toys | NA |
| 7.6 | Hazardous sharp functional edges and points | NA |
| 7.7 | Projectile Toys | NA |
| 7.8 | Imitation protective masks and helmets | NA |
| 7.9 | Toy kites | NA |
| 7.10 | Roller skates, inline skates, skateboards and certain other ride-on toys | NA |
| 7.11 | Toys intended to be attached to or strung across a cradle, cot, or perambulator | NA |
| 7.12 | Liquid-filled teethingers | NA |
| 7.13 | Percussion caps specifically designed for use in toys | NA |
| 7.14 | Acoustics | NA |
| 7.15 | Toy bicycles | NA |
| 7.16 | Toys intended to bear the mass of a child | NA |
| 7.17 | Toys comprising monofilament fibres | NA |
| 7.18 | Toy scooters | NA |
| 7.19 | Rocking horses and similar toys | NA |
| 7.20 | Magnetic / electrical experimental sets | NA |
| 7.21 | Toys with electrical cables exceeding 300 mm in length | NA |
| 7.22 | Toys with cords or chains intended for children of 18 months and over but under 36 months | NA |
| 7.23 | Toys intended to be attached to a cradle, cot or perambulator | NA |
| 7.24 | Sledges with cords for pulling | NA |
| 7.25 | Flying toys | NA |
| 7.26 | Improvised projectiles | NA |

Abbreviation : P = Pass NA = Not Applicable

Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provided instructions on how the toy has to be cleaned.

After checking, the cleaning instruction was found on the submitted samples.

Below is additional information checking according to the UK Toy (Safety) Regulations requirement. These information also appears as a note within BS EN71 but the checking is not within accreditation scope.



TEST REPORT

Number : HKGH03035717

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that

| | Toy | Packaging |
|---|---------|-----------|
| Name of authorised representative in Great Britain | Absent | Absent |
| Address of authorised representative in Great Britain | Absent | Absent |
| Product identification code | Present | Present |

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020, toys or packagings shall also bear the UKCA marking. However, as per the official publication on 14 November 2022, CE marking is continued to be recognised for 2 more years in UK market until 31 December, 2024.

After checking, it was found that

| | Toy | Packaging |
|--------------|---------|-----------|
| UKCA marking | Present | Present |

The submitted samples were undergone the abuse tests for Clause 5.1 and 5.2 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.

Date sample received : Aug 02, 2023

Test Period : Aug 02, 2023 to Aug 08, 2023



TEST REPORT

Number : HKGH03035717

(2) Flammability Test

Test Standard : Standard on Safety of Toys BS EN 71-2:2020

| Clause | Requirement | Assessment |
|--------|---|------------|
| 4.1 | General requirements | P |
| 4.2 | Toys to be worn on the head | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by a child in play | NA |
| 4.4 | Toys intended to be entered by a child | NA |
| 4.5 | Soft filled toys | P |

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Aug 02, 2023

Test Period : Aug 02, 2023 to Aug 08, 2023



TEST REPORT

Number : HKGH03035717

(3) Mechanical and Physical Test

Test Standard : European Standard on Safety of toys EN 71-1:2014 + A1:2018

Age group for testing : For All Ages

| The submitted samples were undergone the following abuse tests: | |
|---|----------------------------|
| <u>Clause</u> | <u>Testing Items</u> |
| 8.3 | Torque test (0.34 Nm) |
| 8.4.2.1 | Tension test (90 N) |
| 8.4.2.2 | Seams and materials (70 N) |
| 8.5 | Drop test (850 mm x 5) |
| 8.7 | Impact test (1 kg) |
| 8.8 | Compression test (110 N) |

| <u>Clause</u> | <u>Requirement</u> | <u>Assessment</u> |
|---------------|--|-------------------|
| 4 | General requirements | |
| 4.1 | Material cleanliness | P |
| 4.2 | Assembly | NA |
| 4.3 | Flexible plastic sheeting | NA |
| 4.4 | Toy bags | NA |
| 4.5 | Glass | NA |
| 4.6 | Expanding Materials | NA |
| 4.7 | Edges | P |
| 4.8 | Points and Metallic wires | P |
| 4.9 | Protruding parts | NA |
| 4.10 | Parts moving against each other | NA |
| 4.11 | Mouth actuated toys and other toys intended to be put into mouth | NA |
| 4.12 | Balloons | NA |
| 4.13 | Cords of toy kites and other flying toys | NA |
| 4.14 | Enclosures | NA |
| 4.15 | Toys intended to bear the mass of a child | NA |
| 4.16 | Heavy immobile toys | NA |
| 4.17 | Projectiles | NA |
| 4.18 | Aquatic toys and inflatable toys | NA |



TEST REPORT

Number : HKGH03035717

| Clause | Requirement | Assessment |
|--------|--|------------|
| 4.19 | Percussion caps specifically designed for use in toys and toys using percussion caps | NA |
| 4.20 | Acoustics | P |
| 4.21 | Toys containing non -electrical heat source | NA |
| 4.22 | Small balls | NA |
| 4.23 | Magnets | NA |
| 4.24 | Yo-yo balls | NA |
| 4.25 | Toys attached to food | NA |
| 4.26 | Toy Disguise Costumes | NA |
| 4.27 | Flying toys | NA |
| 5 | Toys intended for children under 36 months | |
| 5.1 | General requirements for toys intended for children under 36 months | P |
| 5.2 | Soft-filled toys and soft-filled parts of a toy | P |
| 5.3 | Plastic sheeting | NA |
| 5.4 | Cords, chains and electrical cables in toys | NA |
| 5.5 | Liquid filled toys | NA |
| 5.6 | Speed limitation of electrically driven ride-on toys | NA |
| 5.7 | Glass and porcelain | NA |
| 5.8 | Shape and size of certain toys | P |
| 5.9 | Toys comprising monofilament fibres | NA |
| 5.10 | Small balls | NA |
| 5.11 | Play figures | NA |
| 5.12 | Hemispheric-shaped toys | NA |
| 5.13 | Suction cups | NA |
| 5.14 | Straps intended to be worn fully or partially around the neck | NA |
| 5.15 | Sledges with cords for pulling (7.24) | NA |
| 6 | Packaging | NA |
| 7 | Warnings, markings and instructions for use | |
| 7.1 | General | P |
| 7.2 | Toys not intended for children under 36 months | NA |
| 7.3 | Latex balloons | NA |
| 7.4 | Aquatic toys | NA |
| 7.5 | Functional toys | NA |
| 7.6 | Hazardous sharp functional edges and points | NA |
| 7.7 | Projectile Toys | NA |
| 7.8 | Imitation protective masks and helmets | NA |
| 7.9 | Toy kites | NA |
| 7.10 | Roller skates, inline skates, skateboards and certain other ride-on toys | NA |
| 7.11 | Toys intended to be attached to or strung across a cradle, cot, or perambulator | NA |
| 7.12 | Liquid-filled teethingers | NA |



TEST REPORT

Number : HKGH03035717

| Clause | Requirement | Assessment |
|--------|---|------------|
| 7.13 | Percussion caps specifically designed for use in toys | NA |
| 7.14 | Acoustics | NA |
| 7.15 | Toy bicycles | NA |
| 7.16 | Toys intended to bear the mass of a child | NA |
| 7.17 | Toys comprising monofilament fibres | NA |
| 7.18 | Toy scooters | NA |
| 7.19 | Rocking horses and similar toys | NA |
| 7.20 | Magnetic / electrical experimental sets | NA |
| 7.21 | Toys with electrical cables exceeding 300 mm in length | NA |
| 7.22 | Toys with cords or chains intended for children of 18 months and over but under 36 months | NA |
| 7.23 | Toys intended to be attached to a cradle, cot or perambulator | NA |
| 7.24 | Sledges with cords for pulling | NA |
| 7.25 | Flying toys | NA |
| 7.26 | Improvised projectiles | NA |

Abbreviation : P = Pass NA = Not Applicable

Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provided instructions on how the toy has to be cleaned.

After checking, the cleaning instruction was found on the submitted samples.

The submitted samples were undergone the abuse tests for Clause 5.1 and 5.2 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking. After checking, it was found that

| | Toy | Packaging |
|-------------------------|---------|-----------|
| Manufacturer's name | Present | Present |
| Manufacturer's address | Present | Present |
| EU Importer's name | Present | Present |
| EI I Importer's address | Present | Present |



TEST REPORT

Number : HKGH03035717

| | | |
|-----------------------------|---------|---------|
| Product identification code | Present | Present |
| CE-marking | Present | Present |

Date sample received : Aug 02, 2023
Test Period : Aug 02, 2023 to Aug 08, 2023



TEST REPORT

Number : HKGH03035717

(4) Flammability Test

Test Standard : European Standard on Safety of Toys EN 71-2:2020

| Clause | Requirement | Assessment |
|--------|---|------------|
| 4.1 | General requirements | P |
| 4.2 | Toys to be worn on the head | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by a child in play | NA |
| 4.4 | Toys intended to be entered by a child | NA |
| 4.5 | Soft filled toys | P |

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Aug 02, 2023

Test Period : Aug 02, 2023 to Aug 08, 2023



TEST REPORT

Number : HKGH03035717

(5) Physical and Mechanical Tests

Test Standard : ASTM Standard Consumer Safety Specification for Toy Safety F963-17

Age group for testing : For All Ages

| | | |
|--|--------------------|------------------|
| The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : - | | |
| <u>Test</u> | <u>FHSA</u> | <u>Parameter</u> |
| Compression test | Section 1500.53(g) | 30 lbf |
| Drop Test | Section 1500.51(b) | 10 x 4.5 ft |
| Tension test | Section 1500.53(f) | 15 lbf |
| Torque test | Section 1500.53(e) | 4 in-lbf |

| <u>Clause</u> | <u>Requirement</u> | <u>Assessment</u> |
|---------------|--|-------------------|
| 4.1 | Material quality | P |
| 4.5 | Sound producing toys | P |
| 4.6.1 | Toys intended for children under 36 months of age | P |
| 4.6.2 | Mouth actuated toys | NA |
| 4.6.3 | Toys and games for 36 months to 72 months - Small part warning | NA |
| 4.7 | Accessible edges | P |
| 4.8 | Projection | NA |
| 4.9 | Accessible points | P |
| 4.10 | Wires or rods | NA |
| 4.11 | Nails and fasteners | P |
| 4.12 | Plastic film | NA |
| 4.13 | Folding mechanisms and hinges | NA |
| 4.14 | Cords, straps, and elastics | NA |
| 4.15 | Stability and overload requirement | NA |
| 4.16 | Confined spaces | NA |
| 4.17 | Wheels, tires, and axles (96 months of age or less) | NA |
| 4.18 | Holes, clearance, and accessibility of mechanisms | NA |
| 4.19 | Simulated protective devices | NA |
| 4.20 | Pacifiers | NA |
| 4.21 | Projectile toys | NA |
| 4.22 | Teethers and teething toys | NA |
| 4.23 | Rattles | P |
| 4.24 | Squeeze toys | NA |
| 4.25 | Battery operated toys | NA |
| 4.26 | Toys intended to be attached to a crib or playpen | NA |



TEST REPORT

Number : HKGH03035717

| Clause | Requirement | Assessment |
|--------|---|------------|
| 4.27 | Stuffed and beanbag type toys | P |
| 4.28 | Stroller and carriage toys | NA |
| 4.29 | Art materials | NA |
| 4.30 | Toy gun marking | NA |
| 4.31 | Balloons | NA |
| 4.32 | Certain toys with nearly spherical ends | NA |
| 4.33 | Marbles | NA |
| 4.34 | Balls | NA |
| 4.35 | Pompoms | NA |
| 4.36 | Hemispherical shaped objects | NA |
| 4.37 | Yo Yo elastic tether toys | NA |
| 4.38 | Magnets | NA |
| 4.39 | Jaw Entrapment in Handles and Steering Wheels | NA |
| 4.40 | Expanding materials | NA |
| 4.41 | Toy chests | NA |
| 5 | Labeling requirements | P |
| 6 | Instructional literature | P |
| 7 | Producer's marking | |
| | - Name of producer / distributor | Yes |
| | - Address | Yes |

Abbreviation : P = Pass NA = Not Applicable

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Date sample received : Aug 02, 2023
 Test Period : Aug 02, 2023 to Aug 08, 2023



TEST REPORT

Number : HKGH03035717

(6) Flammability Tests

Test Standard : Section 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

| <u>Sample</u> | <u>Ignition point</u> | <u>Burn length</u> <u>(inch)</u> | <u>Time (sec)</u> | <u>Burn Rate</u> <u>(inch/sec)</u> | <u>Limit (inch/sec)</u> |
|---------------|-----------------------|-------------------------------------|-------------------|---------------------------------------|-------------------------|
| Turtle | Edge | 1.0 | 60 | 0.01 | 0.1 |

The above result only showed the most severe burn rate of the samples and components.

Date sample received : Aug 02, 2023

Test Period : Aug 02, 2023 to Aug 08, 2023



TEST REPORT

Number : HKGH03035717

(7) Stuffing Cleanliness Test

Test Standard : Section 4.3.7 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17.

Observation: After the stuffing cleanliness evaluation, no contaminant was found in stuffing materials of the submitted sample.

Date sample received : Aug 02, 2023
Test Period : Aug 02, 2023 to Aug 08, 2023



Page 15 of 19



TEST REPORT

Number : HKGH03035717

(8) Physical and Mechanical Tests

Test Standard : Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019)

Age group for testing : For All Ages

| | |
|--|-------------------------|
| The submitted samples were undergone the use and abuse tests in accordance with the Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019): | |
| <u>Test</u> | <u>Parameter</u> |
| Drop test | 4 x (1.367 +/- 0.005) m |
| Pull test | 42.5 +/- 2 N |
| Push test | 42.5 +/- 2 N |

| <u>Clause</u> | <u>Requirement</u> | <u>Assessment</u> |
|---------------|---|-------------------|
| 3 | General - English and French Bilingual Statement | NA |
| 4 | Packaging | NA |
| 5 | Electrically operated toys | NA |
| 6 | Electrically heated toys | NA |
| 7 | Small parts | P |
| 8 | Metal edges | NA |
| 9 | Wire Frames | NA |
| 10 | Plastic Edges | P |
| 11 | Wooden Surfaces, Edges and Corners | NA |
| 12 | Glass | NA |
| 13 | Fasteners | NA |
| 14 | Folding Mechanisms, Bracket or Bracing | NA |
| 15 | Spring-Wound Driving Mechanism | NA |
| 16 | Projectile Components | NA |
| 17 | Toys which a child can enter and which can be closed by a lid or door | NA |
| 18 | Stationary toy that is intended to bear the weight of a child | NA |
| 19 | Noise limit | P |
| 20 | Heated surfaces, parts or substances | NA |
| 28 | Fastening to attach parts, Clothing or Ornamentation | NA |
| 29 | Stuffing Materials | P |
| | (a) Clean and free from vermin | P |
| | (b) Free from Hard and Sharp Foreign Matter | P |
| 30 | Small parts - Squeaker, Reed, Valve or other similar device | NA |
| 31 | Eyes or nose | NA |
| 35 | Plant seeds for making noise | NA |



TEST REPORT

Number : HKGH03035717

| Clause | Requirement | Assessment |
|--------|---|------------|
| 36 | Plant seeds for stuffing material | P |
| 37 | Pull and Push Toys that has a shaft-like handle | NA |
| 38 | Toy Steam Engines Boilers | NA |
| 39 | Finger Paints | NA |
| 40 | Rattle | NA |
| 41 | Elastic | NA |
| 42 | Yo-Yo Type Balls | NA |
| | (a) Stretchable cord | NA |
| | (b) Similar product | NA |
| 43 | Magnetic toys | NA |
| 44 | Warning of magnetic toys | NA |

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Aug 02, 2023

Test Period : Aug 02, 2023 to Aug 08, 2023



Page 17 of 19



TEST REPORT

Number : HKGH03035717

(9) Cellulose Nitrate and Celluloid

Test Standard : Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019) section 21

| | <u>Assessment</u> | <u>Requirements</u> |
|-------------------------------|-------------------|---------------------|
| Cellulose Nitrate / Celluloid | Absent | Absent |

Date sample received : Aug 02, 2023

Test Period : Aug 02, 2023 to Aug 08, 2023



TEST REPORT

Number : HKGH03035717



End of report

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Intertek is responsible for all the information provided in the reports, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.

The observations and test results in this report are relevant to the sample(s) tested and submitted by client. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person. Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

