

TEST REPORT

Applicant: SARL BTL DIFFUSION
16, RUE ANATOLE MOUSSU
ZA MERE NORD EST
78490 MERE FRANCE

Number: HKGH03003816

Date: May 24, 2023

Attn: RAFI

Sample and Information provided by customer :
Item Name : ROLY POLY BALLS - Jungle
ROLY POLY BALLS - Farm
ROLY POLY BALLS - Ocean
Item No. : 303501, 303495, 303518
Quantity : 3 pieces per style
Labelled Age Group : 0m+
Packaging Provided : Yes (Artwork)
Country of Origin : China

For and on behalf of :
Intertek Testing Services HK Ltd.



Cindy I.K. Chan
Vice President



Page 1 of 12



TEST REPORT

Number : HKGH03003816

Conclusion:

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

<u>Requirement</u>	<u>Result</u>
(1) EN 71-1:2014 + A1:2018 - Mechanical and physical properties	Pass
(2) EN 71-2:2020 - Flammability Test	Pass
(3) U.S. ASTM F963-17 - Physical and Mechanical tests	Pass
(4) ASTM F963-17 - Flammability Test of Materials other than textile materials	Pass
(5) ASTM F963-17 - Section 4.3.7 Stuffing Cleanliness Test	Pass
(6) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019) section 21 Cellulose Nitrate and Celluloid	Pass
(7) Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019) - Mechanical and physical test	Pass

Decision Rule(s):

When a statement of conformity to a specification or standard is provided on test report, the decision rule shall be applied. For details, please refer to Intertek's "Decision Rule Document" and is available on Intertek's website. <https://intertekhk.qrd.by/decision-rule-doc..>

If decision rule already inhered in the requested specification or standard, Intertek's "Decision Rule Document" is not applicable and indication of "∞" was shown as above table.



TEST REPORT

Number : HKGH03003816

(1) Mechanical and Physical Test

Test Standard : European Standard on Safety of toys EN 71-1:2014 + A1:2018

Age group for testing : For All Ages

The submitted samples were undergone the following abuse tests:	
<u>Clause</u>	<u>Testing Items</u>
8.3	Torque test (0.34 Nm)
8.4.2.1	Tension test (90 N)
8.4.2.2	Seams and materials (70 N)
8.5	Drop test (850 mm x 5)
8.7	Impact test (1 kg)
8.8	Compression test (110 N)

Clause	Requirement	Assessment
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put into mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing non -electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements for toys intended for children under 36 months	P
5.2	Soft-filled toys and soft-filled parts of a toy	P
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA



TEST REPORT

Number : HKGH03003816

Clause	Requirement	Assessment
5.8	Shape and size of certain toys	P
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	P
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling (7.24)	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile Toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation : P = Pass NA = Not Applicable



Page 4 of 12



TEST REPORT

Number : HKGH03003816

The submitted samples were undergone the abuse tests for Clause 5.1 and 5.2 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking. After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
EU Importer's name	Present	Present
EU Importer's address	Present	Present
Product identification code	Present	Present
CE-marking	Present	Present

Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provided instructions on how the toy has to be cleaned.

After checking, the cleaning instruction was found on the submitted samples.

Date sample received : May 08, 2023

Test Period : May 08, 2023 to May 13, 2023



TEST REPORT

Number : HKGH03003816

(2) Flammability Test

Test Standard : European Standard on Safety of Toys EN 71-2:2020

Clause	Requirement	Assessment
4.1	General requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA#1

Abbreviation : P = Pass NA = Not Applicable

Remark(s):

#1 = Clause 4.5 - Since the maximum dimension of the submitted sample was less than 150 mm, the flammability test was found not applicable.

Date sample received : May 08, 2023

Test Period : May 08, 2023 to May 13, 2023



Page 6 of 12



TEST REPORT

Number : HKGH03003816

(3) Physical and Mechanical Tests

Test Standard : ASTM Standard Consumer Safety Specification for Toy Safety F963-17

Age group for testing : For All Ages

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : -

<u>Test</u>	<u>FHSA</u>	<u>Parameter</u>
Compression test	Section 1500.53(g)	30 lbf
Drop Test	Section 1500.51(b)	10 x 4.5 ft
Tension test	Section 1500.53(f)	15 lbf
Torque test	Section 1500.53(e)	4 in-lbf

<u>Clause</u>	<u>Requirement</u>	<u>Assessment</u>
4.1	Material quality	P
4.5	Sound producing toys	P
4.6.1	Toys intended for children under 36 months of age	P
4.6.2	Mouth actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months - Small part warning	NA
4.7	Accessible edges	P
4.8	Projection	NA
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	NA
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and overload requirement	NA
4.16	Confined spaces	NA
4.17	Wheels, tires, and axles (96 months of age or less)	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	P
4.24	Squeeze toys	NA
4.25	Battery operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA



Page 7 of 12



TEST REPORT

Number : HKGH03003816

Clause	Requirement	Assessment
4.27	Stuffed and beanbag type toys	P
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	P
4.35	Pompoms	NA
4.36	Hemispherical shaped objects	NA
4.37	Yo Yo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labeling requirements	P
6	Instructional literature	P
7	Producer's marking	
	- Name of producer / distributor	Yes
	- Address	Yes

Abbreviation : P = Pass NA = Not Applicable

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Date sample received : May 08, 2023
Test Period : May 08, 2023 to May 13, 2023



Page 8 of 12

TEST REPORT

Number : HKGH03003816

(4) Flammability Tests

Test Standard : Section 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

<u>Sample</u>	<u>Ignition point</u>	<u>Burn length</u> <u>(inch)</u>	<u>Time (sec)</u>	<u>Burn Rate</u> <u>(inch/sec)</u>	<u>Limit (inch/sec)</u>
Bear	Edge	0.5	60	0.01	0.1

The above result only showed the most severe burn rate of the samples and components.

Date sample received : May 08, 2023

Test Period : May 08, 2023 to May 13, 2023

(5) Stuffing Cleanliness Test

Test Standard : Section 4.3.7 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17.

Observation: After the stuffing cleanliness evaluation, no contaminant was found in stuffing materials of the submitted sample.

Date sample received : May 08, 2023

Test Period : May 08, 2023 to May 13, 2023



Page 9 of 12



TEST REPORT

Number : HKGH03003816

(6) Cellulose Nitrate and Celluloid

Test Standard : Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019) section 21

	<u>Assessment</u>	<u>Requirements</u>
Cellulose Nitrate / Celluloid	Absent	Absent

Date sample received : May 08, 2023
Test Period : May 08, 2023 to May 13, 2023

(7) Physical and Mechanical Tests

Test Standard : Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019)

Age group for testing : For All Ages

The submitted samples were undergone the use and abuse tests in accordance with the Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 (last amended on 11 January 2019):

<u>Test</u>	<u>Parameter</u>
Drop test	4 x (1.367 +/- 0.005) m
Pull test	42.5 +/- 2 N
Pull/push - rattle	48 +/- 2 N
Push test	42.5 +/- 2 N
Torque - rattle	94 +/- 5 N.cm

<u>Clause</u>	<u>Requirement</u>	<u>Assessment</u>
3	General - English and French Bilingual Statement	NA
4	Packaging	NA
5	Electrically operated toys	NA
6	Electrically heated toys	NA
7	Small parts	P
8	Metal edges	P
9	Wire Frames	P
10	Plastic Edges	P
11	Wooden Surfaces, Edges and Corners	NA
12	Glass	NA
13	Fasteners	NA



Page 10 of 12



TEST REPORT

Number : HKGH03003816

Clause	Requirement	Assessment
14	Folding Mechanisms, Bracket or Bracing	NA
15	Spring-Wound Driving Mechanism	NA
16	Projectile Components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
19	Noise limit	P
20	Heated surfaces, parts or substances	NA
28	Fastening to attach parts, Clothing or Ornamentation	NA
29	Stuffing Materials	P
	(a) Clean and free from vermin	P
	(b) Free from Hard and Sharp Foreign Matter	P
30	Small parts - Squeaker, Reed, Valve or other similar device	NA
31	Eyes or nose	NA
35	Plant seeds for making noise	P
36	Plant seeds for stuffing material	P
37	Pull and Push Toys that has a shaft-like handle	NA
38	Toy Steam Engines Boilers	NA
39	Finger Paints	NA
40	Rattle	P
41	Elastic	NA
42	Yo-Yo Type Balls	NA
	(a) Stretchable cord	NA
	(b) Similar product	NA
43	Magnetic toys	NA
44	Warning of magnetic toys	NA

Abbreviation : P = Pass NA = Not Applicable

Date sample received : May 08, 2023

Test Period : May 08, 2023 to May 13, 2023



Page 11 of 12



TEST REPORT

Number : HKGH03003816



End of report

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Intertek is responsible for all the information provided in the reports, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.

The observations and test results in this report are relevant to the sample(s) tested and submitted by client. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person. Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



Page 12 of 12

